Rightmyer_2013 · Taxon plot

2 of 450 sequences masked (0.4%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below)


- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs

Rightmyer_2013 · Locus plot

2 of 450 sequences masked (0.4%)


each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below)

- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs




Rightmyer_2013 · Number of sequences masked per locus and per taxon


2 of 450 sequences masked (0.4%)



by locus · 2 of 10 loci have a masked sequence



by taxon · 2 of 45 taxa have a masked sequence





Rightmyer_2013 · Best match of each masked sequence

2 of 450 sequences masked (0.4%)


the 2 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide


masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones





Rightmyer_2013 · Residuals by taxon
2 of 450 sequences masked (0.4%) · all 45 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out




Rightmyer_2013 · Residuals by locus
2 of 450 sequences masked (0.4%) · all 10 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land
co1 1 masked · 0 identical
opsin 1 masked · 1 identical
cad_exon1 0 masked · 0 identical
ef1a_exon1 0 masked · 1 identical
ef1a_exon2 0 masked · 4 identical
ef1a_exon3 0 masked · 6 identical
intron1 0 masked · 0 identical
intron2 0 masked · 0 identical
intron3 0 masked · 0 identical
opsin_intron 0 masked · 6 identical
-10
-1
0
1
10
100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶