
Fong_2012 · Taxon plot

13 of 2,937 sequences masked (0.4%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs



observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Fong_2012 · Locus plot

13 of 2,937 sequences masked (0.4%)


each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs



observed divergence of the cell, median over its comparators (%)

expected divergence of the cell, median over its comparators (%)


Fong_2012 · Number of sequences masked per locus and per taxon
13 of 2,937 sequences masked (0.4%)
not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
by locus · 11 of 56 loci have a masked sequence
loci
45
30
15
0
45
9
2
0
1
2
sequences masked in the locus
by taxon · 10 of 76 taxa have a masked sequence
taxa
70
65
60
55
50
8
6
4
2
0
66
7
3
0
1
2
sequences masked in the taxon

Fong_2012 · Best match of each masked sequence


13 of 2,937 sequences masked (0.4%)

the 10 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones


Cavia

2 of 54 sequences masked (3.7%)
best match is one of the 5 closest relatives for 0% of masked and 33% of unmasked sequences · identity to it: masked 84.1%, unmasked 94.0%




Gorilla

2 of 47 sequences masked (4.3%)
best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 92.9%, unmasked 99.8%




Macaca

2 of 53 sequences masked (3.8%)
best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 91.1%, unmasked 98.8%




Dipodomys

1 of 49 sequences masked (2.0%)
best match is one of the 5 closest relatives for 0% of masked and 40% of unmasked sequences · identity to it: masked 81.3%, unmasked 94.4%




Eretmochelys

1 of 10 sequences masked (10.0%)
best match is one of the 5 closest relatives for 0% of masked and 56% of unmasked sequences · identity to it: masked 95.3%, unmasked 98.2%




Erinaceus

1 of 46 sequences masked (2.2%)
best match is one of the 5 closest relatives for 0% of masked and 67% of unmasked sequences · identity to it: masked 74.9%, unmasked 94.3%




Geochelone

1 of 18 sequences masked (5.6%)
best match is one of the 5 closest relatives for 0% of masked and 47% of unmasked sequences · identity to it: masked 89.5%, unmasked 99.0%




Myotis

1 of 52 sequences masked (1.9%)
best match is one of the 5 closest relatives for 0% of masked and 73% of unmasked sequences · identity to it: masked 85.8%, unmasked 96.3%




Pongo

1 of 53 sequences masked (1.9%)
best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 90.0%, unmasked 99.5%



Tarsius

1 of 52 sequences masked (1.9%)
best match is one of the 5 closest relatives for 0% of masked and 53% of unmasked sequences · identity to it: masked 88.1%, unmasked 95.6%



Fong_2012 · Residuals by taxon
13 of 2,937 sequences masked (0.4%) · all 76 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out

Cavia 2 masked · 0 identical
Gorilla 2 masked · 5 identical
Macaca 2 masked · 1 identical
Dipodomys 1 masked · 0 identical
Eretmochelys 1 masked · 0 identical
Erinaceus 1 masked · 1 identical
Geochelone 1 masked · 0 identical
Myotis 1 masked · 0 identical
Pongo 1 masked · 3 identical
Tarsius 1 masked · 0 identical
Alethe 0 masked · 0 identical
Alligator 0 masked · 0 identical
AlligatorMVZ 0 masked · 0 identical
Ambystoma 0 masked · 0 identical
Anniella 0 masked · 0 identical
Anolis 0 masked · 0 identical
Apalone 0 masked · 0 identical
Bos 0 masked · 0 identical
Callithrix 0 masked · 0 identical
Canis 0 masked · 0 identical
Chelydra 0 masked · 0 identical
Choloepus 0 masked · 0 identical
Chrysemys 0 masked · 2 identical
Cyrtodactylus 0 masked · 0 identical
Danio 0 masked · 0 identical
Dasypus 0 masked · 0 identical
Dendropicos 0 masked · 0 identical
Dibamus 0 masked · 0 identical
Dierochelys 0 masked · 0 identical
Dracob 0 masked · 0 identical
Dracos 0 masked · 0 identical
Echinops 0 masked · 0 identical
Equus 0 masked · 0 identical
Eurotestudo 0 masked · 1 identical
Felis 0 masked · 0 identical
Gallus 0 masked · 0 identical
Gasterosteus 0 masked · 0 identical
Geoemyda 0 masked · 1 identical
Hardella 0 masked · 0 identical
Heternotia 0 masked · 0 identical
Homo 0 masked · 3 identical
Icthyophis 0 masked · 0 identical
Kachuga 0 masked · 0 identical
Loxodonta 0 masked · 1 identical
Macropus 0 masked · 0 identical
Malaclemys 0 masked · 2 identical
Malayemys 0 masked · 0 identical
Microcebus 0 masked · 0 identical
Monodelphis 0 masked · 0 identical
Mus 0 masked · 0 identical
Ochotona 0 masked · 0 identical
Ornithorhynchus 0 masked · 0 identical
Oryctolagus 0 masked · 0 identical
Oryzias 0 masked · 0 identical
Osaecilia 0 masked · 0 identical
Otolemur 0 masked · 0 identical
Pan 0 masked · 3 identical
Procavia 0 masked · 0 identical
Pseudemys 0 masked · 0 identical
Pteropus 0 masked · 0 identical
Rattus 0 masked · 0 identical
Rhinoclemmys 0 masked · 0 identical
Sorex 0 masked · 0 identical
Spermophilus 0 masked · 1 identical
Sternotherusc 0 masked · 1 identical
Sternotherusm 0 masked · 0 identical
Sus 0 masked · 0 identical
Taeniopygia 0 masked · 0 identical
Takifugu 0 masked · 0 identical
Testudo 0 masked · 3 identical
Tetraodon 0 masked · 0 identical
Tupaia 0 masked · 0 identical
Tursiops 0 masked · 0 identical
Vicugna 0 masked · 0 identical
Xenopeltis 0 masked · 0 identical
Xenopus 0 masked · 0 identical

-10 -1 0 1 10 100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶

Fong_2012 · Residuals by locus
13 of 2,937 sequences masked (0.4%) · all 56 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

