Moyle_2016 · Taxon plot

11 of 54,590 sequences masked (0.0%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence · the 100 most masked of 106 taxa are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs



observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Moyle_2016 · Locus plot

11 of 54,590 sequences masked (0.0%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence · the 100 most masked of 515 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Moyle_2016 · Number of sequences masked per locus and per taxon


11 of 54,590 sequences masked (0.0%)



by locus · 6 of 515 loci have a masked sequence



by taxon · 10 of 106 taxa have a masked sequence



Moyle_2016 · Best match of each masked sequence

11 of 54,590 sequences masked (0.0%)


the 10 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones

artamus_cinereus_ku_6183

2 of 515 sequences masked (0.4%)


best match is one of the 5 closest relatives for 0% of masked and 1% of unmasked sequences · identity to it: masked 93.6%, unmasked 98.8%



acanthorhynchus_tenuirostris_ku_10667

1 of 515 sequences masked (0.2%)

best match is one of the 5 closest relatives for 0% of masked and 0% of unmasked sequences · identity to it: masked 97.1%, unmasked 99.0%



daphoenositta_chrysoptera_ku_23086

1 of 515 sequences masked (0.2%)

best match is one of the 5 closest relatives for 0% of masked and 1% of unmasked sequences · identity to it: masked 94.7%, unmasked 98.8%

eremophila_alpestris_ku_28950


1 of 515 sequences masked (0.2%)

best match is one of the 5 closest relatives for 0% of masked and 0% of unmasked sequences · identity to it: masked 93.1%, unmasked 98.4%

hydrornis_cyanea_ku_31228

1 of 515 sequences masked (0.2%)


best match is one of the 5 closest relatives for 0% of masked and 0% of unmasked sequences · identity to it: masked 91.8%, unmasked 96.6%



malurus_alboscapulatus_ku_16459

1 of 515 sequences masked (0.2%)


best match is one of the 5 closest relatives for 0% of masked and 0% of unmasked sequences · identity to it: masked 84.6%, unmasked 98.1%



muscicapa_striata_ku_26606

1 of 515 sequences masked (0.2%)


best match is one of the 5 closest relatives for 0% of masked and 1% of unmasked sequences · identity to it: masked 90.4%, unmasked 98.8%



phylloscopus_trochilus_ku_15495

1 of 515 sequences masked (0.2%)


best match is one of the 5 closest relatives for 0% of masked and 0% of unmasked sequences · identity to it: masked 93.7%, unmasked 99.0%



sitta_europaea_ku_30442

1 of 515 sequences masked (0.2%)


best match is one of the 5 closest relatives for 0% of masked and 0% of unmasked sequences · identity to it: masked 94.2%, unmasked 98.5%



sturnus_vulgaris_ku_3510

1 of 515 sequences masked (0.2%)

best match is one of the 5 closest relatives for 0% of masked and 0% of unmasked sequences · identity to it: masked 93.0%, unmasked 98.5%



Moyle_2016 · Residuals by taxon
11 of 54,590 sequences masked (0.0%) · the 100 most masked of 106 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out



Moyle_2016 · Residuals by locus
11 of 54,590 sequences masked (0.0%) · the 100 most masked of 515 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

