Near_2013 · Taxon plot

11 of 2,000 sequences masked (0.6%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence · the 100 most masked of 200 taxa are shown

● not masked · fails 0 of 5
● not masked · fails 1 of 5
● not masked · fails 2 of 5
▲ masked, too divergent · fails 3 of 5
▲ masked, too divergent · fails 4 of 5
▲ masked, too divergent · fails 5 of 5
▼ masked, too similar · 1 pair
▼ masked, too similar · 2 pairs
▼ masked, too similar · 3+ pairs
Polycentropsis_abbreviataA
2 of 10 sequences masked (20.0%)
Amblycirrhitus_pinosA
1 of 10 sequences masked (10.0%)
Aulotrachichthys_sajA
1 of 10 sequences masked (10.0%)
Brama_japonicaA
1 of 10 sequences masked (10.0%)
Macquaria_ambiguaA
1 of 10 sequences masked (10.0%)
Monocentris_japonicaA
1 of 10 sequences masked (10.0%)
Paracirrhites_arcatusA
1 of 10 sequences masked (10.0%)
Paralabrax_nebuliferA
1 of 10 sequences masked (10.0%)
Scomberomorus_maculatusA
1 of 10 sequences masked (10.0%)
Taractes_asperA
1 of 10 sequences masked (10.0%)
Abalistes_stellatusA
0 of 10 sequences masked (0.0%)
Acanthurus_bahianusA
0 of 10 sequences masked (0.0%)
Acanthurus_nigricansA
0 of 10 sequences masked (0.0%)
Acropoma_japonicaA
0 of 10 sequences masked (0.0%)
Ambassis_urotaeniaA
0 of 10 sequences masked (0.0%)
Ambloplites_rupestrisCB
0 of 10 sequences masked (0.0%)
Anarhichas_lupusA
0 of 10 sequences masked (0.0%)
Anomalops_katA
0 of 10 sequences masked (0.0%)
Anomalops_katB
0 of 10 sequences masked (0.0%)
Anomalops_katC
0 of 10 sequences masked (0.0%)
Anoplopoma_fimbriaA
0 of 10 sequences masked (0.0%)
Antigonia_caprosA
0 of 10 sequences masked (0.0%)
Antigonia_rubescensA
0 of 10 sequences masked (0.0%)
Apeltes_quadracusA
0 of 10 sequences masked (0.0%)
Aplodinotus_grunniensA
0 of 10 sequences masked (0.0%)
Apogon_lateralisA
0 of 10 sequences masked (0.0%)
Aracana_auritaA
0 of 10 sequences masked (0.0%)
Archoplites_interuptusA
0 of 10 sequences masked (0.0%)
Assurger_anzacA
0 of 10 sequences masked (0.0%)
Astrapogon_stellatusA
0 of 10 sequences masked (0.0%)
Astroscopus_y_graecumA
0 of 10 sequences masked (0.0%)
Aulorhynchus_flavidusA
0 of 10 sequences masked (0.0%)
Aulostomus_chinensisA
0 of 10 sequences masked (0.0%)
Aulostomus_maculatusA
0 of 10 sequences masked (0.0%)
Auxis_rocheiA
0 of 10 sequences masked (0.0%)
Barbourisia_rufaA
0 of 10 sequences masked (0.0%)
Bovichtus_diacanthusB
0 of 10 sequences masked (0.0%)
Cataetyx_lepidogenysA
0 of 10 sequences masked (0.0%)
Caulolatilus_princepsA
0 of 10 sequences masked (0.0%)
Centrogenys_vaigiensisA
0 of 10 sequences masked (0.0%)
Centropomus_armatusA
0 of 10 sequences masked (0.0%)
Centropomus_undecimalisA
0 of 10 sequences masked (0.0%)
Chaetodipterus_fabA
0 of 10 sequences masked (0.0%)
Chaetodon_ornatissimusA
0 of 10 sequences masked (0.0%)
Chaetodon_striatusA
0 of 10 sequences masked (0.0%)
Chanda_rangaA
0 of 10 sequences masked (0.0%)
Channa_melasomaA
0 of 10 sequences masked (0.0%)
Channa_striataA
0 of 10 sequences masked (0.0%)
Chanos_chanosB
0 of 10 sequences masked (0.0%)
Chaunax_spA
0 of 10 sequences masked (0.0%)
Chaunax_stigmaeusA
0 of 10 sequences masked (0.0%)
Chaunax_suttkusiA
0 of 10 sequences masked (0.0%)
Cheilodipterus_quA
0 of 10 sequences masked (0.0%)
Chelmon_rostratusA
0 of 10 sequences masked (0.0%)
Chiasmodon_spA
0 of 10 sequences masked (0.0%)
Chilomycterus_schoepfiiA
0 of 10 sequences masked (0.0%)
Chionobathyscus_dewittiB
0 of 10 sequences masked (0.0%)
Chirodactylus_brachydactylusA
0 of 10 sequences masked (0.0%)
Cichla_temensisA
0 of 10 sequences masked (0.0%)
Congrogadus_subducensA
0 of 10 sequences masked (0.0%)
Cromeria_niloticaA
0 of 10 sequences masked (0.0%)
Ctenochaetus_strigosusA
0 of 10 sequences masked (0.0%)
Cubiceps_baxteriA
0 of 10 sequences masked (0.0%)
Cyclopterus_lumpusA
0 of 10 sequences masked (0.0%)
Cynoscion_regalisA
0 of 10 sequences masked (0.0%)
Damalichthys_vaccaA
0 of 10 sequences masked (0.0%)
Datnioides_microlepisA
0 of 10 sequences masked (0.0%)
Diademichthys_lineatusA
0 of 10 sequences masked (0.0%)
Diodon_holocanthusA
0 of 10 sequences masked (0.0%)
Diplacanthopoma_brunneaA
0 of 10 sequences masked (0.0%)
Dissostichus_eleginoidesB
0 of 10 sequences masked (0.0%)
Elassoma_okefenokeeA
0 of 10 sequences masked (0.0%)
Elassoma_zonatumA
0 of 10 sequences masked (0.0%)
Eleginops_maclovinusB
0 of 10 sequences masked (0.0%)
Eleutheronema_rhadinumA
0 of 10 sequences masked (0.0%)
Embiotoca_jacksoniA
0 of 10 sequences masked (0.0%)
Epibulus_brevisA
0 of 10 sequences masked (0.0%)
Erythrocles_schlegeliiA
0 of 10 sequences masked (0.0%)
Etroplus_maculatusA
0 of 10 sequences masked (0.0%)
Eucinostomus_lefroyiA
0 of 10 sequences masked (0.0%)
Eugerres_plumieriA
0 of 10 sequences masked (0.0%)
Forcipiger_flavissimusA
0 of 10 sequences masked (0.0%)
Gambusia_Affinis
0 of 10 sequences masked (0.0%)
Gambusia_affinisA
0 of 10 sequences masked (0.0%)
Gasterosteus_acuC
0 of 10 sequences masked (0.0%)
Gasterosteus_whB
0 of 10 sequences masked (0.0%)
Gephyroberyx_darwiniA
0 of 10 sequences masked (0.0%)
Glaucosoma_buergeriA
0 of 10 sequences masked (0.0%)
Glaucosoma_hebraicumA
0 of 10 sequences masked (0.0%)
Gramma_loretoA
0 of 10 sequences masked (0.0%)
Grammistes_sexlineatusA
0 of 10 sequences masked (0.0%)
Haemulon_sciurusA
0 of 10 sequences masked (0.0%)
Halichoeres_bivutatusA
0 of 10 sequences masked (0.0%)
Helostoma_temminckiiA
0 of 10 sequences masked (0.0%)
Heros_appendictulatusA
0 of 10 sequences masked (0.0%)
Heterochromis_multidensA
0 of 10 sequences masked (0.0%)
Hexagrammos_otakiiA
0 of 10 sequences masked (0.0%)
Histiophryne_cryptacanthusA
0 of 10 sequences masked (0.0%)
Hoplostethus_atlanticusA
0 of 10 sequences masked (0.0%)
Hucho_perryiA
0 of 10 sequences masked (0.0%)
observed divergence of the cell, median over its comparators (%)
expected divergence of the cell, median over its comparators (%)

Near_2013 · Locus plot

11 of 2,000 sequences masked (0.6%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence



Near_2013 · Number of sequences masked per locus and per taxon

11 of 2,000 sequences masked (0.6%)



by locus · 6 of 10 loci have a masked sequence

by taxon · 10 of 200 taxa have a masked sequence



Near_2013 · Best match of each masked sequence

11 of 2,000 sequences masked (0.6%)

the 10 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

🟥 masked, too divergent · fails 3 of 5
🟥 masked, too divergent · fails 4 of 5
🟥 masked, too divergent · fails 5 of 5
🟦 masked, too similar · 1 pair
🟦 masked, too similar · 2 pairs
🟦 masked, too similar · 3+ pairs
— count expected if the masked sequences matched like the unmasked ones

Polycentropsis_abbreviataA

2 of 10 sequences masked (20.0%)

best match is one of the 5 closest relatives for 100% of masked and 75% of unmasked sequences · identity to it: masked 100.0%, unmasked 96.6%



Amblycirrhitus_pinosA

1 of 10 sequences masked (10.0%)

best match is one of the 5 closest relatives for 100% of masked and 89% of unmasked sequences · identity to it: masked 93.6%, unmasked 97.4%



Aulotrachichthys_sajA

1 of 10 sequences masked (10.0%)

best match is one of the 5 closest relatives for 0% of masked and 56% of unmasked sequences · identity to it: masked 94.2%, unmasked 98.7%



Brama_japonicaA

1 of 10 sequences masked (10.0%)

best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 98.2%, unmasked 98.3%



Macquaria_ambiguaA

1 of 10 sequences masked (10.0%)

best match is one of the 5 closest relatives for 100% of masked and 33% of unmasked sequences · identity to it: masked 92.4%, unmasked 97.8%



Monocentris_japonicaA

1 of 10 sequences masked (10.0%)

best match is one of the 5 closest relatives for 100% of masked and 89% of unmasked sequences · identity to it: masked 93.8%, unmasked 98.2%



Paracirrhites_arcatusA

1 of 10 sequences masked (10.0%)

best match is one of the 5 closest relatives for 100% of masked and 33% of unmasked sequences · identity to it: masked 93.2%, unmasked 97.1%



Paralabrax_nebuliferA

1 of 10 sequences masked (10.0%)

best match is one of the 5 closest relatives for 0% of masked and 0% of unmasked sequences · identity to it: masked 93.5%, unmasked 97.4%



Scomberomorus_maculatusA

1 of 10 sequences masked (10.0%)

best match is one of the 5 closest relatives for 0% of masked and 89% of unmasked sequences · identity to it: masked 99.1%, unmasked 97.5%



Taractes_asperA

1 of 10 sequences masked (10.0%)

best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 98.2%, unmasked 97.9%



Near_2013 · Residuals by taxon
11 of 2,000 sequences masked (0.6%) · the 100 most masked of 200 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out

Polycentropsis_abbreviataA 2 masked · 0 identical
Amblycirrhitus_pinosA 1 masked · 0 identical
Aulotrachichthys_sajA 1 masked · 0 identical
Brama_japonicaA 1 masked · 0 identical
Macquaria_ambiguaA 1 masked · 0 identical
Monocentris_japonicaA 1 masked · 0 identical
Paracirrhites_arcatusA 1 masked · 0 identical
Paralabrax_nebuliferA 1 masked · 0 identical
Scomberomorus_maculatusA 1 masked · 0 identical
Taractes_asperA 1 masked · 0 identical
Abalistes_stellatusA 0 masked · 0 identical
Acanthurus_bahianusA 0 masked · 0 identical
Acanthurus_nigricansA 0 masked · 0 identical
Acropoma_japonicaA 0 masked · 0 identical
Ambassis_urotaeniaA 0 masked · 0 identical
Ambloplites_rupestrisCB 0 masked · 0 identical
Anarhichas_lupusA 0 masked · 0 identical
Anomalops_katA 0 masked · 0 identical
Anomalops_katB 0 masked · 0 identical
Anomalops_katC 0 masked · 0 identical
Anoplopoma_fimbriaA 0 masked · 0 identical
Antigonia_caprosA 0 masked · 0 identical
Antigonia_rubescensA 0 masked · 0 identical
Apeltes_quadracusA 0 masked · 0 identical
Aplodinotus_grunniensA 0 masked · 0 identical
Apogon_lateralisA 0 masked · 0 identical
Aracana_auritaA 0 masked · 0 identical
Archoplites_interuptusA 0 masked · 0 identical
Assurger_anzacA 0 masked · 0 identical
Astrapogon_stellatusA 0 masked · 0 identical
Astroscopus_y_graecumA 0 masked · 0 identical
Aulorhynchus_flavidusA 0 masked · 0 identical
Aulostomus_chinensisA 0 masked · 0 identical
Aulostomus_maculatusA 0 masked · 0 identical
Auxis_rocheiA 0 masked · 0 identical
Barbourisia_rufaA 0 masked · 0 identical
Bovichtus_diacanthusB 0 masked · 0 identical
Cataetyx_lepidogenysA 0 masked · 0 identical
Caulolatilus_princepsA 0 masked · 0 identical
Centrogenys_vaigiensisA 0 masked · 0 identical
Centropomus_armatusA 0 masked · 0 identical
Centropomus_undecimalisA 0 masked · 0 identical
Chaetodipterus_fabA 0 masked · 0 identical
Chaetodon_ornatissimusA 0 masked · 0 identical
Chaetodon_striatusA 0 masked · 0 identical
Chanda_rangaA 0 masked · 0 identical
Channa_melasomaA 0 masked · 0 identical
Channa_striataA 0 masked · 0 identical
Chanos_chanosB 0 masked · 0 identical
Chaunax_spA 0 masked · 0 identical
Chaunax_stigmaeusA 0 masked · 0 identical
Chaunax_suttkusiA 0 masked · 0 identical
Cheilodipterus_quA 0 masked · 0 identical
Chelmon_rostratusA 0 masked · 0 identical
Chiasmodon_spA 0 masked · 0 identical
Chilomycterus_schoepfiiA 0 masked · 0 identical
Chionobathyscus_dewittiB 0 masked · 0 identical
Chirodactylus_brachydactylusA 0 masked · 0 identical
Cichla_temensisA 0 masked · 0 identical
Congrogadus_subducensA 0 masked · 0 identical
Cromeria_niloticaA 0 masked · 0 identical
Ctenochaetus_strigosusA 0 masked · 0 identical
Cubiceps_baxteriA 0 masked · 0 identical
Cyclopterus_lumpusA 0 masked · 0 identical
Cynoscion_regalisA 0 masked · 0 identical
Damalichthys_vaccaA 0 masked · 0 identical
Datnioides_microlepisA 0 masked · 0 identical
Diademichthys_lineatusA 0 masked · 0 identical
Diodon_holocanthusA 0 masked · 0 identical
Diplacanthopoma_brunneaA 0 masked · 0 identical
Dissostichus_eleginoidesB 0 masked · 0 identical
Elassoma_okefenokeeA 0 masked · 0 identical
Elassoma_zonatumA 0 masked · 0 identical
Eleginops_maclovinusB 0 masked · 0 identical
Eleutheronema_rhadinumA 0 masked · 0 identical
Embiotoca_jacksoniA 0 masked · 0 identical
Epibulus_brevisA 0 masked · 0 identical
Erythrocles_schlegeliiA 0 masked · 0 identical
Etroplus_maculatusA 0 masked · 0 identical
Eucinostomus_lefroyiA 0 masked · 0 identical
Eugerres_plumieriA 0 masked · 0 identical
Forcipiger_flavissimusA 0 masked · 0 identical
Gambusia_Affinis 0 masked · 0 identical
Gambusia_affinisA 0 masked · 0 identical
Gasterosteus_acuC 0 masked · 0 identical
Gasterosteus_whB 0 masked · 0 identical
Gephyroberyx_darwiniA 0 masked · 0 identical
Glaucosoma_buergeriA 0 masked · 0 identical
Glaucosoma_hebraicumA 0 masked · 0 identical
Gramma_lorettoA 0 masked · 0 identical
Grammistes_sexlineatusA 0 masked · 0 identical
Haemulon_sciurusA 0 masked · 0 identical
Halichoeres_bivutatusA 0 masked · 0 identical
Helostoma_temminckiiA 0 masked · 0 identical
Heros_appendiculatusA 0 masked · 0 identical
Heterochromis_multidensA 0 masked · 0 identical
Hexagrammos_otakiiA 0 masked · 0 identical
Histiophryne_cryptacanthusA 0 masked · 0 identical
Hoplostethus_atlanticusA 0 masked · 0 identical
Hucho_perryiA 0 masked · 0 identical
-10
-1
0
1
10
100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶

Near_2013 · Residuals by locus

11 of 2,000 sequences masked (0.6%) · all 10 loci

each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences

sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land


RAG1 4 masked · 0 identical
SH3 2 masked · 0 identical
TBR 2 masked · 0 identical
SREB 1 masked · 0 identical
glyt 1 masked · 0 identical
myh 1 masked · 0 identical
ZIC 0 masked · 0 identical
enc 0 masked · 0 identical
plag 0 masked · 0 identical
ptr 0 masked · 0 identical
-10
-1
0
1
10
100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶