Reddy_2017 · Taxon plot

24 of 15,878 sequences masked (0.2%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence · the 100 most masked of 235 taxa are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs



observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Reddy_2017 · Locus plot

24 of 15,878 sequences masked (0.2%)


each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence

- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs




Reddy_2017 · Number of sequences masked per locus and per taxon


24 of 15,878 sequences masked (0.2%)



by locus · 13 of 88 loci have a masked sequence



by taxon · 20 of 235 taxa have a masked sequence



Reddy_2017 · Best match of each masked sequence

24 of 15,878 sequences masked (0.2%)


the 10 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones

Dryocopus_pileatus

3 of 71 sequences masked (4.2%)


best match is one of the 5 closest relatives for 67% of masked and 94% of unmasked sequences · identity to it: masked 90.1%, unmasked 94.7%



Capito_niger

2 of 70 sequences masked (2.9%)


best match is one of the 5 closest relatives for 50% of masked and 71% of unmasked sequences · identity to it: masked 80.2%, unmasked 87.5%



Indicator_maculatus

2 of 49 sequences masked (4.1%)


best match is one of the 5 closest relatives for 100% of masked and 91% of unmasked sequences · identity to it: masked 82.7%, unmasked 93.0%



Bombycilla_garrulus

1 of 86 sequences masked (1.2%)


best match is one of the 5 closest relatives for 0% of masked and 27% of unmasked sequences · identity to it: masked 46.4%, unmasked 85.0%



Buceros_rhinoceros_silvestris_genome

1 of 54 sequences masked (1.9%)


best match is one of the 5 closest relatives for 0% of masked and 57% of unmasked sequences · identity to it: masked 96.8%, unmasked 91.7%



Coccyzus_americanus

1 of 88 sequences masked (1.1%)

best match is one of the 5 closest relatives for 100% of masked and 82% of unmasked sequences · identity to it: masked 97.4%, unmasked 90.0%



Coua_cristata

1 of 57 sequences masked (1.8%)


best match is one of the 5 closest relatives for 100% of masked and 91% of unmasked sequences · identity to it: masked 74.0%, unmasked 93.1%



Cuculus_canorus_genome

1 of 79 sequences masked (1.3%)


best match is one of the 5 closest relatives for 100% of masked and 50% of unmasked sequences · identity to it: masked 45.9%, unmasked 87.1%



Dromas_ardeola

1 of 88 sequences masked (1.1%)


best match is one of the 5 closest relatives for 100% of masked and 68% of unmasked sequences · identity to it: masked 76.0%, unmasked 87.2%



Phaenicophaeus_curvirostris

1 of 34 sequences masked (2.9%)

best match is one of the 5 closest relatives for 100% of masked and 97% of unmasked sequences · identity to it: masked 70.3%, unmasked 95.5%



Reddy_2017 · Residuals by taxon
24 of 15,878 sequences masked (0.2%) · the 100 most masked of 235 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out

Dryocopus_pileatus 3 masked · 0 identical
Capito_niger 2 masked · 0 identical
Indicator_maculatus 2 masked · 0 identical
Acanthisitta_chloris_genome 1 masked · 0 identical
Bombycilla_garrulus 1 masked · 1 identical
Buceros_rhinoceros_silvestris_genome 1 masked · 0 identical
Coccyzus_americanus 1 masked · 0 identical
Coua_cristata 1 masked · 0 identical
Cuculus_canorus_genome 1 masked · 0 identical
Dromas_ardeola 1 masked · 1 identical
Eurypyga_helias_genome 1 masked · 0 identical
Ficedula_albicollis_genome 1 masked · 1 identical
Gallus_gallus_genome 1 masked · 1 identical
Jynx_ruficollis 1 masked · 0 identical
Nestor_notabilis_genome 1 masked · 0 identical
Phaenicophaeus_curvirostris 1 masked · 0 identical
Picoides_pubescens_genome 1 masked · 0 identical
Rollulus_rouloul 1 masked · 0 identical
Tockus_camurus 1 masked · 1 identical
Upupa_epops 1 masked · 0 identical
Aegotheles_cristatus 0 masked · 0 identical
Aegotheles_insignis 0 masked · 0 identical
Aerodramus_vanikorensis 0 masked · 0 identical
Alectura_lathami 0 masked · 0 identical
Alisterus_scapularis 0 masked · 0 identical
Amazona_autumnalis 0 masked · 0 identical
Anas_platyrhynchos_genome 0 masked · 2 identical
Anhinga_anhinga 0 masked · 0 identical
Anser_erythropus 0 masked · 2 identical
Anseranas_semipalmata 0 masked · 1 identical
Antrostomus_carolinensis_genome 0 masked · 0 identical
Apaloderma_narina 0 masked · 0 identical
Apaloderma_vittatum_genome 0 masked · 0 identical
Aptenodytes_forsteri_genome 0 masked · 1 identical
Aptenodytes_patagonicus 0 masked · 1 identical
Apteryx_australis 0 masked · 1 identical
Aquila_chrysaetos_genome 0 masked · 2 identical
Ara_macao_genome 0 masked · 1 identical
Aramus_guarauna 0 masked · 1 identical
Ardea_herodias 0 masked · 0 identical
Ardeotis_kori 0 masked · 0 identical
Arenaria_interpres 0 masked · 1 identical
Athene_cunicularia 0 masked · 1 identical
Aythya_americana 0 masked · 2 identical
Balaeniceps_rex 0 masked · 0 identical
Balearica_regulorum_gibbericeps_genome 0 masked · 1 identical
Batrachostomus_septimus 0 masked · 1 identical
Biziura_lobata 0 masked · 2 identical
Brachygalba_albogularis 0 masked · 0 identical
Brachypteracias_squamiger 0 masked · 0 identical
Bucco_macrodactylus 0 masked · 1 identical
Bucorvus_abyssinicus 0 masked · 0 identical
Burhinus_bistriatus 0 masked · 1 identical
Buteo_jamaicensis 0 masked · 2 identical
Cacatua_sulphurea 0 masked · 0 identical
Calypte_anna_genome 0 masked · 0 identical
Cariama_cristata_genome 0 masked · 0 identical
Casuarius_casuarius 0 masked · 0 identical
Cathartes_aura_genome 0 masked · 0 identical
Centrocercus_minimus_genome 0 masked · 0 identical
Centropus_viridis 0 masked · 0 identical
Chaetura_pelagica_genome 0 masked · 0 identical
Chalcopsitta_cardinalis 0 masked · 1 identical
Charadrius_vociferus_genome 0 masked · 2 identical
Chauna_torquata 0 masked · 1 identical
Chionis_albus 0 masked · 0 identical
Chlamydotis_macqueenii_genome 0 masked · 0 identical
Chloroceryle_aenea 0 masked · 0 identical
Chunga_burmeisteri 0 masked · 0 identical
Ciconia_ciconia 0 masked · 0 identical
Climacteris_erythrops 0 masked · 0 identical
Cochlearius_cochlearius 0 masked · 0 identical
Colibri_coruscans 0 masked · 0 identical
Colinus_cristatus 0 masked · 0 identical
Colinus_virginianus_genome 0 masked · 1 identical
Colius_colius 0 masked · 0 identical
Colius_striatus_genome 0 masked · 0 identical
Columba_livia_genome 0 masked · 1 identical
Columbina_passerina 0 masked · 1 identical
Coracias_caudatus 0 masked · 0 identical
Corvus_brachyrhynchos_genome 0 masked · 1 identical
Corvus_corone 0 masked · 0 identical
Corythaeola_cristata 0 masked · 1 identical
Corythornis_leucogaster 0 masked · 0 identical
Coturnix_coturnix 0 masked · 0 identical
Coturnix_japonica_genome 0 masked · 1 identical
Crax_alector 0 masked · 0 identical
Crinifer_piscator 0 masked · 0 identical
Crotophaga_sulcirostris 0 masked · 0 identical
Crypturellus_soui 0 masked · 0 identical
Dacelo_novaeguineae 0 masked · 0 identical
Daptrius_ater 0 masked · 2 identical
Dendrocolaptes_certhia 0 masked · 0 identical
Dromaius_novaehollandiae 0 masked · 1 identical
Egretta_garzetta_genome 0 masked · 0 identical
Elanoides_forficatus 0 masked · 0 identical
Eudocimus_albus 0 masked · 0 identical
Eudromia_elegans 0 masked · 0 identical
Eudyptula_minor 0 masked · 2 identical
Eupodotis_ruficrista 0 masked · 0 identical

-10 -1 0 1 10 100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶

Reddy_2017 · Residuals by locus
24 of 15,878 sequences masked (0.2%) · all 88 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

