Ballesteros_2019 · Taxon plot

157 of 99,855 sequences masked (0.2%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below)

- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs




Ballesteros_2019 · Locus plot

157 of 99,855 sequences masked (0.2%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below) · the 100 most masked of 3534 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)

expected divergence of the cell, median over its comparators (%)

Ballesteros_2019 · Number of sequences masked per locus and per taxon

157 of 99,855 sequences masked (0.2%)



Ballesteros_2019 · Best match of each masked sequence

157 of 99,855 sequences masked (0.2%)


the 10 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones

Centruroides_sculpturatus

65 of 2017 sequences masked (3.2%)


best match is one of the 5 closest relatives for 92% of masked and 90% of unmasked sequences · identity to it: masked 67.8%, unmasked 91.0%



Mesobuthus_martensii

9 of 237 sequences masked (3.8%)


best match is one of the 5 closest relatives for 67% of masked and 96% of unmasked sequences · identity to it: masked 54.8%, unmasked 94.5%



Androctonus_australis

5 of 2293 sequences masked (0.2%)


best match is one of the 5 closest relatives for 100% of masked and 91% of unmasked sequences · identity to it: masked 65.2%, unmasked 92.2%



Centruroides_vittatus

5 of 331 sequences masked (1.5%)


best match is one of the 5 closest relatives for 40% of masked and 96% of unmasked sequences · identity to it: masked 92.4%, unmasked 97.9%



Chaerilus

5 of 2318 sequences masked (0.2%)


best match is one of the 5 closest relatives for 80% of masked and 79% of unmasked sequences · identity to it: masked 48.1%, unmasked 83.6%



Ixodes_scapularis

5 of 2185 sequences masked (0.2%)


best match is one of the 5 closest relatives for 20% of masked and 17% of unmasked sequences · identity to it: masked 45.5%, unmasked 65.2%



Parasteatoda_tepidariorum

4 of 2436 sequences masked (0.2%)


best match is one of the 5 closest relatives for 75% of masked and 92% of unmasked sequences · identity to it: masked 52.5%, unmasked 80.1%



Pseudocellus

4 of 632 sequences masked (0.6%)


best match is one of the 5 closest relatives for 50% of masked and 75% of unmasked sequences · identity to it: masked 86.0%, unmasked 85.8%



Tropilaelaps_mercedesae

4 of 1653 sequences masked (0.2%)


best match is one of the 5 closest relatives for 100% of masked and 90% of unmasked sequences · identity to it: masked 91.3%, unmasked 76.2%



Carcinoscorpius_rotundicauda

3 of 1965 sequences masked (0.2%)

best match is one of the 5 closest relatives for 100% of masked and 94% of unmasked sequences · identity to it: masked 81.5%, unmasked 96.9%



Ballesteros_2019 · Residuals by taxon
157 of 99,855 sequences masked (0.2%) · all 53 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out

Centruroides_sculpturatus 65 masked · 17 identical
Mesobuthus_martensii 9 masked · 6 identical
Androctonus_australis 5 masked · 26 identical
Centruroides_vittatus 5 masked · 18 identical
Chaerilus 5 masked · 5 identical
Ixodes_scapularis 5 masked · 0 identical
Parasteatoda_tepidariorum 4 masked · 1 identical
Pseudocellus 4 masked · 0 identical
Tropilaelaps_mercedesae 4 masked · 0 identical
Carcinoscorpius_rotundicauda 3 masked · 0 identical
Leiobunum 3 masked · 1 identical
Limulus_polyphemus 3 masked · 1 identical
Pandinus_imperator 3 masked · 2 identical
Parabuthus_transvaalicus 3 masked · 26 identical
Stegodyphus_mimosarum 3 masked · 1 identical
Synsphyronus 3 masked · 0 identical
Tityus_serrulatus 3 masked · 23 identical
Acanthoscurria_geniculata 2 masked · 1 identical
Galendromus_occidentalis 2 masked · 0 identical
Glomeris_pustulata 2 masked · 0 identical
Liphistius 2 masked · 1 identical
Sarcoptes_scabei 2 masked · 0 identical
Sclerobunus 2 masked · 0 identical
Troglokhammouanus_steineri 2 masked · 7 identical
Camponotus_floridanus 1 masked · 0 identical
Daphnia_pulex 1 masked · 0 identical
Drosophila_melanogaster 1 masked · 0 identical
Hyalella_azteca 1 masked · 0 identical
Mastigoproctus 1 masked · 0 identical
Megacormus 1 masked · 3 identical
Nasonia_vitripenis 1 masked · 0 identical
Neoscona 1 masked · 0 identical
Phalangium 1 masked · 4 identical
Ricinoides 1 masked · 0 identical
Tachypleus_tridentatus 1 masked · 0 identical
Tetranychus_urticae 1 masked · 0 identical
Tribolium_castaneum 1 masked · 0 identical
Alipes 0 masked · 1 identical
Anoplo 0 masked · 0 identical
Chelifer_cancroides 0 masked · 0 identical
Damon 0 masked · 0 identical
Eremobates 0 masked · 1 identical
Folsomia_candida 0 masked · 0 identical
Frontinella 0 masked · 1 identical
Gluvia_dorsalis 0 masked · 0 identical
Lithobius2 0 masked · 0 identical
Pachylicus 0 masked · 2 identical
Peripatopsis2 0 masked · 0 identical
Pycno 0 masked · 0 identical
Siro 0 masked · 2 identical
Strigamia_maritima 0 masked · 0 identical
Symphyllela_vulgaris 0 masked · 0 identical
Zootermopsos_nevadensis 0 masked · 0 identical

-100 -10 -1 0 1 10 100 1,000

extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶

Ballesteros_2019 · Residuals by locus
157 of 99,855 sequences masked (0.2%) · the 100 most masked of 3534 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

