
Branstetter_2017 · Taxon plot

68 of 131,104 sequences masked (0.1%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below) · the 100 most masked of 187 taxa are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs



observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Branstetter_2017 · Locus plot

68 of 131,104 sequences masked (0.1%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below) · the 100 most masked of 807 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)

expected divergence of the cell, median over its comparators (%)

Branstetter_2017 · Number of sequences masked per locus and per taxon

68 of 131,104 sequences masked (0.1%)



Branstetter_2017 · Best match of each masked sequence

68 of 131,104 sequences masked (0.1%)


the 10 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones

Neopasiphae_mirabilis_BND1312

4 of 766 sequences masked (0.5%)


best match is one of the 5 closest relatives for 100% of masked and 80% of unmasked sequences · identity to it: masked 91.3%, unmasked 97.8%



Euryglossa_ephippiata_BND691

3 of 765 sequences masked (0.4%)


best match is one of the 5 closest relatives for 100% of masked and 85% of unmasked sequences · identity to it: masked 84.8%, unmasked 97.7%



Polistes_poeyi_EX399

3 of 678 sequences masked (0.4%)


best match is one of the 5 closest relatives for 33% of masked and 89% of unmasked sequences · identity to it: masked 56.6%, unmasked 95.4%



Thrinchostoma_perineti_BND1247

3 of 783 sequences masked (0.4%)


best match is one of the 5 closest relatives for 67% of masked and 79% of unmasked sequences · identity to it: masked 77.5%, unmasked 96.8%



Vespa_sp_EX578

3 of 713 sequences masked (0.4%)


best match is one of the 5 closest relatives for 33% of masked and 92% of unmasked sequences · identity to it: masked 90.2%, unmasked 97.9%



Agapostemon_tyleri_BND222

3 of 722 sequences masked (0.4%)


best match is one of the 5 closest relatives for 33% of masked and 88% of unmasked sequences · identity to it: masked 60.0%, unmasked 94.1%



Caupolicana_yarrowi_BND654

2 of 722 sequences masked (0.3%)


best match is one of the 5 closest relatives for 0% of masked and 86% of unmasked sequences · identity to it: masked 74.2%, unmasked 97.0%



Habropoda_laboriosa_Genome

2 of 769 sequences masked (0.3%)


best match is one of the 5 closest relatives for 50% of masked and 74% of unmasked sequences · identity to it: masked 87.7%, unmasked 96.9%



Bombus_pensylvanicus_HPG16

2 of 759 sequences masked (0.3%)


best match is one of the 5 closest relatives for 0% of masked and 84% of unmasked sequences · identity to it: masked 59.8%, unmasked 95.7%



Brachycistis_timberlakei_EX440

2 of 706 sequences masked (0.3%)

best match is one of the 5 closest relatives for 50% of masked and 84% of unmasked sequences · identity to it: masked 64.2%, unmasked 95.4%



Metapolybia_cingulata_HPG10

extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶
-10
-1
0
1
10
100
Clypeadon_haigi_BND819 0 masked · 1 identical
Coelioxys_sayi_EX392 0 masked · 6 identical
Colocistis_remi_EX558 0 masked · 1 identical
Copidosoma_floridanum_Genome 0 masked · 0 identical
Cotesia_vestalis_Genome 0 masked · 0 identical
Ctenocolletes_albomarginatus_BND1320 0 masked · 13 identical
Ctenoplectra_rodhaini_BND984 0 masked · 6 identical
Dasylabris_sp_EX559 0 masked · 1 identical
Dasymutilla_sackenii_EX569 0 masked · 1 identical
Dasypoda_visnaga_BND977 0 masked · 0 identical
Dieunomia_nevadensis_BND1112 0 masked · 6 identical
Dioxys_pomonae_BND1152 0 masked · 1 identical
Disholcaspis_lasia_EX580 0 masked · 5 identical
Disholcaspis_quercusmamma_EX579 0 masked · 0 identical
Ectemnius_sonorensis_BND831 0 masked · 4 identical
Embolemidae_sp_EX483 0 masked · 1 identical
Entomacis_sp_EX486 0 masked · 0 identical
Ephedrus_sp_EX489 0 masked · 0 identical
Ephuta_rufisquamis_EX573 0 masked · 0 identical
Epyris_sp_EX562 0 masked · 0 identical
Atta_cephalotes_Genome 0 masked · 12 identical
Augochlorella_aurata_EX396 0 masked · 17 identical
Auplopus_sp_EX549 0 masked · 22 identical
Bembix_americana_EX446 0 masked · 1 identical
Bombus_impatiens_Genome 0 masked · 33 identical
Bombus_pensylvanicus_HPG16 0 masked · 26 identical
Brachycistis_timberlakei_EX440 0 masked · 2 identical
Camponotus_floridanus_Genome 0 masked · 3 identical
Campopleginae_sp_EX482 0 masked · 0 identical
Capicola_richtersveldensis_BND941 0 masked · 1 identical
Cardiocondyla_obscurior_Genome 0 masked · 6 identical
Cephus_cinctus_Genome 0 masked · 0 identical
Cerapachys_biroi_Genome 0 masked · 2 identical
Ceratina_duplex_calcarata_BND657 0 masked · 1 identical
Ceratosolen_solmsi_Genome 0 masked · 1 identical
Cerceris_hatuey_EX444 0 masked · 2 identical
Chalybion_californicus_HPG12 0 masked · 2 identical
Chlorion_aerarium_BND837 0 masked · 0 identical
Chrysis_sp_EX561 0 masked · 0 identical
Chyphotes_mellipes_HPG7 0 masked · 0 identical
Chyphotes_sp_EX553 0 masked · 0 identical
Clypeadon_haigi_BND819 0 masked · 1

Branstetter_2017 · Residuals by locus
68 of 131,104 sequences masked (0.1%) · the 100 most masked of 807 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

