
Crawford_2012 · Taxon plot

20 of 11,450 sequences masked (0.2%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below)

- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs




Crawford_2012 · Locus plot

20 of 11,450 sequences masked (0.2%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below) · the 100 most masked of 1145 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)

expected divergence of the cell, median over its comparators (%)

Crawford_2012 · Number of sequences masked per locus and per taxon

20 of 11,450 sequences masked (0.2%)



Crawford_2012 · Best match of each masked sequence

20 of 11,450 sequences masked (0.2%)


the 6 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones

homo_sapiens

6 of 1145 sequences masked (0.5%)


best match is one of the 5 closest relatives for 67% of masked and 80% of unmasked sequences · identity to it: masked 90.6%, unmasked 93.7%



pantherophis_guttata

5 of 1145 sequences masked (0.4%)


best match is one of the 5 closest relatives for 60% of masked and 76% of unmasked sequences · identity to it: masked 82.6%, unmasked 92.1%



zebra_finch

4 of 1145 sequences masked (0.3%)


best match is one of the 5 closest relatives for 100% of masked and 95% of unmasked sequences · identity to it: masked 89.6%, unmasked 97.7%



gallus_gallus

3 of 1145 sequences masked (0.3%)


best match is one of the 5 closest relatives for 100% of masked and 94% of unmasked sequences · identity to it: masked 88.0%, unmasked 97.8%



anolis_carolinensis

1 of 1145 sequences masked (0.1%)


best match is one of the 5 closest relatives for 0% of masked and 56% of unmasked sequences · identity to it: masked 94.9%, unmasked 94.3%




sphenodon_tuatara

1 of 1145 sequences masked (0.1%)

best match is one of the 5 closest relatives for 100% of masked and 92% of unmasked sequences · identity to it: masked 87.9%, unmasked 97.8%




Crawford_2012 · Residuals by taxon
20 of 11,450 sequences masked (0.2%) · all 10 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out
homo_sapiens 6 masked · 1 identical
pantherophis_guttata 5 masked · 0 identical
zebra_finch 4 masked · 1 identical
gallus_gallus 3 masked · 2 identical
anolis_carolinensis 1 masked · 0 identical
sphenodon_tuatara 1 masked · 13 identical
alligator_mississippiensis 0 masked · 4 identical
chrysemys_picta 0 masked · 3 identical
crocodylus_porosus 0 masked · 14 identical
pelomedusa_subrufa 0 masked · 15 identical
-10
-1
0
1
10
100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶

Crawford_2012 · Residuals by locus
20 of 11,450 sequences masked (0.2%) · the 100 most masked of 1145 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

