
Leache_2015 · Taxon plot

9 of 6,183 sequences masked (0.1%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below)

- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs




Leache_2015 · Locus plot

9 of 6,183 sequences masked (0.1%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below) · the 100 most masked of 583 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Leache_2015 · Number of sequences masked per locus and per taxon


9 of 6,183 sequences masked (0.1%)



by locus · 9 of 583 loci have a masked sequence



by taxon · 4 of 11 taxa have a masked sequence



Leache_2015 · Best match of each masked sequence

9 of 6,183 sequences masked (0.1%)


the 4 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones

gambelia_wislizenii

3 of 548 sequences masked (0.5%)


best match is one of the 5 closest relatives for 100% of masked and 62% of unmasked sequences · identity to it: masked 83.9%, unmasked 96.5%



liolaemus_darwinii

3 of 580 sequences masked (0.5%)


best match is one of the 5 closest relatives for 67% of masked and 62% of unmasked sequences · identity to it: masked 92.9%, unmasked 95.3%



petrosaurus_thalassinus

2 of 523 sequences masked (0.4%)


best match is one of the 5 closest relatives for 100% of masked and 91% of unmasked sequences · identity to it: masked 83.7%, unmasked 98.9%




sceloporus_occidentalis

1 of 540 sequences masked (0.2%)

best match is one of the 5 closest relatives for 100% of masked and 89% of unmasked sequences · identity to it: masked 80.2%, unmasked 98.2%




Leache_2015 · Residuals by taxon
9 of 6,183 sequences masked (0.1%) · all 11 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out
gambelia_wislizenii 3 masked · 6 identical
liolaemus_darwinii 3 masked · 0 identical
petrosaurus_thalassinus 2 masked · 20 identical
sceloporus_occidentalis 1 masked · 3 identical
callisaurus_draconoides 0 masked · 3 identical
cophosaurus_texanus 0 masked · 8 identical
holbrookia_maculata 0 masked · 6 identical
phrynosoma_sherbrookei 0 masked · 2 identical
uma_notata 0 masked · 4 identical
urosaurus_ornatus 0 masked · 4 identical
uta_stansburiana 0 masked · 5 identical
-10
-1
0
1
10
100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶

Leache_2015 · Residuals by locus
9 of 6,183 sequences masked (0.1%) · the 100 most masked of 579 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

