
Smith_2014 · Taxon plot

2 of 10,740 sequences masked (0.0%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below)

- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs




Smith_2014 · Locus plot

2 of 10,740 sequences masked (0.0%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below) · the 100 most masked of 1367 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)

expected divergence of the cell, median over its comparators (%)

Smith_2014 · Number of sequences masked per locus and per taxon

2 of 10,740 sequences masked (0.0%)





Smith_2014 · Best match of each masked sequence

2 of 10,740 sequences masked (0.0%)

the 1 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones




Smith_2014 · Residuals by taxon
2 of 10,740 sequences masked (0.0%) · all 8 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out
Xenopsminutus118_NA 1 masked · 766 identical
Xenopsminutus025_CH 0 masked · 814 identical
Xenopsminutus102_SA 0 masked · 771 identical
Xenopsminutus103_NA 0 masked · 736 identical
Xenopsminutus104_CA 0 masked · 787 identical
Xenopsminutus110_CH 0 masked · 827 identical
Xenopsminutus111_SA 0 masked · 748 identical
Xenopsminutus119_CA 0 masked · 783 identical
-10
-1
0
1
10
100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶

Smith_2014 · Residuals by locus
2 of 10,740 sequences masked (0.0%) · the 100 most masked of 1350 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

