
Wainwright_2012 · Taxon plot

1 of 920 sequences masked (0.1%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below)

- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs



observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Wainwright_2012 · Locus plot

1 of 920 sequences masked (0.1%)


each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence, dashed lines are the thresholds used for defining outliers (2x above, 1/3 below)


- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs



Wainwright_2012 · Number of sequences masked per locus and per taxon

1 of 920 sequences masked (0.1%)






Wainwright_2012 · Best match of each masked sequence


1 of 920 sequences masked (0.1%)


the 1 most masked taxa; each masked sequence is matched against every other taxon at its locus (identity over the masked sequence's sites, a site the other taxon lacks counting as a mismatch; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones



Wainwright_2012 · Residuals by taxon
1 of 920 sequences masked (0.1%) · all 92 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out




Wainwright_2012 · Residuals by locus
1 of 920 sequences masked (0.1%) · all 10 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land
tbr 1 masked · 0 identical
enc 0 masked · 0 identical
glyt 0 masked · 0 identical
myh 0 masked · 0 identical
plag 0 masked · 0 identical
ptr 0 masked · 0 identical
rag 0 masked · 0 identical
sh3 0 masked · 0 identical
sreb 0 masked · 0 identical
zic 0 masked · 0 identical
-10
-1
0
1
10
100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶