
Borowiec_2015 · Taxon plot

63 of 33,672 sequences masked (0.2%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs



Borowiec_2015 · Locus plot

63 of 33,672 sequences masked (0.2%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence · the 100 most masked of 1080 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs





observed divergence of the cell, median over its comparators (%)

expected divergence of the cell, median over its comparators (%)

Borowiec_2015 · Number of sequences masked per locus and per taxon

63 of 33,672 sequences masked (0.2%)




Borowiec_2015 · Residuals by taxon
63 of 33,672 sequences masked (0.2%) · all 36 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out
Gallus 13 masked · 1 identical
Homo 12 masked · 0 identical
Apis 9 masked · 0 identical
Bombus 9 masked · 0 identical
Xenopus 8 masked · 0 identical
Fugu 4 masked · 0 identical
Latimeria 4 masked · 0 identical
Anolis 2 masked · 0 identical
Danaus 1 masked · 0 identical
Ixodes 1 masked · 0 identical
Acropora 0 masked · 0 identical
Acyrthosiphon 0 masked · 0 identical
Amphimedon 0 masked · 0 identical
Branchiostoma 0 masked · 0 identical
Brugia 0 masked · 0 identical
Caenorhabditis 0 masked · 0 identical
Capitella 0 masked · 0 identical
Ciona 0 masked · 0 identical
Daphnia 0 masked · 0 identical
Drosophila 0 masked · 0 identical
Gasterosteus 0 masked · 0 identical
Hydra 0 masked · 0 identical
Lottia 0 masked · 0 identical
Mnemiopsis 0 masked · 0 identical
Monosiga 0 masked · 0 identical
Nematostella 0 masked · 0 identical
Oikopleura 0 masked · 0 identical
Pinctada 0 masked · 0 identical
Rhodnius 0 masked · 0 identical
Saccoglossus 0 masked · 0 identical
Salpingoeca 0 masked · 0 identical
Strigamia 0 masked · 0 identical
Strongylocentrotus 0 masked · 0 identical
Tetranychus 0 masked · 0 identical
Tribolium 0 masked · 0 identical
Trichoplax 0 masked · 0 identical
-10
-1
0
1
10
100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶

Borowiec_2015 · Residuals by locus
63 of 33,672 sequences masked (0.2%) · the 100 most masked of 1080 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

