
Shen_2018 · Taxon plot

473 of 729,289 sequences masked (0.1%)

each point represents a single sequence (a single locus in a single taxon), diagonal.line is where the observed is the same as the expected divergence · the 100 most masked of 343 taxa are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs



observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Shen_2018 · Locus plot

473 of 729,289 sequences masked (0.1%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence · the 100 most masked of 2408 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Shen_2018 · Number of sequences masked per locus and per taxon

473 of 729,289 sequences masked (0.1%)



Shen_2018 · Residuals by taxon
473 of 729,289 sequences masked (0.1%) · the 100 most masked of 343 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out



Shen_2018 · Residuals by locus
473 of 729,289 sequences masked (0.1%) · the 100 most masked of 2408 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

