Ballesteros_2019 · Taxon plot

124 of 99,855 sequences masked (0.1%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




Ballesteros_2019 · Locus plot

124 of 99,855 sequences masked (0.1%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence · the 100 most masked of 3534 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)

expected divergence of the cell, median over its comparators (%)

Ballesteros_2019 · Number of sequences masked per locus and per taxon

124 of 99,855 sequences masked (0.1%)



Ballesteros_2019 · Best match of each masked sequence

124 of 99,855 sequences masked (0.1%)


the 10 most masked taxa; a sequence's best match is the taxon closest to it at its locus, per-site divergence compared on the same sites (identity over the sites the pair shares; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones

Centruroides_sculpturatus

57 of 2017 sequences masked (2.8%)


best match is one of the 5 closest relatives for 93% of masked and 95% of unmasked sequences · identity to it: masked 66.8%, unmasked 92.6%



Mesobuthus_martensii

7 of 237 sequences masked (3.0%)


best match is one of the 5 closest relatives for 57% of masked and 98% of unmasked sequences · identity to it: masked 54.9%, unmasked 96.7%



Androctonus_australis

5 of 2293 sequences masked (0.2%)


best match is one of the 5 closest relatives for 100% of masked and 96% of unmasked sequences · identity to it: masked 65.2%, unmasked 93.5%



Centruroides_vittatus

5 of 331 sequences masked (1.5%)


best match is one of the 5 closest relatives for 40% of masked and 97% of unmasked sequences · identity to it: masked 100.0%, unmasked 98.3%



Chaerilus

4 of 2318 sequences masked (0.2%)


best match is one of the 5 closest relatives for 50% of masked and 80% of unmasked sequences · identity to it: masked 45.8%, unmasked 84.9%



Ixodes_scapularis

4 of 2185 sequences masked (0.2%)


best match is one of the 5 closest relatives for 25% of masked and 27% of unmasked sequences · identity to it: masked 54.7%, unmasked 67.2%



Limulus_polyphemus

3 of 2231 sequences masked (0.1%)


best match is one of the 5 closest relatives for 33% of masked and 89% of unmasked sequences · identity to it: masked 78.2%, unmasked 93.6%



Pandinus_imperator

3 of 2244 sequences masked (0.1%)


best match is one of the 5 closest relatives for 33% of masked and 92% of unmasked sequences · identity to it: masked 25.0%, unmasked 88.0%



Parasteatoda_tepidariorum

3 of 2436 sequences masked (0.1%)


best match is one of the 5 closest relatives for 67% of masked and 97% of unmasked sequences · identity to it: masked 50.6%, unmasked 82.2%



Stegodyphus_mimosarum

3 of 2196 sequences masked (0.1%)

best match is one of the 5 closest relatives for 33% of masked and 97% of unmasked sequences · identity to it: masked 35.4%, unmasked 83.6%



Ballesteros_2019 · Residuals by taxon
124 of 99,855 sequences masked (0.1%) · all 53 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out

Centruroides_sculpturatus 57 masked · 17 identical
Mesobuthus_martensii 7 masked · 6 identical
Androctonus_australis 5 masked · 26 identical
Centruroides_vittatus 5 masked · 18 identical
Chaerilus 4 masked · 5 identical
Ixodes_scapularis 4 masked · 0 identical
Limulus_polyphemus 3 masked · 1 identical
Pandinus_imperator 3 masked · 2 identical
Parasteatoda_tepidariorum 3 masked · 1 identical
Stegodyphus_mimosarum 3 masked · 1 identical
Synsphyronus 3 masked · 0 identical
Acanthoscurria_geniculata 2 masked · 1 identical
Carcinoscorpius_rotundicauda 2 masked · 0 identical
Glomeris_pustulata 2 masked · 0 identical
Leiobunum 2 masked · 1 identical
Sarcoptes_scabei 2 masked · 0 identical
Tityus_serrulatus 2 masked · 23 identical
Troglokhammouanus_steineri 2 masked · 7 identical
Daphnia_pulex 1 masked · 0 identical
Galendromus_occidentalis 1 masked · 0 identical
Mastigoproctus 1 masked · 0 identical
Megacormus 1 masked · 3 identical
Parabuthus_transvaalicus 1 masked · 26 identical
Phalangium 1 masked · 4 identical
Pseudocellus 1 masked · 0 identical
Ricinoides 1 masked · 0 identical
Sclerobunus 1 masked · 0 identical
Tachypleus_tridentatus 1 masked · 0 identical
Tetranychus_urticae 1 masked · 0 identical
Tribolium_castaneum 1 masked · 0 identical
Tropilaelaps_mercedesae 1 masked · 0 identical
Alipes 0 masked · 1 identical
Anoplo 0 masked · 0 identical
Camponotus_floridanus 0 masked · 0 identical
Chelifer_cancroides 0 masked · 0 identical
Damon 0 masked · 0 identical
Drosophila_melanogaster 0 masked · 0 identical
Eremobates 0 masked · 1 identical
Folsomia_candida 0 masked · 0 identical
Frontinella 0 masked · 1 identical
Gluvia_dorsalis 0 masked · 0 identical
Hyalella_azteca 0 masked · 0 identical
Liphistius 0 masked · 1 identical
Lithobius2 0 masked · 0 identical
Nasonia_vitripenis 0 masked · 0 identical
Neoscona 0 masked · 0 identical
Pachylicus 0 masked · 2 identical
Peripatopsis2 0 masked · 0 identical
Pycno 0 masked · 0 identical
Siro 0 masked · 2 identical
Strigamia_maritima 0 masked · 0 identical
Symphyllela_vulgaris 0 masked · 0 identical
Zootermopsos_nevadensis 0 masked · 0 identical

-10 -1 0 1 10 100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶

Ballesteros_2019 · Residuals by locus
124 of 99,855 sequences masked (0.1%) · the 100 most masked of 3534 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

