Ran_2018_dna · Taxon plot

9 of 49,704 sequences masked (0.0%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence

- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs

observed divergence of the cell, median over its comparators (%)

expected divergence of the cell, median over its comparators (%)

Ran_2018_dna · Locus plot

9 of 49,704 sequences masked (0.0%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence · the 100 most masked of 1308 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)

expected divergence of the cell, median over its comparators (%)

Ran_2018_dna · Number of sequences masked per locus and per taxon

9 of 49,704 sequences masked (0.0%)



Ran_2018_dna · Best match of each masked sequence

9 of 49,704 sequences masked (0.0%)


the 8 most masked taxa; a sequence's best match is the taxon closest to it at its locus, per-site divergence compared on the same sites (identity over the sites the pair shares; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones

Ame

2 of 1308 sequences masked (0.2%)


best match is one of the 5 closest relatives for 50% of masked and 100% of unmasked sequences · identity to it: masked 87.3%, unmasked 96.3%



Abi

1 of 1308 sequences masked (0.1%)


best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 81.9%, unmasked 94.7%



Ara

1 of 1308 sequences masked (0.1%)


best match is one of the 5 closest relatives for 0% of masked and 79% of unmasked sequences · identity to it: masked 80.3%, unmasked 88.5%



Cun

1 of 1308 sequences masked (0.1%)


best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 85.8%, unmasked 95.4%



Gne

1 of 1308 sequences masked (0.1%)


best match is one of the 5 closest relatives for 100% of masked and 98% of unmasked sequences · identity to it: masked 63.8%, unmasked 78.9%



Tax

1 of 1308 sequences masked (0.1%)


best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 85.8%, unmasked 96.4%



Tor

1 of 1308 sequences masked (0.1%)


best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 84.8%, unmasked 96.3%




Zam

1 of 1308 sequences masked (0.1%)

best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 83.9%, unmasked 90.1%




Ran_2018_dna · Residuals by taxon
9 of 49,704 sequences masked (0.0%) · all 38 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out
Ame 2 masked · 0 identical
Abi 1 masked · 0 identical
Ara 1 masked · 0 identical
Cun 1 masked · 0 identical
Gne 1 masked · 0 identical
Tax 1 masked · 0 identical
Tor 1 masked · 0 identical
Zam 1 masked · 0 identical
Aco 0 masked · 0 identical
Ath 0 masked · 0 identical
Atr 0 masked · 0 identical
Bdi 0 masked · 0 identical
Cep 0 masked · 0 identical
Cga 0 masked · 0 identical
Cyc 0 masked · 0 identical
Eph 0 masked · 0 identical
Fok 0 masked · 0 identical
Gin 0 masked · 0 identical
Gma 0 masked · 0 identical
Lja 0 masked · 0 identical
Ltu 0 masked · 0 identical
Mac 0 masked · 0 identical
Met 0 masked · 0 identical
Nad 0 masked · 0 identical
Nag 0 masked · 0 identical
Osa 0 masked · 0 identical
Paq 0 masked · 0 identical
Pda 0 masked · 0 identical
Pin 0 masked · 0 identical
Pla 0 masked · 0 identical
Pod 0 masked · 0 identical
Pse 0 masked · 0 identical
Ptr 0 masked · 0 identical
Sci 0 masked · 0 identical
Sly 0 masked · 0 identical
Vvi 0 masked · 0 identical
Wel 0 masked · 0 identical
smi 0 masked · 0 identical
-10
-1
0
1
10
100
extra divergence beyond expectation, in units of a typical locus's divergence (m) ◀ too similar | too divergent ▶

Ran_2018_dna · Residuals by locus
9 of 49,704 sequences masked (0.0%) · the 100 most masked of 1308 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

