
Whelan_2017 · Taxon plot

31 of 5,484 sequences masked (0.6%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence

- not masked · fails 0 of 5
- not masked · fails 1 of 5
- not masked · fails 2 of 5
- masked, too divergent · fails 3 of 5
- masked, too divergent · fails 4 of 5
- masked, too divergent · fails 5 of 5
- masked, too similar · 1 pair
- masked, too similar · 2 pairs
- masked, too similar · 3+ pairs



Whelan_2017 · Locus plot

31 of 5,484 sequences masked (0.6%)

each point represents a single sequence (a single locus in a single taxon), diagonal line is where the observed is the same as the expected divergence · the 100 most masked of 127 loci are shown

not masked · fails 0 of 5
not masked · fails 1 of 5
not masked · fails 2 of 5
masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs




observed divergence of the cell, median over its comparators (%)


expected divergence of the cell, median over its comparators (%)

Whelan_2017 · Number of sequences masked per locus and per taxon


31 of 5,484 sequences masked (0.6%)



by locus · 23 of 127 loci have a masked sequence



by taxon · 20 of 76 taxa have a masked sequence



Whelan_2017 · Best match of each masked sequence

31 of 5,484 sequences masked (0.6%)


the 10 most masked taxa; a sequence's best match is the taxon closest to it at its locus, per-site divergence compared on the same sites (identity over the sites the pair shares; ties to the closest relative genome-wide); bars count masked sequences by the taxon they match best; the tick is the count expected if they matched like the taxon's unmasked sequences; bold: the 5 closest relatives genome-wide

masked, too divergent · fails 3 of 5
masked, too divergent · fails 4 of 5
masked, too divergent · fails 5 of 5
masked, too similar · 1 pair
masked, too similar · 2 pairs
masked, too similar · 3+ pairs
count expected if the masked sequences matched like the unmasked ones

Bolinopsis_ashleyi

4 of 29 sequences masked (13.8%)


best match is one of the 5 closest relatives for 25% of masked and 24% of unmasked sequences · identity to it: masked 65.8%, unmasked 70.2%



Pleurobrachia_bachei

3 of 33 sequences masked (9.1%)


best match is one of the 5 closest relatives for 67% of masked and 90% of unmasked sequences · identity to it: masked 71.8%, unmasked 94.0%



Aiptasia_pallida

2 of 121 sequences masked (1.7%)


best match is one of the 5 closest relatives for 0% of masked and 96% of unmasked sequences · identity to it: masked 66.2%, unmasked 88.6%



Beroe_sp_Antarctica

2 of 18 sequences masked (11.1%)


best match is one of the 5 closest relatives for 0% of masked and 81% of unmasked sequences · identity to it: masked 58.5%, unmasked 94.1%



Cydippida_sp

2 of 19 sequences masked (10.5%)


best match is one of the 5 closest relatives for 0% of masked and 82% of unmasked sequences · identity to it: masked 36.4%, unmasked 98.6%



Hyalonema_populiferum

2 of 90 sequences masked (2.2%)


best match is one of the 5 closest relatives for 0% of masked and 85% of unmasked sequences · identity to it: masked 64.3%, unmasked 70.7%



Lobatolampea_tetragona

2 of 19 sequences masked (10.5%)


best match is one of the 5 closest relatives for 0% of masked and 95% of unmasked sequences · identity to it: masked 47.6%, unmasked 81.5%



Mertensiidae_sp_Washington_USA

1 of 22 sequences masked (4.5%)


best match is one of the 5 closest relatives for 0% of masked and 86% of unmasked sequences · identity to it: masked 38.1%, unmasked 97.6%



Abylopsis_tetragona

1 of 108 sequences masked (0.9%)


best match is one of the 5 closest relatives for 100% of masked and 100% of unmasked sequences · identity to it: masked 66.5%, unmasked 89.7%




Beroe_abyssicola

1 of 24 sequences masked (4.2%)

best match is one of the 5 closest relatives for 0% of masked and 78% of unmasked sequences · identity to it: masked 21.1%, unmasked 89.9%



Whelan_2017 · Residuals by taxon
31 of 5,484 sequences masked (0.6%) · all 76 taxa
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the taxon's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out



Whelan_2017 · Residuals by locus
31 of 5,484 sequences masked (0.6%) · the 100 most masked of 127 loci
each point is one sequence; triangles are masked (reds too divergent, blues too similar), grey are the locus's other sequences
sequences identical to their comparators are counted in the row label, not drawn; axis linear near 0, logarithmic far out; shaded = where a saturated sequence would land

