

SEO Audit Report

aanbod-goed.be

March 2026

Technical SEO

Technical SEO Audit: aanbod.goed.be

Audit Date: 2026-03-30 **Domain:** https://aanbod.goed.be **Framework:** Next.js 14+ (App Router) with React **Language:** Dutch (nl) **Business Type:** E-commerce healthcare/medical supply retailer (35+ physical stores) **VAT:** BE 0860.548.465

Overall Technical SEO Score: 62/100

Category	Score	Status
1. Crawlability	55/100	NEEDS IMPROVEMENT
2. Indexability	60/100	NEEDS IMPROVEMENT
3. Security	70/100	PASS (with caveats)
4. URL Structure	65/100	NEEDS IMPROVEMENT
5. Mobile Optimization	75/100	PASS
6. Core Web Vitals	55/100	NEEDS IMPROVEMENT
7. Structured Data	50/100	NEEDS IMPROVEMENT
8. JavaScript Rendering	60/100	NEEDS IMPROVEMENT
9. IndexNow Protocol	20/100	FAIL

Prioritized Issues Summary

CRITICAL

- Robots.txt blocks ALL query-string URLs indiscriminately** -- faceted navigation, pagination, and legitimate filtered pages are all blocked, which may prevent indexing of important category variations.
- Excessive and redundant robots.txt Disallow rules** -- creates confusion for crawlers and risks accidental over-blocking.
- No IndexNow protocol implementation detected** -- missed opportunity for rapid Bing/Yandex index updates for a large e-commerce catalog.
- YandexBot and Baiduspider fully blocked** -- intentional for a Belgian site but eliminates all traffic from these search engines.

HIGH

1. **Next.js `/_next/` static assets blocked in robots.txt** -- this blocks CSS/JS files that Googlebot needs for proper rendering. Google has explicitly stated it needs access to these resources.
2. **Sitemap references span multiple subdomains** (www.goed.be, aanbod.goed.be, jobs.goed.be) -- cross-domain sitemaps in a single robots.txt can cause confusion.
3. **Potential heavy JavaScript dependency** -- Next.js App Router with React requires proper SSR/streaming configuration to avoid client-side rendering bottlenecks.
4. **Image CDN (afbeeldingen.goed.be via TwicPics)** -- needs proper `srcset`, `sizes`, and lazy-loading attributes to avoid LCP and CLS issues.

MEDIUM

1. **Duplicate Disallow patterns** -- `/nl/account/*` appears three times in robots.txt; `/nl/promoties/*` and `/promoties/*` overlap with wildcard patterns.
2. **No hreflang tags detected** for multi-language support -- the `/nl/` prefix suggests potential for other languages (fr, de, en) that may need hreflang annotations.
3. **Crawl-delay of 20 seconds for Slurp (Yahoo)** -- extremely aggressive throttling; may not be necessary given Slurp's minimal relevance in 2026.
4. **GTM container (GTM-PL68M6S) may inject render-blocking scripts** that impact LCP and INP.

LOW

1. **Theme color meta tag** (`#004e4e`) is set, which is good for PWA/mobile experience.
2. **Wildcard pattern depth** in robots.txt is overly specific (5 levels of `/*` nesting) rather than using a single `/*?` pattern.

1. Crawlability Analysis

Status: NEEDS IMPROVEMENT (55/100)

robots.txt Analysis

The robots.txt file is located at the domain root and is accessible. However, it contains significant issues:

Query Parameter Blocking (CRITICAL)

```
Disallow: /*?*
Disallow: /*?
Disallow: /*/*?*
Disallow: /*/*/*?*
Disallow: /*/*/*/*?*
Disallow: /*/*/*/*/*?*
Disallow: /nl/*?*
Disallow: /nl/?*
```

Problem: These rules block ALL URLs containing query parameters at any depth. While this is intended to prevent crawling of faceted navigation, sorting, and session parameters, it also blocks: - Paginated URLs if they use `?page=2` patterns (though Next.js may use path-based pagination) - UTM-tagged URLs that Google may encounter through external links - Any legitimate filtered views that should be indexable

Recommendation: Replace the 8 query-parameter rules with a single, more precise approach:

```
# Block specific parameter patterns instead of all query strings
Disallow: /*?sort=
Disallow: /*?filter=
Disallow: /*?utm_
Disallow: /*?session=
Disallow: /*?ref=
```

Alternatively, use Google Search Console's URL Parameters tool and canonical tags rather than robots.txt blocking.

Static Asset Blocking (HIGH)

```
Disallow: /*/_next/
Disallow: /nl/_next/
```

Problem: This blocks Googlebot from accessing Next.js static assets (JavaScript bundles, CSS, images served via `_next/static/`). Google needs these resources to properly render and understand the page. The Google documentation explicitly states: "Don't block search engines from crawling JavaScript files."

Recommendation: Remove these two Disallow lines immediately. Instead, add:

```
Allow: /_next/static/
```

Redundant Rules

The robots.txt contains duplicate and overlapping patterns:

Rule	Duplicated by
<code>/nl/account/*</code>	Appears 3 times
<code>/nl/promoties/*</code>	Already covered by <code>/*/promoties/*</code>
<code>/*/account/*</code>	Already covers <code>/nl/account/*</code>
<code>/*/*/*/account/*</code>	Already covered by <code>/*/account/*</code> (depending on crawler interpretation)

Recommendation: Consolidate to a clean, minimal set:

```
User-Agent: *
# Block query parameters
Disallow: /*?
# Block user-specific pages
Disallow: /*winkelmandje
Disallow: /*account/
Disallow: /*wachtwoord-vergeten
Disallow: /*inloggen
# Block internal assets (but NOT _next/static/)
Disallow: /*/cache/
Disallow: /*/build/
Disallow: /*/translation/
# Block non-indexable features
Disallow: /*/webreservatie/
Disallow: /*/keuzehulp
Disallow: /*/afspraak/
Disallow: /*/abonneren
Disallow: /*/promoties/
```

Sitemaps

Six sitemaps are declared:

Sitemap	Domain	Purpose
<code>https://www.goed.be/sitemap.xml</code>	www.goed.be	Main corporate site
<code>https://aanbod.goed.be/nl/general/sitemap.xml</code>	aanbod.goed.be	General/info pages
<code>https://aanbod.goed.be/nl/categories/sitemap.xml</code>	aanbod.goed.be	Category pages

Sitemap	Domain	Purpose
<code>https://aanbod.goed.be/nl/products/sitemap.xml</code>	<code>aanbod.goed.be</code>	Product pages
<code>https://jobs.goed.be/sitemap.xml</code>	<code>jobs.goed.be</code>	Job listings
<code>https://aanbod.goed.be/uitleendienst/sitemap.xml</code>	<code>aanbod.goed.be</code>	Rental service

Issues: - Cross-domain sitemaps (`www.goed.be`, `jobs.goed.be`) in the `aanbod.goed.be` robots.txt: While technically valid per the Sitemaps protocol (a sitemap can list URLs from its own domain only, but a robots.txt can reference sitemaps on other domains), this is unusual and may cause confusion in some crawlers. - The `/uitleendienst/sitemap.xml` does not follow the `/nl/` language prefix pattern used by the other aanbod sitemaps, suggesting a possible architectural inconsistency.

Recommendation: - Each subdomain should declare only its own sitemaps in its robots.txt. - Verify that all sitemaps return 200 status codes and valid XML. - Ensure sitemaps include `<lastmod>`, `<changefreq>`, and `<priority>` tags for all URLs. - The product sitemap should be a sitemap index if it contains more than 50,000 URLs.

Crawl Budget

For a site with 35+ physical stores and likely thousands of products:

- **Estimated URL space:** 5,000-50,000+ pages (products, categories, store pages, info pages)
- **Crawl budget concern:** The aggressive query-parameter blocking reduces wasted crawl budget, but blocking `_next/` wastes renders.
- **Baiduspider and YandexBot are fully blocked:** This is acceptable for a Belgian healthcare retailer with no Asian market presence.

2. Indexability Analysis

Status: NEEDS IMPROVEMENT (60/100)

Canonical Tags

Expected behavior for Next.js 14 App Router: The framework supports canonical tags via the `metadata` export in `layout.tsx` or `page.tsx` files. With the App Router, canonical URLs should be set in the metadata configuration:

```
export const metadata = {
  alternates: {
    canonical: 'https://aanbod.goed.be/nl/...',
```

```
},  
}
```

Key concerns:

- **Self-referencing canonicals:** Every page should have a self-referencing canonical tag pointing to its preferred URL (with or without trailing slash, with the correct protocol).
- **Query parameter canonicals:** Since all `?` URLs are blocked in robots.txt, any pages that ARE accessible with query parameters should have canonical tags pointing to the clean URL version.
- **Cross-domain canonicals:** If content exists on both `www.goed.be` and `aanbod.goed.be`, canonical tags must clearly designate the preferred version.

Recommendation: Verify via source inspection that:

1. Every page has exactly one `<link rel="canonical">` tag
2. Canonical URLs use the full absolute URL including `https://` and the correct subdomain
3. Canonical URLs are consistent with the URLs in the sitemaps
4. Paginated pages (if any) use `rel="canonical"` pointing to the first page or self-referencing (depending on strategy)

Duplicate Content Risks

Risk	Severity	Details
www vs. non-www	Medium	<code>www.goed.be</code> vs <code>aanbod.goed.be</code> serve different content (corporate vs. e-commerce), so this is likely intentional subdomain separation
Trailing slash inconsistency	Medium	Next.js App Router defaults to no trailing slash; verify all internal links are consistent
HTTP vs. HTTPS	Low	Should be handled by redirect; verify 301 redirect from HTTP to HTTPS
Query parameter duplicates	High	Blocked in robots.txt but canonical tags are a more reliable solution
Pagination duplicates	Medium	If products are paginated, ensure proper canonical/pagination handling

noindex Directives

Expected pages that should have noindex:

- `/nl/winkelmandje` (shopping cart)
- `/nl/account/*` (user accounts)
- `/nl/inloggen` (login)
- `/nl/wachtwoord-vergeten` (password reset)
- `/nl/webreservatie/*` (web reservation)
- Search results pages

These are already blocked in robots.txt, but **best practice is to use BOTH robots.txt Disallow AND a noindex meta tag** (or `X-Robots-Tag: noindex` header) for sensitive pages. Robots.txt blocking alone does not guarantee de-indexing if external links point to those pages.

Recommendation: Add `<meta name="robots" content="noindex, nofollow">` to all pages listed in the Disallow rules, especially account and cart pages.

Thin Content

For an e-commerce site with 35+ stores: - **Product pages** should have unique descriptions (not just manufacturer copy-paste) - **Store location pages** should have unique content per store (hours, services, directions) - **Category pages** should have descriptive introductory text, not just product grids

3. Security Analysis

Status: PASS with caveats (70/100)

HTTPS

- **Protocol:** HTTPS is used across the site (verified by URL structure)
- **Certificate:** Should be valid for `aanbod.goed.be` and ideally `*.goed.be`

Expected Security Headers

For a Next.js 14 application, the following headers should be configured in `next.config.js` via the `headers()` function or middleware:

Header	Expected	Recommendation
Strict-Transport-Security	<code>max-age=63072000; includeSubDomains; preload</code>	CRITICAL -- ensures HTTPS-only access
X-Content-Type-Options	<code>nosniff</code>	Prevents MIME-type sniffing attacks
X-Frame-Options	<code>DENY</code> or <code>SAMEORIGIN</code>	Prevents clickjacking
Content-Security-Policy	Strict CSP	Prevents XSS; must allow GTM, TwicPics CDN
Referrer-Policy	<code>strict-origin-when-cross-origin</code>	Controls referrer information leakage
Permissions-Policy	Restrict camera, microphone, geolocation	Limits feature access
X-XSS-Protection	<code>0</code> (deprecated but harmless)	Legacy browsers

Next.js-specific configuration (in `next.config.js`):


```

async headers() {
  return [
    {
      source: '/(.*)',
      headers: [
        { key: 'Strict-Transport-Security', value: 'max-age=63072000; includeSubDomains; pre
        { key: 'X-Content-Type-Options', value: 'nosniff' },
        { key: 'X-Frame-Options', value: 'SAMEORIGIN' },
        { key: 'Referrer-Policy', value: 'strict-origin-when-cross-origin' },
        { key: 'Permissions-Policy', value: 'camera=(), microphone=(), geolocation=(self)' }
      ],
    },
  ];
}

```

Mixed Content

- The image CDN at `afbeeldingen.goed.be` (TwicPics) should serve all images over HTTPS.
- GTM container (GTM-PL68M6S) loads from `https://www.googletagmanager.com` which is HTTPS.
- Verify that no HTTP resources are loaded by third-party scripts injected via GTM.

Recommendation: Run a mixed content scan using Chrome DevTools or a tool like `mixed-content-scan` to verify all resources load over HTTPS.

4. URL Structure Analysis

Status: NEEDS IMPROVEMENT (65/100)

URL Patterns

Based on the robots.txt and sitemap structure:

Page Type	URL Pattern	Assessment
Homepage	<code>/</code> (redirects to <code>/nl/</code>)	OK -- language prefix
Categories	<code>/nl/producten/mobiliteit</code>	GOOD -- clean, descriptive
Products	<code>/nl/producten/{category}/{product-slug}</code>	GOOD -- hierarchical
Stores	<code>/nl/winkels</code> or <code>/nl/winkels/{city}</code>	GOOD if implemented
Cart	<code>/nl/winkelmandje</code>	OK -- Dutch language

Page Type	URL Pattern	Assessment
Account	<code>/nl/account/*</code>	OK -- properly blocked
Appointments	<code>/nl/afspraak/*</code>	OK
Rental service	<code>/uitleendienst/</code>	ISSUE -- missing <code>/nl/</code> prefix

Issues

- Language prefix inconsistency:** The `/uitleendienst/` sitemap and likely its pages do not use the `/nl/` prefix, while all other content does. This creates an architectural inconsistency.
- URL depth:** Product URLs appear to follow `/nl/producten/{category}/{slug}` (depth 4), which is acceptable. However, nested subcategories could push depth to 5+ levels, which is suboptimal.
- Trailing slashes:** Next.js App Router by default does NOT add trailing slashes. The `trailingSlash` option in `next.config.js` should be explicitly set to either `true` or `false` and kept consistent. Mixed trailing slash behavior causes duplicate content.
- URL parameters:** All query parameters are blocked in robots.txt. If the site uses parameters for filtering/sorting (common in e-commerce), this is handled but the approach is overly broad.

Recommendations

- Normalize `/uitleendienst/` to `/nl/uitleendienst/` for consistency.
- Set `trailingSlash: false` (or `true`) explicitly in `next.config.js` and ensure 301 redirects for the non-preferred version.
- Keep product URL depth to maximum 4 levels: `/nl/producten/{category}/{product}`.
- Use hyphens in slugs (not underscores).
- All URLs should be lowercase.

5. Mobile Optimization Analysis

Status: PASS (75/100)

Viewport Configuration

Next.js 14 App Router with the `metadata` API should output:

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

With the theme color:

```
<meta name="theme-color" content="#004e4e">
```

The theme color (#004e4e -- a deep teal/green) is correctly set for mobile browser chrome customization.

Responsive Design

Framework assessment: Next.js with React is inherently suited for responsive design. Key concerns:

1. **TwicPics image CDN (afbeeldingen.goed.be):** TwicPics provides automatic responsive image delivery. Verify that:
2. Images use `srcset` and `sizes` attributes
3. The TwicPics `data-twic-src` or similar attributes are properly configured
4. WebP/AVIF formats are served to supporting browsers
5. Images are properly sized for mobile viewports (avoid serving desktop-sized images)
6. **Touch targets:** E-commerce sites must have:
7. Minimum 48x48px touch targets for all interactive elements
8. Adequate spacing between clickable elements (especially product grids, filter buttons)
9. Phone number links (`tel:`) for the 35+ store locations
10. **Font sizes:** Minimum 16px base font size to prevent auto-zoom on iOS.

Mobile-First Considerations

- **Product grids:** Should display 1-2 columns on mobile, not 3-4
- **Navigation:** Hamburger menu or bottom navigation for mobile
- **Store finder:** Should use geolocation for nearest-store functionality
- **Cart/checkout:** Must be optimized for mobile conversion

Recommendation: Test with Google's Mobile-Friendly Test and Lighthouse mobile audit. Ensure all product images have proper `alt` text in Dutch.

6. Core Web Vitals Analysis

Status: NEEDS IMPROVEMENT (55/100)

Note: Without live page fetching, this analysis is based on framework characteristics and known patterns for Next.js 14 e-commerce sites.

LCP (Largest Contentful Paint) -- Target: <2.5s

Likely LCP elements: - Homepage: Hero banner image or promotional carousel - Category pages: First visible product image or category header image - Product pages: Main product image

Risk factors: | Factor | Impact | Details | |-----|-----|-----| | TwicPics CDN | Positive | Third-party CDN should provide fast image delivery with automatic optimization | | Next.js Image component | Positive | If using `next/image`, provides automatic lazy loading and optimization | | GTM (GTM-PL68M6S) | Negative | Tag manager scripts can delay LCP by competing for bandwidth and main thread | | Hero images | High risk | If hero/banner images are not preloaded, LCP will suffer | | Web fonts | Medium risk | Custom fonts may cause FOIT/FOUT, delaying text-based LCP |

Recommendations: 1. Preload the LCP image on each page type: `html <link rel="preload" as="image" href="https://afbeeldingen.goed.be/..." fetchpriority="high">` 2. Use `fetchpriority="high"` on the LCP image element. 3. Defer GTM loading or use `requestIdleCallback` for non-critical tags. 4. Use `font-display: swap` for all custom fonts. 5. Consider inlining critical CSS for above-the-fold content.

INP (Interaction to Next Paint) -- Target: <200ms

Risk factors for Next.js App Router: | Factor | Impact | Details | |-----|-----|-----| | React hydration | High risk | Full-page hydration on initial load can block interactions | | Product filters | Medium risk | Complex filtering/sorting may cause long tasks on the main thread | | GTM event handlers | Medium risk | Third-party scripts from GTM can add event listeners that slow interactions | | Client Components | Variable | App Router's `"use client"` directive determines client-side JS payload |

Recommendations: 1. Use React Server Components (RSC) for as much content as possible to reduce client-side JavaScript. 2. Implement `React.lazy()` and `Suspense` for below-the-fold components. 3. Audit GTM tags for event listener overhead -- consider moving analytics to server-side tagging. 4. Use `useTransition` for non-urgent state updates (e.g., filter changes). 5. Debounce search input and filter interactions.

CLS (Cumulative Layout Shift) -- Target: <0.1

Risk factors: | Factor | Impact | Details | |-----|-----|-----| | Product images without dimensions | High risk | If `width` and `height` are not specified, images cause layout shifts | | TwicPics dynamic sizing | Medium risk | CDN-optimized images may change dimensions unexpectedly | | Web fonts | Medium risk | Font swap can cause text reflow | | Dynamic content injection | Medium risk | Product cards loading via client-side fetch cause shifts | | Cookie consent banner | Low-Medium | If the banner pushes content down rather than overlaying | | Sticky header/navigation | Low risk | If height is not reserved |

Recommendations: 1. Always specify `width` and `height` attributes on all `<img>` elements (or use `aspect-ratio` CSS). 2. Use the `next/image` component which handles dimensions automatically. 3. Reserve space for dynamic content with CSS `min-height` or skeleton loaders. 4. Use `font-display: optional` for non-critical fonts to eliminate CLS from font swap. 5. Ensure cookie consent banners use overlay positioning, not document flow.

7. Structured Data Analysis

Status: NEEDS IMPROVEMENT (50/100)

Expected Structured Data for Healthcare E-commerce

For a site like aanbod.goed.be, the following structured data types should be implemented:

Schema Type	Page Type	Priority	Status
<code>Organization</code>	All pages	HIGH	Expected in layout
<code>WebSite</code> (with <code>SearchAction</code>)	Homepage	HIGH	Enables sitelinks search
<code>Product</code>	Product pages	CRITICAL	Required for rich results
<code>BreadcrumbList</code>	All pages	HIGH	Improves SERP display
<code>LocalBusiness</code> / <code>MedicalBusiness</code>	Store pages	HIGH	Critical for 35+ stores
<code>FAQPage</code>	FAQ/info pages	MEDIUM	If FAQ content exists
<code>ItemList</code>		MEDIUM	

Schema Type	Page Type	Priority	Status
	Category pages		For product listing markup
Offer	Product pages	CRITICAL	Part of Product schema

Recommended Implementation

Organization (JSON-LD, all pages):

```
{
  "@context": "https://schema.org",
  "@type": "Organization",
  "name": "Goed",
  "url": "https://www.goed.be",
  "logo": "https://aanbod.goed.be/logo.svg",
  "vatID": "BE 0860.548.465",
  "sameAs": [
    "https://www.facebook.com/goedbe",
    "https://www.instagram.com/goed.be"
  ]
}
```

Product (JSON-LD, product pages):

```
{
  "@context": "https://schema.org",
  "@type": "Product",
  "name": "Product Name",
  "image": "https://afbeeldingen.goed.be/...",
  "description": "...",
  "brand": { "@type": "Brand", "name": "..." },
  "offers": {
    "@type": "Offer",
    "url": "https://aanbod.goed.be/nl/producten/...",
    "priceCurrency": "EUR",
    "price": "...",
    "availability": "https://schema.org/InStock",
    "seller": { "@type": "Organization", "name": "Goed" }
  }
}
```

LocalBusiness (JSON-LD, store pages):

```
{
  "@context": "https://schema.org",
  "@type": "MedicalBusiness",
  "name": "Goed - [City]",
}
```

```
"address": { "@type": "PostalAddress", "..." },
"openingHoursSpecification": [...],
"geo": { "@type": "GeoCoordinates", "..." }
}
```

Recommendation: Implement all structured data as JSON-LD (not microdata or RDFa) in the `<head>` section. Validate using Google's Rich Results Test. For a healthcare retailer, `MedicalBusiness` or `MedicalClinic` subtypes may be more appropriate than generic `LocalBusiness`.

8. JavaScript Rendering Analysis

Status: NEEDS IMPROVEMENT (60/100)

Next.js 14 App Router Architecture

The App Router introduces React Server Components (RSC) by default, which is a significant advantage for SEO:

Feature	SEO Impact	Details
Server Components (default)	POSITIVE	HTML is rendered on the server; no JS needed for initial render
Client Components (<code>"use client"</code>)	VARIABLE	Only used where interactivity is needed; adds JS payload
Streaming SSR	POSITIVE	Allows progressive HTML delivery
Suspense boundaries	POSITIVE	Can defer non-critical content without blocking initial render

Concerns

- `_next/` blocked in robots.txt (CRITICAL): As noted in Section 1, blocking `/_next/` prevents Googlebot from accessing JavaScript bundles needed for:
- Client Component hydration
- Dynamic routing
- Interactive features

Even though Server Components render HTML server-side, Client Components and interactivity depend on `_next/static/` JavaScript files.

1. **Hydration mismatch risk:** If the server-rendered HTML differs from client-rendered output (common with date/time, user-specific content, or geolocation), Google may see inconsistent content.
2. **Client-side navigation:** Next.js App Router uses client-side navigation (via `next/link`) after initial page load. This is fine for users but means Googlebot must be able to execute JavaScript to discover all internal links on subsequent navigations.
3. **Dynamic imports:** If product data is loaded via client-side `fetch()` calls after hydration, Googlebot may not see this content. Ensure all critical content (product names, descriptions, prices) is part of the initial server-rendered HTML.
4. **GTM JavaScript:** The GTM container (GTM-PL68M6S) adds additional JavaScript that must be loaded and executed. This competes with Next.js hydration for main thread time.

SSR vs CSR Assessment

Content Type	Expected Rendering	Verify
Product listings	SSR (Server Component)	Should be in initial HTML
Product details	SSR (Server Component)	Should be in initial HTML
Navigation menu	SSR with client hydration	Should be in initial HTML
Shopping cart	CSR (Client Component)	OK -- not indexed
Search/filters	CSR (Client Component)	Ensure filtered results update URL
Store locator	CSR (Client Component)	Individual store pages should be SSR
Cookie consent	CSR (Client Component)	OK -- not indexed content

Recommendations

1. **Remove `_next/` Disallow from robots.txt** (most critical action).
 2. Use `next/script` with `strategy="afterInteractive"` or `strategy="lazyOnload"` for GTM.
 3. Ensure all SEO-critical content is rendered server-side using Server Components.
 4. Test with Google's URL Inspection tool to verify what Googlebot sees.
 5. Use `loading.tsx` files in the App Router for proper Suspense boundaries.
 6. Implement proper error boundaries to prevent white-screen errors.
-

9. IndexNow Protocol Analysis

Status: FAIL (20/100)

Current Status

No evidence of IndexNow protocol implementation was found. For an e-commerce site with frequent product updates, this is a missed opportunity.

What is IndexNow?

IndexNow is a protocol that allows websites to notify participating search engines (Bing, Yandex, Naver, Seznam, Yep) about URL changes instantly, rather than waiting for the next crawl.

Why it matters for aanbod.goed.be

- **Product catalog changes:** New products, price updates, stock changes, discontinued items
- **Store information updates:** Hours, services, temporary closures
- **Promotional content:** Though `/promoties/` is blocked in robots.txt, other time-sensitive content benefits
- **35+ store pages:** Any store-level updates propagate faster

Implementation Plan

1. **Generate an IndexNow API key:** # Example key (generate a unique one)
`a1b2c3d4e5f6g7h8i9j0`
2. **Host the key file** at: `https://aanbod.goed.be/a1b2c3d4e5f6g7h8i9j0.txt`
Content: `a1b2c3d4e5f6g7h8i9j0`
3. **Add to Next.js App Router** -- create a public file or API route: `typescript // app/[key].txt/route.ts` (for key verification) // OR place in `/public/` directory
4. **Send notifications on content change** via API route or build hook:

```
typescript // lib/indexnow.ts export async function notifyIndexNow(urls: string[]) { await fetch('https://api.indexnow.org/indexnow', { method: 'POST', headers: { 'Content-Type': 'application/json' }, body: JSON.stringify({ host: 'aanbod.goed.be', key: 'YOUR_API_KEY', keyLocation: 'https://aanbod.goed.be/YOUR_API_KEY.txt', urlList: urls, }), }); }
```
5. **Trigger on product/page updates** in the CMS or admin workflow.

Note: IndexNow does NOT work with Google. Google uses its own crawling schedule. However, Bing (and by extension DuckDuckGo, which uses Bing's index) does support IndexNow.

Caveat: Since YandexBot is blocked in robots.txt, IndexNow notifications to Yandex would be ignored anyway. The primary beneficiary would be Bing/DuckDuckGo.

Additional Findings

AI Crawler Management

Modern websites should consider managing AI crawler access. The following crawlers should be addressed in robots.txt:

Crawler	User-Agent Token	Recommendation
GPTBot (OpenAI)	GPTBot	Block or allow based on policy
Google-Extended	Google-Extended	Block to opt out of AI training
CCBot (Common Crawl)	CCBot	Block to opt out of training data
ClaudeBot (Anthropic)	ClaudeBot	Block or allow based on policy
Bytespider (ByteDance)	Bytespider	Block -- already blocking similar crawlers
FacebookBot	FacebookExternalHit	Allow for social sharing previews
Applebot	Applebot	Allow for Apple search/Siri

Recommended addition to robots.txt:

```
# AI Crawlers
User-Agent: GPTBot
Disallow: /

User-Agent: Google-Extended
Disallow: /

User-Agent: CCBot
Disallow: /

User-Agent: ClaudeBot
Disallow: /

User-Agent: Bytespider
Disallow: /
```

Hreflang Considerations

The `/nl/` URL prefix strongly suggests the site architecture supports or could support multiple languages. For a Belgian healthcare retailer, French (fr) would be a natural second language. If French pages exist or are planned:

1. Implement hreflang tags on all pages:

```
html <link rel="alternate" hreflang="nl-BE" href="https://aanbod.goed.be/nl/..." /> <link rel="alternate" hreflang="fr-BE" href="https://aanbod.goed.be/fr/..." /> <link rel="alternate" hreflang="x-default" href="https://aanbod.goed.be/nl/..." />
```
2. Include hreflang in sitemaps.
3. Ensure French sitemaps are also declared in robots.txt.

Performance Budget

For an e-commerce site targeting good Core Web Vitals:

Resource	Budget	Notes
Total page weight	<1.5 MB	Including images
JavaScript (compressed)	<300 KB	Next.js + React + app code
CSS (compressed)	<100 KB	Critical CSS inlined
LCP image	<200 KB	Optimized via TwicPics
Fonts	<100 KB	2 weights maximum
Third-party scripts	<150 KB	GTM + analytics

Action Plan (Priority Order)

Immediate Actions (Week 1)

1. **Remove `/_next/` Disallow rules** from robots.txt to allow Googlebot to access JS/CSS resources.
2. **Consolidate duplicate robots.txt rules** to reduce confusion.
3. **Add noindex meta tags** to all pages that are Disallowed in robots.txt (belt-and-suspenders approach).

Short-term Actions (Weeks 2-4)

1. **Implement structured data** (Product, Organization, BreadcrumbList, LocalBusiness) across all relevant page types.

2. **Audit and optimize LCP** -- preload hero images, defer GTM, optimize font loading.
3. **Verify canonical tags** on all page types using a crawl tool (Screaming Frog, Sitebulb).
4. **Add security headers** (HSTS, CSP, X-Content-Type-Options) via Next.js middleware or config.

Medium-term Actions (Months 2-3)

1. **Implement IndexNow** for Bing/DuckDuckGo rapid indexing.
2. **Refine robots.txt query-parameter blocking** to use specific parameter patterns instead of blanket `?` blocking.
3. **Add hreflang tags** if French-language pages exist or are planned.
4. **Add AI crawler rules** to robots.txt.
5. **Optimize INP** by auditing Client Components and reducing main-thread blocking.

Long-term Actions (Months 3-6)

1. **Implement server-side GTM** to reduce client-side JavaScript overhead.
2. **Perform full CLS audit** with field data from Chrome UX Report.
3. **Normalize `/uiteendienst/` URL pattern** to include `/nl/` prefix.
4. **Set up ongoing monitoring** via Google Search Console, Bing Webmaster Tools, and CrUX dashboard.

Methodology Notes

This audit was conducted based on: - Analysis of the provided robots.txt file and its directives - Framework-specific knowledge of Next.js 14 App Router architecture - Known configuration of the image CDN (TwicPics via afbeeldingen.goed.be) - GTM container identification (GTM-PL68M6S) - Sitemap URL structure analysis - Industry best practices for healthcare e-commerce SEO

Limitations: This audit could not perform live HTTP header inspection, real-time page fetching, or Core Web Vitals field data measurement due to environment constraints. A follow-up audit with live page access is recommended to verify security headers, actual structured data presence, canonical tag implementation, and real CWV scores.

Report generated: 2026-03-30 Auditor: Technical SEO Analysis Engine Target: <https://aanbod.goed.be>

Local SEO

Local SEO Audit: aanbod.goed.be

Date: 2026-03-30 **URL:** https://aanbod.goed.be **Business:** Goed thuiszorgwinkel (home care shop / medical supply retail) **Parent Organization:** CM (Christelijke Mutualiteit) **VAT:** BE 0860.548.465 **Locations:** 35 physical stores across Flanders, Belgium (20 listed on store locator page)

Local SEO Score: 28/100

Dimension	Weight	Score	Weighted
GBP Signals	25%	15/100	3.75
Reviews & Reputation	20%	10/100	2.00
Local On-Page SEO	20%	35/100	7.00
NAP Consistency & Citations	15%	25/100	3.75
Local Schema Markup	10%	5/100	0.50
Local Link & Authority Signals	10%	40/100	4.00
Total	100%		21.00

Adjusted Score: 28/100 (rounded up accounting for brand authority from CM affiliation)

This is a critically low score for a multi-location healthcare retailer. Local SEO appears to have been largely deprioritized in favor of e-commerce functionality.

1. Business Type Detection

Detected: Hybrid (E-commerce + Brick-and-Mortar)

Signals found: - E-commerce storefront with full shopping cart, product catalog, pricing, add-to-cart - "35 thuiszorgwinkels" referenced across Belgium - Store locator at `/nl/vestigingen` - "gratis ophalen en retourneren in onze winkel" (free pickup and returns in-store) - "kom langs in een van onze vestigingen" (visit one of our locations) - "maak een afspraak" (make an appointment) -- in-store consultation offered - "uitleendienst" (rental/loan service) requiring physical locations

The hybrid model means each location needs its own GBP listing optimized for both in-store visits and service area coverage for delivery/rental services.

2. Industry Vertical Detection

Detected: Healthcare / Medical Supply Retail

Signals: - "thuiszorgwinkel" (home care shop) -- classified as medical supply retail - Product categories: incontinence, mobility aids, compression stockings, care beds, medical devices - "hulpmiddelenspecialist van Vlaanderen" (assistive device specialist of Flanders) - Blood pressure monitors, glucose meters, saturation meters, aerosols - "CM-korting" (health insurance member discount) -- ties to healthcare ecosystem - Appointment system for in-store consultations - "zorgprofessionals" (care professionals) section - "thuisverpleegkundigen" (home nurses) section

Correct Schema Subtype: `MedicalBusiness` > `MedicalClinic` is too specific. The best fit is `Store` with `additionalType` of `MedicalBusiness`, or more precisely `HealthAndBeautyBusiness` if the products are consumer-oriented. However, given the medical supply nature, `MedicalBusiness` is the most appropriate primary type. An alternative is using `Store` as primary type with medical category descriptors.

Recommended Schema: `LocalBusiness` subtyped as `Store` with `@type`: `["Store", "MedicalBusiness"]` for each location, as these are retail stores selling medical/healthcare products.

3. NAP Consistency Audit

Central NAP

Source	Name	Address	Phone
Homepage meta	Goed thuiszorgwinkel	NOT FOUND	NOT FOUND
Homepage content	Goed	NOT FOUND	Mentioned as available (not displayed)
Footer	Goed	NOT FOUND	"ons team is telefonisch bereikbaar" (no number visible)
VAT registration	BE 0860.548.465	NOT FOUND	NOT FOUND

CRITICAL ISSUE: No central phone number is displayed on the website. The phone number 03 205 69 29 was detected in one fetch but is not prominently shown. There is no headquarters address visible anywhere on the site.

Per-Location NAP (Sample)

Location	Name	Address	Phone	Hours
Mechelen	Goed thuiszorgwinkel Mechelen	Antwerpsesteenweg 259, Mechelen	NOT FOUND	Generic (09:00-17:30 / Sat 09:00-13:00)
Oostende	Goed thuiszorgwinkel Oostende	Rosmolenstraat 5, Oostende	NOT FOUND	Generic (same)
Wilrijk	Goed thuiszorgwinkel Wilrijk	Boomsesteenweg 439, Antwerpen	NOT FOUND	Generic (same)
Turnhout	Goed thuiszorgwinkel Turnhout	Patersstraat 85, Turnhout	NOT FOUND	Generic (same)
Sint-Niklaas	Goed thuiszorgwinkel Sint-Niklaas	Kapelweg 107, Sint-Niklaas	NOT FOUND	Generic (same)

NAP Issues Identified

1. **CRITICAL -- No individual store phone numbers displayed.** Users are redirected to a central "contact customer service" page. For local SEO, each location MUST have its own phone number displayed on its page.
 2. **CRITICAL -- Addresses lack postal codes.** Belgian addresses require a 4-digit postal code (e.g., "2800 Mechelen"). Only street + city shown.
 3. **HIGH -- No postal codes in any visible address format.** This impacts NAP matching with GBP and citation sources.
 4. **HIGH -- All locations show identical opening hours.** While this may be accurate, it suggests template-driven content rather than actual per-location data. Many stores likely have different Saturday hours or location-specific closures.
 5. **MEDIUM -- Wilrijk address says "Antwerpen" not "Wilrijk".** This creates a NAP mismatch -- the store page URL says "goed-wilrijk" but the address city is "Antwerpen". For GBP, the city in the address must match the GBP listing exactly.
 6. **MEDIUM -- Store locator shows only 20 of 35 locations.** The homepage claims "35 thuiszorgwinkels" but the store locator page lists only 20. Either locations are missing, or pagination is broken/hidden.
-

4. GBP Signals Assessment

What Was Detected on the Website

GBP Signal	Present	Details
Google Maps embed	NO	No Maps iframe on any store page
Place ID references	NO	No Google Place references found
Review widgets	NO	No Google reviews displayed
Directions link	NO	No "Get Directions" link on store pages
GBP post indicators	NO	No GBP post content syndicated to site
Photo evidence	NO	No store photos on location pages
GBP categories visible	N/A	Cannot determine from website
"Claim this business"	N/A	Cannot verify without searching Google

GBP Optimization Checklist

Element	Status	Priority
Individual GBP listing per location	UNKNOWN -- cannot verify from site	CRITICAL
Primary category set correctly	UNKNOWN	CRITICAL (#1 ranking factor)
Consistent NAP across GBP and website	LIKELY FAILING -- no phone/postal codes on site	CRITICAL
Google Maps embed on location pages	MISSING	HIGH
GBP website URL points to location page	UNKNOWN	HIGH
Store photos uploaded to GBP	UNKNOWN	HIGH
GBP posts published regularly	UNKNOWN	MEDIUM
Q&A section managed	UNKNOWN	MEDIUM
Products/services added to GBP	UNKNOWN	MEDIUM

Element	Status	Priority
Appointment link configured	UNKNOWN	MEDIUM

Recommended GBP Primary Category: "Medical Supply Store" (or Belgian equivalent "Medische hulpmiddelenwinkel"). Alternative: "Home Health Care Service"

CRITICAL NOTE: Per Whitespark 2026, wrong primary GBP category is the #1 negative ranking factor (score: 176). Each of the 35 locations needs the correct primary category.

5. Review Health Snapshot

Metric	Status
On-site reviews	NONE FOUND
Google review widget	NOT PRESENT
AggregateRating schema	NOT FOUND
Review count visible	N/A
Average rating visible	N/A
Review response pattern	CANNOT ASSESS
Review velocity	CANNOT ASSESS

CRITICAL: Zero review signals detected on the website. No reviews are displayed, no review schema is implemented, and no third-party review widgets are embedded.

Per the 18-day rule (Sterling Sky research), rankings cliff if no new reviews appear for 3 weeks. Without any review infrastructure visible, it is impossible to assess whether GBP reviews are being actively managed.

Facebook: A Facebook page exists at facebook.com/Goedthuiszorgwinkel. This is a single brand page rather than per-location pages, which limits local review signal diversity.

6. Local Schema Markup Validation

Current State: ABSENT

No JSON-LD structured data was detected on any page analyzed: - Homepage: No Organization, WebSite, or LocalBusiness schema - Store locator page: No ItemList

or LocalBusiness schema - Individual store pages (Mechelen, Oostende, Wilrijk, Turnhout, Sint-Niklaas): No LocalBusiness schema - No microdata (itemscope/itemtype) detected - No RDFa markup detected

Required Schema Implementation

Each individual store page MUST implement at minimum:

```
{
  "@context": "https://schema.org",
  "@type": ["Store", "MedicalBusiness"],
  "name": "Goed thuiszorgwinkel [City]",
  "address": {
    "@type": "PostalAddress",
    "streetAddress": "[Street Address]",
    "addressLocality": "[City]",
    "postalCode": "[Postal Code]",
    "addressRegion": "Vlaanderen",
    "addressCountry": "BE"
  },
  "geo": {
    "@type": "GeoCoordinates",
    "latitude": "XX.XXXXX",
    "longitude": "XX.XXXXX"
  },
  "telephone": "+32-XX-XXX-XX-XX",
  "url": "https://aanbod.goed.be/nl/vestigingen/goed-[city]",
  "openingHoursSpecification": [...],
  "image": "[store photo URL]",
  "parentOrganization": {
    "@type": "Organization",
    "name": "Goed",
    "url": "https://www.goed.be"
  },
  "isPartOf": {
    "@type": "Organization",
    "name": "CM (Christelijke Mutualiteit)"
  },
  "paymentAccepted": "Bancontact, Visa, Mastercard",
  "priceRange": "$$"
}
```

Schema Validation Issues

Property	Status	Priority
@type (correct subtype)	MISSING	CRITICAL
name	MISSING (in schema)	CRITICAL

Property	Status	Priority
address (with postal code)	MISSING	CRITICAL
telephone (per-location)	MISSING	CRITICAL
geo (5 decimal precision)	MISSING	HIGH
openingHoursSpecification	MISSING	HIGH
url (location page)	MISSING	HIGH
image	MISSING	MEDIUM
parentOrganization	MISSING	MEDIUM
aggregateRating	MISSING	MEDIUM
areaServed	MISSING	LOW

The homepage should also implement: - `Organization` schema for the brand - `WebSite` schema with `SearchAction` for sitelinks search box - `BreadcrumbList` schema on all pages

7. Store Locator Page Quality

URL: <https://aanbod.goed.be/nl/vestigingen>

Assessment

Criteria	Score	Notes
All locations listed	FAIL	Only 20 of 35 stores shown
Map integration	FAIL	No interactive map
Search/filter functionality	PARTIAL	"zoek een vestiging" exists but unclear if functional
Address display	FAIL	No addresses shown on locator page
Phone display	FAIL	No phone numbers shown
Hours display	FAIL	No hours shown
Geolocation/proximity sorting	UNKNOWN	Cannot confirm client-side behavior
Internal links to store pages	PASS	Each store links to individual page
Schema (ItemList)	FAIL	No structured data

Criteria	Score	Notes
Page title optimization	WEAK	Generic
Unique introductory content	FAIL	Minimal content
City/region organization	FAIL	Alphabetical list only, no regional grouping

Key Issues

1. **Only 20 of 35 locations displayed.** This means 15 stores have either no location page or are hidden. This is a critical gap.
 2. **No map.** A store locator without a map is a poor user experience and misses signals for Google.
 3. **Zero NAP data on locator page.** Users must click through to individual pages to see even a partial address.
 4. **No filtering by service type, region, or proximity.** Users cannot find their nearest store efficiently.
-

8. Individual Location Page Quality

Template Analysis (based on 5 store pages analyzed)

Criteria	Score	Notes
Unique page title	PARTIAL	Includes city name but generic format
Unique meta description	FAIL	Not detected
Breadcrumb navigation	PASS	"Startpagina > Winkels > [City]"
Full street address	PARTIAL	Street + city, no postal code
Phone number	FAIL	No per-store phone numbers
Location-specific hours	FAIL	All show identical generic hours
Google Maps embed	FAIL	None
Directions/route link	FAIL	None
Store-specific photos	FAIL	None detected
Staff information	FAIL	None
Services specific to location	FAIL	Generic services only
Unique local content	FAIL	Template-only content, no local differentiation

Criteria	Score	Notes
Customer reviews	FAIL	None
Nearby landmarks/parking	FAIL	None
LocalBusiness schema	FAIL	None
Internal links to/from related content	WEAK	Only through global navigation
CTA (appointment, directions)	PARTIAL	"maak een afspraak" exists but generic

Doorway Page Assessment

HIGH RISK: The location pages currently function as thin doorway pages. They contain: - A city-name in the URL and breadcrumb - A street address (without postal code) - Identical template content across all locations - No unique local content, photos, or store-specific information - No staff profiles or local testimonials - No local area references

Per Google's guidelines on doorway pages, these provide "little unique value to a user" and could be subject to manual action. The "swap test" (can you swap content between two store pages and nobody would notice?) clearly fails -- all store page content is interchangeable except for the address line.

9. Citation Health & Directory Presence

Assessment Methodology

Citation presence could not be fully verified via live directory lookups. Assessment is based on common Belgian citation sources and what can be inferred.

Tier 1 Belgian Citation Sources

Directory	Expected Presence	Priority
Google Business Profile	UNKNOWN (likely exists)	CRITICAL
Facebook	Single brand page exists	HIGH -- needs per-location pages
Yelp.be	UNKNOWN	HIGH
Gouden Gids (goldenpages.be)	UNKNOWN	HIGH
Pages d'Or (pagesdor.be)	UNKNOWN (French equivalent)	MEDIUM

Directory	Expected Presence	Priority
KBO/BCE (Belgian company register)	Present (VAT registered)	MEDIUM
TripAdvisor	NOT APPLICABLE	--
Foursquare	UNKNOWN	LOW

Tier 2 Healthcare-Specific Citations

Directory	Expected Presence	Priority
CM.be (parent org)	LIKELY	HIGH
Zorgkwaliteit.be	UNKNOWN	MEDIUM
Belgian healthcare directories	UNKNOWN	MEDIUM
RIZIV/INAMI (Belgian healthcare institute)	POSSIBLE	MEDIUM

Citation Issues

1. **Single Facebook page** instead of per-location Facebook pages means no location-specific social proof or local engagement signals.
2. **No visible citation management strategy.** The website provides no "find us on" links to third-party directories.
3. **NAP format issues** (missing postal codes, missing phone numbers) will cause citation inconsistency across any directories where listings exist.

10. Local Content Strategy Assessment

Current State: MINIMAL

Content Type	Present	Notes
Service area pages	NO	No city-specific service pages
Local blog content	NO	"tips & advies" section exists but not localized
Event pages	PARTIAL	"evenementen" link exists, unclear if location-specific
FAQ with local context	NO	"veelgestelde vragen" exists but not localized
Community involvement content	NO	

Content Type	Present	Notes
Healthcare guides (local)	NO	
Accessibility/parking info	NO	
Public transport directions	NO	
Local partnerships	NO	Beyond CM affiliation

Missed Opportunities

1. **City-specific landing pages** for "[product] in [city]" searches (e.g., "rolstoel huren Mechelen", "incontinentiemateriaal Oostende")
2. **Local healthcare content** connecting to regional hospitals, home nursing services, physiotherapy practices
3. **Community event promotion** per location (e.g., mobility scooter demos, compression stocking fitting events)
4. **Local care guides** addressing regional healthcare systems and reimbursement processes

11. Multi-Location SEO Structure

URL Architecture

aanbod.goed.be/nl/vestigingen (store locator)
aanbod.goed.be/nl/vestigingen/goed-[city] (individual store)

Observations: - Clean, consistent URL pattern: GOOD - City name in URL: GOOD - Dutch language path segment: GOOD - No French language version detected (Belgium is bilingual): POTENTIAL GAP for Walloon stores if any exist

Domain Strategy Concern

The e-commerce site runs on `aanbod.goed.be` (subdomain) while the main brand site appears to be `www.goed.be`. The store locator exists on both: - `aanbod.goed.be/nl/vestigingen` - `www.goed.be/nl/vestigingen`

RISK: If both domains have store pages, this creates duplicate content and splits local authority signals. GBP listings should point to one canonical URL per location.

Internal Linking

- Homepage links to store locator: YES ("vind een winkel")
- Store locator links to individual pages: YES

- Individual store pages link to each other: NOT OBSERVED
- Product pages link to nearest store: NOT OBSERVED
- Blog/advice content links to relevant stores: NOT OBSERVED
- Store pages link to relevant product categories: NOT OBSERVED

Assessment: Internal linking to and from location pages is minimal, limited to the global navigation and store locator. Location pages are essentially isolated endpoints.

12. Industry-Specific Findings (Healthcare/Medical Supply)

Healthcare Local SEO Factors

Factor	Status	Notes
RIZIV/INAMI registration visible	NO	For reimbursable medical devices
Professional qualifications displayed	NO	Staff credentials not shown
Insurance/mutualiteit integration	PARTIAL	CM discount mentioned, but no other mutualiteiten
Accessibility information	NO	Important for mobility-impaired customers
Emergency/urgent availability	NO	
Appointment booking schema	NO	Booking exists but no schema
MedicalBusiness schema	NO	
Product availability per location	NO	No store-specific inventory info
GDPR/privacy compliance	YES	Cookie notice and privacy policy present

Missed Healthcare-Specific Schema Opportunities

- `MedicalBusiness` type for each location
 - `hasOfferCatalog` linking to product categories available at each store
 - `availableService` for consultations, fittings, rentals
 - `medicalSpecialty` for compression stockings, mobility, incontinence
 - `insuranceAccepted` for CM and potentially other mutualiteiten
-

Top 10 Prioritized Actions

CRITICAL (Immediate Impact on Rankings)

- 1. Implement LocalBusiness JSON-LD schema on all location pages** - Use `@type: ["Store", "MedicalBusiness"]` - Include complete address with postal code, phone, geo coordinates (5 decimal precision), opening hours - Estimated effort: Medium (template-level change + data collection) - Expected impact: HIGH -- currently zero structured data
- 2. Add individual phone numbers to every store page** - Each of the 35 locations needs a unique, dialable phone number displayed prominently - This phone must match GBP listings exactly - Estimated effort: Low (data exists internally, needs to be surfaced) - Expected impact: HIGH -- NAP completeness is foundational
- 3. Complete the store locator to show all 35 locations** - Currently only 20 of 35 stores are listed - 15 stores are invisible to search engines and users via the locator - Estimated effort: Low (likely a configuration or data issue) - Expected impact: HIGH -- missing locations cannot rank

HIGH (Significant Ranking Improvement)

- 4. Add complete postal codes to all addresses** - Belgian format: "Antwerpsesteenweg 259, 2800 Mechelen" (not just "Antwerpsesteenweg 259, Mechelen") - Required for NAP consistency with GBP and citation sources - Estimated effort: Low - Expected impact: MEDIUM-HIGH
- 5. Embed Google Maps on every location page** - Add an interactive Google Maps embed with the store location pinned - Include a "Get Directions" link - Strengthens the association between website and GBP listing - Estimated effort: Low-Medium (template change) - Expected impact: MEDIUM-HIGH
- 6. Transform thin location pages into rich local landing pages** - Add store-specific photos (exterior, interior, staff, products) - Add staff profiles with photos and specializations - Add location-specific services and product availability - Add parking information, public transport directions, accessibility info - Add local area context (nearby landmarks, hospitals) - Estimated effort: HIGH (content creation per location) - Expected impact: HIGH (addresses doorway page risk and improves rankings)
- 7. Verify and optimize GBP listings for all 35 locations** - Confirm correct primary category ("Medical Supply Store" or equivalent) - Ensure NAP matches website exactly - Set GBP website URL to the specific aanbod.goed.be location page - Upload store photos (minimum 10 per location) - Add products/services to each listing - Configure appointment link - Estimated effort: HIGH (35 listings to audit and optimize) - Expected impact: VERY HIGH (#1 ranking factor per Whitespark 2026)

MEDIUM (Supporting Improvements)

8. Implement Organization schema on the homepage - WebSite schema with SearchAction - Organization schema for the Goed brand - BreadcrumbList schema on all pages - Estimated effort: Low-Medium - Expected impact: MEDIUM

9. Create city-specific service pages - Target searches like "thuiszorgwinkel [city]", "rolstoel huren [city]", "incontinentiemateriaal [city]" - One page per service per city for top locations - Include locally relevant content, not just template swaps - Estimated effort: HIGH (content creation at scale) - Expected impact: HIGH for local organic visibility (#1 local organic factor per Whitespark)

10. Establish a review generation and management program - Implement a systematic process to request Google reviews at each location - Display Google reviews on location pages via widget or API - Add AggregateRating schema - Respond to all reviews within 24-48 hours - Monitor review velocity per location (minimum 1 review per 18 days per location) - Estimated effort: MEDIUM (process + ongoing management) - Expected impact: HIGH for local pack rankings

Additional Recommendations (Beyond Top 10)

- **Resolve aanbod.goed.be vs www.goed.be duplication** for store pages -- pick one canonical domain and redirect or use canonical tags
 - **Create per-location Facebook pages** in addition to the brand page for local social signals
 - **Add hreflang tags** if French language store pages exist or are planned (Belgium bilingual market)
 - **Implement BreadcrumbList schema** to match the visible breadcrumb navigation
 - **Add store-specific meta descriptions** with city name and key services
 - **Build local links** from city-specific organizations, healthcare networks, senior care facilities
 - **Add "nearby stores" sections** on each location page for internal linking
 - **Configure appointment booking schema** (BookAction) for the existing appointment system
 - **Display product availability per store** to support "near me" product searches
-

Limitations Disclaimer

The following could not be assessed without direct access to paid tools or authenticated platforms:

1. **Google Business Profile data** -- Could not verify if GBP listings exist, their categories, photos, posts, or review counts. Requires Google Maps/GBP search or DataForSEO API access.
2. **Actual citation presence** -- Could not perform live lookups on Yelp, Gouden Gids, or other directories. Requires BrightLocal, Whitespark, or manual searches.
3. **Review velocity and response rate** -- No review data visible on-site. Requires GBP access or third-party review monitoring tools.
4. **Local pack rankings** -- Cannot determine current positions for target keywords without SERP tracking tools.
5. **Competitor benchmarking** -- No comparison against local competitors (e.g., Medipoint, Advys, Care-Rent).
6. **Google Search Console data** -- Cannot assess click-through rates, impressions, or query data for location pages.
7. **Facebook page metrics** -- Could not access Facebook page data (blocked). Review data, engagement rates, and posting frequency unknown.
8. **Full sitemap analysis** -- Sitemap XML references were found but individual location sitemaps could not be fully parsed.
9. **Page speed for location pages** -- Core Web Vitals not tested (Next.js SSR should help, but heavy JS bundles are a risk).
10. **Proximity-based ranking analysis** -- Cannot assess the 55.2% proximity factor without testing from multiple geolocations near each store.
11. **French-language coverage** -- Could not determine if any stores serve French-speaking communities or if French content is needed.
12. **Mobile rendering of store pages** -- Not tested; critical since most local searches are mobile.

Summary

Goed thuiszorgwinkel has a **critically underdeveloped local SEO presence** for a 35-location healthcare retailer. The most alarming gaps are:

- **Zero structured data** across the entire site
- **No phone numbers** on any store page
- **15 missing stores** from the locator page
- **Thin doorway-like location pages** with no unique content
- **No Google Maps integration** on any page
- **No review infrastructure** visible

- **Incomplete addresses** (missing postal codes)

The strong brand authority from CM affiliation and the existing physical presence across Flanders represent significant untapped potential. The e-commerce platform (Next.js) is modern and capable, but local SEO has clearly not been part of the development priorities.

Implementing the top 10 actions above -- particularly schema markup, complete NAP data, GBP optimization, and rich location pages -- could realistically improve the local SEO score from 28/100 to 65-75/100 within 3-6 months, with corresponding improvements in local pack visibility and store foot traffic.

Content Quality

Content Quality & E-E-A-T Analysis: aanbod.goed.be

Date: 2026-03-30 **Site:** <https://aanbod.goed.be> **Language:** Dutch (nl-BE) **Type:** E-commerce / Healthcare (thuiszorg) retailer **Parent organization:** CM (Christelijke Mutualiteit)

Executive Summary

Metric	Score
Overall Content Quality Score	48/100
E-E-A-T Composite Score	55/100
AI Citation Readiness	32/100
Content Depth	35/100
Readability	62/100

Aanbod.goed.be has strong institutional backing from CM (Christelijke Mutualiteit) and a solid e-commerce infrastructure, but the site severely underperforms on content depth across all page types. The homepage, category pages, and product pages all fall below recommended word count minimums. There is a near-total absence of informational content (tips/advice section returns a 404), no structured data on most pages, and minimal E-E-A-T signals beyond brand association. The site reads as a functional product catalog rather than an authoritative healthcare resource.

Page-by-Page Analysis

1. Homepage: <https://aanbod.goed.be>

Page title: "Welkom bij Goed thuiszorgwinkel" **Meta description:** "Goed thuiszorgwinkel is de hulpmiddelenspecialist van Vlaanderen. Ben je op zoek naar een hulpmiddel? Bekijk dan zeker ons assortiment."

Content Metrics

Metric	Value	Target	Status
Word count (body text)	~475	500+	BELOW MINIMUM
Unique content words (excl. nav/footer)	~200 est.	--	CRITICALLY LOW
H1 count	1	1	OK
H2 count	4	3-6	OK
H3 count	27	--	EXCESSIVE (product names)
Internal links	156	--	GOOD volume
Structured data (JSON-LD)	0	1+ (Organization, WebSite)	MISSING
Canonical tag	MISSING	Present	ISSUE

H1 Analysis

The H1 is "kom onze scooters gratis uittesten" -- a promotional/campaign H1 rather than a descriptive, keyword-rich heading. This is a rotating hero banner H1, meaning it changes with campaigns, which creates inconsistency for crawlers and makes the homepage's primary topic signal unclear.

Recommendation: Use a stable, descriptive H1 such as "Goed thuiszorgwinkel - Hulpmiddelen & thuiszorgproducten online" and move promotional messaging to H2 or visual banners without heading tags.

Heading Hierarchy Issues

- H1 skips to H3 directly (no H2 before product listings in hero)
- 27 H3 tags are product names -- these should not be heading tags in the HTML but rather use product card markup
- Heading hierarchy: H1 > H3 (skip) > H2 > H3 > H2 > H3 -- broken nesting

Content Depth Assessment

The homepage content is almost entirely navigational and product listing. The only substantive editorial content block is the "waarom kopen bij goed" section, which contains approximately 6 short bullet-style value propositions: - Tot 30% korting voor CM-leden - Thuiszorgwinkel in je buurt (35 winkels) - Advies op maat - Aanbod huurartikelen - Keuzehulp voor incontinentiemateriaal - Abonnement op incontinentiemateriaal

This amounts to roughly 80-100 words of unique editorial content. The rest is product names, prices, and navigation.

Content Freshness

- Copyright shows "2026" -- current
- No date stamps, blog links, or news sections visible
- No "last updated" signals

Content Quality Score: 38/100

2. Category Page: Mobiliteit

URL: <https://aanbod.goed.be/nl/producten/mobiliteit> **Page title:**

"Mobiliteitshulpmiddelen online kopen | Goed thuiszorgwinkel" **Meta description:**

"Ontdek alle mobiliteitshulpmiddelen bij Goed Thuiszorgwinkel. Besteld voor 15u, binnen 2 werkdagen geleverd. CM - Voordeel. Gratis verzending vanaf euro 40."

Content Metrics

Metric	Value	Target	Status
Word count (body text)	~522	800+ (category)	BELOW MINIMUM
Unique editorial content	~60 words	300+	CRITICALLY LOW
H1 count	1 ("mobiliteit")	1	OK but GENERIC
H2 count	1	3-5	TOO FEW
H3 count (product names)	25	--	Product-as-heading issue
Subcategory links	9	--	GOOD
Filter facets	15+	--	GOOD for UX
Pagination	17 pages	--	Large catalog
Structured data	0	ItemList recommended	MISSING
Canonical tag	MISSING	Present	ISSUE

Editorial Content

The only unique editorial paragraph is at the bottom of the page:

"Ontdek hoogwaardige mobiliteitshulpmiddelen die de vrijheid vergroten en het dagelijks leven vereenvoudigen. Bij ons vind je een uitgebreid assortiment aan mobiliteitsoplossingen, ontworpen om aan diverse behoeften te voldoen. Of je nu op zoek bent naar rollators, rolstoelen of elektrische scooters, wij bieden duurzame en betrouwbare opties. Bekijk zeker ook onze blogs over zelfstandig wonen."

This is approximately 50 words of generic, boilerplate text. It mentions "blogs over zelfstandig wonen" but does not link to any specific blog content. The text reads like AI-generated filler: generic phrasing, no specificity, no original insight.

Thin Content Indicators

- **SEVERE:** Category page has effectively no informational content
- No buying guide content ("hoe kies je de juiste rollator?")
- No expert advice snippets
- No FAQ section
- No comparison information between subcategories
- Filter facets are comprehensive but contribute no indexable text value

Internal Linking

- Good subcategory linking (9 subcategories with product counts)
- Link to mobility specialist appointment on goed.be (cross-domain)
- Missing: links to tips/advice content, buying guides, related categories

Content Quality Score: 32/100

3. Category Page: Incontinentie en Stoma

URL: <https://aanbod.goed.be/nl/producten/incontinentie-en-stoma> **Page title:** "Incontinentiemateriaal online kopen | Goed thuiszorgwinkel | Goed thuiszorgwinkel"
Meta description: "Elk incontinentiemateriaal online bestellen bij Goed Thuiszorgwinkel. Besteld voor 15u, binnen 2 werkdagen geleverd. CM - Voordeel. Gratis verzending vanaf euro 40."

Content Metrics

Metric	Value	Target	Status
Word count (body text)	~884	800+ (category)	MEETS MINIMUM
Unique editorial content	~350 words	300+	MEETS MINIMUM
H1 count	1	1	OK

Metric	Value	Target	Status
H2 count	2	3-5	LOW
H3 count (editorial)	6	--	GOOD structure
Subcategory links	9	--	GOOD
Structured data	0	ItemList recommended	MISSING
Canonical tag	MISSING	Present	ISSUE

Title Tag Issue

CRITICAL: The title tag contains a duplicate brand suffix: "Incontinentiemateriaal online kopen | Goed thuiszorgwinkel | Goed thuiszorgwinkel" -- the brand name appears twice, wasting valuable title real estate.

Editorial Content Analysis

This is the strongest category page found. It includes bottom-of-page editorial content covering: 1. **Incontinentie en stoma: discreet comfort en betrouwbare zorgproducten** (general intro) 2. **Incontinentie bij mannen** (targeted segment) 3. **Incontinentie bij vrouwen** (targeted segment) 4. **Luiers en absorberende producten** (product type) 5. **Stoma verzorging en opvangsystemen** (product type) 6. **Waarom kiezen voor Goed thuiszorgwinkel?** (trust/value props)

The editorial text is reasonably well-structured with keyword integration (incontinentie bij mannen, incontinentie bij vrouwen, inlegverbanden, stoma verzorging). However:

- All headings are H3 -- they should be H2 for proper hierarchy
- Content reads as SEO-optimized text rather than genuinely helpful information
- No specific product recommendations within the editorial text
- No statistics, medical references, or expert citations
- Mentions "incontinentiespecialisten" but does not name or credential them

AI Content Markers

The editorial text shows signs of template-based or AI-assisted generation: - Generic transitional phrases ("Ontdek het gemak", "Kies voor huidvriendelijke producten") - No specific data points, studies, or unique insights - Repetitive sentence structure across subsections - Pattern: [Segment intro] + [product types] + [benefit statement]

Risk level: Moderate. The content is not harmful but lacks the specificity and expert voice expected for healthcare-adjacent topics (YMYL territory).

Standout Features

- **Keuzehulp (product selector tool):** Linked from the page, this interactive tool ("test: welk product past bij mij?") is a genuine E-E-A-T differentiator
- **Specialist appointment booking:** Links to incontinentie specialist appointments
- **Comprehensive filtering:** Gender, usage type, absorbency level filters show domain expertise

Content Quality Score: 55/100

4. Product Page: VERMEIREN Plooibare transportstoel Bobby Evo/42

URL: <https://aanbod.goed.be/nl/product/vermeiren-plooibare-transportstoel-bobby-evo42> **Page title:** "VERMEIREN Plooibare transportstoel Bobby Evo/42 | Goed thuiszorgwinkel" **Meta description:** "VERMEIREN Plooibare transportstoel Bobby Evo/42. Besteld voor 15u, binnen 2 werkdagen geleverd. CM - Korting. Gratis verzending vanaf euro 40."

Content Metrics

Metric	Value	Target	Status
Word count (body text)	~356	300+ (simple product) / 400+ (complex)	BORDERLINE
Unique product description	~80 words	150+	LOW
H1 count	1	1	OK
H2 count	5	3-5	GOOD
Images	5 product images	3+	GOOD
Image alt text	Present, descriptive	--	GOOD
Structured data	2 (Product, ShippingDetails)	Product required	GOOD
Price displayed	Yes (euro 434,54 / euro 334,00 with discount)	--	GOOD
Availability status	"beschikbaar voor levering"	--	GOOD

Metric	Value	Target	Status
Delivery estimate	"Nu besteld, ten laatste 1 april geleverd"	--	GOOD
Cross-sells	1 ("gelijkaardige producten")	3+	LOW

Heading Structure

Good hierarchy for a product page:

```
H1: VERMEIREN Plooibare transportstoel Bobby Evo/42
H2: beschikbaar voor levering
H2: algemene kenmerken
H2: productspecificaties
H2: documenten
H2: gelijkaardige producten
H3: VERMEIREN Plooibare transportstoel Bobby Evo/48
H2: hulp nodig bij je aankoop?
```

Product Description Assessment

The product description is minimal:

"Bobby EVO is de ideale compacte en vouwbare transferstoel. Licht en makkelijk op te vouwen in enkele seconden. Op vakantie, in de luchthaven of in het ziekenhuis: verplaatsing van punt A naar B is makkelijk met de Bobby EVO."

This is followed by bullet-point features and specifications. While functional, it lacks: - Use cases / scenario descriptions - Comparison to alternatives - Who this product is best suited for - Care/maintenance information - User reviews or testimonials - Video content or usage demonstration links

Structured Data Quality

Product schema is present and includes: - Product name, image, brand, SKU - Offer with price, currency, availability, condition - Shipping details

Missing from schema: - `description` property - `aggregateRating` / `review` (no reviews system at all) - `gtin` / `mpn` for unique product identification - `priceValidUntil` shows "2025-12-31" which is EXPIRED (current date is 2026-03-30)

Trust Signals on Product Page

- Brand attribution (Vermeiren)

- SKU number (0074871)
- CM discount transparency
- Expert assistance CTA ("maak een afspraak met een mobiliteitsverstrekker")
- 34 physical stores mentioned
- "(para)medisch geschoolde medewerkers" mentioned
- Document download (Brochure Bobby Evo)
- Payment method logos in footer

Missing: - Customer reviews - Return policy details on page - Warranty information - Reimbursement/RIZIV information (relevant for Belgian healthcare products)

Content Quality Score: 52/100

5. Product Page: Wandelstok 4-delig (vrouw)

URL: <https://aanbod.goed.be/nl/product/wandelstok-4-delig-vrouw> **Page title:** "Wandelstok 4-delig (vrouw) | Goed thuiszorgwinkel"

Content Metrics

Metric	Value	Target	Status
Word count	~315	300+ (simple product)	MEETS MINIMUM
Unique product description	~35 words	100+	VERY LOW
Cross-sells ("vaak samen gekocht")	4 items	3+	GOOD
Similar products	2 items	3+	ACCEPTABLE
Structured data	2 (Product, Shipping)	--	GOOD
Breadcrumb depth	5 levels	--	EXCELLENT

Description Quality

The entire product description is:

"Verstelbare opvouwbare wandelstok voor vrouwen, in 4 delen. Gemaakt in bronskleurig aluminium met esdoorn handvat."

For a simpler product this is understandable, but it still lacks: - Who benefits from this product - How it compares to other wandelstokken - Usage tips - How to choose the right height

Structured Data Issue

- `priceValidUntil: "2025-12-31"` -- **EXPIRED**, same issue as other product page

Content Quality Score: 45/100

6. Tips & Advies Page: <https://aanbod.goed.be/nl/tips-en-advies>

Status: 404 / NOT FOUND

The page returns a soft 404 with the H1 "oeps..." and body text "pagina niet gevonden." The page title incorrectly shows "Welkom bij Goed thuiszorgwinkel" (the homepage title) rather than a proper 404 title.

Impact Assessment

This is a **critical content gap**. The navigation header shows "tips & advies" as a menu item, linking to a page that does not exist. This means:

1. **Broken user journey:** Users clicking "tips & advies" hit a dead end
2. **Crawl waste:** Googlebot follows this link from every page (it is in the global nav) and finds a soft 404
3. **Missing E-E-A-T opportunity:** A tips/advice section would be the primary vehicle for demonstrating Experience and Expertise
4. **No informational content layer:** The site has zero editorial/advice content, making it purely transactional

The 404 page itself has issues: - Title tag shows homepage title (should be "Pagina niet gevonden | Goed thuiszorgwinkel") - Meta description shows homepage meta description - No proper HTTP 404 status code verification (appears to be a soft 404) - Minimal navigation to help users recover

Content Quality Score: 0/100

E-E-A-T Breakdown

Experience (Weight: 20%) -- Score: 35/100

Signal	Present	Notes
First-hand product testing	Partially	"kom onze scooters gratis uittesten" suggests hands-on approach

Signal	Present	Notes
Case studies / customer stories	No	Zero customer testimonials or case studies
User reviews	No	No review system on any product page
"Onze specialisten" references	Yes	Multiple references to (para)medisch geschoolde medewerkers
Physical store presence	Yes	34-35 stores mentioned, but no store-specific content on webshop
Original photography	Unclear	Product images appear to be manufacturer-supplied
Video content	No	No video demonstrations found
Keuzehulp tool	Yes	Interactive product selector for incontinence -- genuine experience signal

Key Gap: The site talks about having specialists but never shows them. No staff profiles, no expert quotes, no "our specialist recommends" callouts on product pages. The experience is claimed but not demonstrated.

Expertise (Weight: 25%) -- Score: 50/100

Signal	Present	Notes
Author credentials	No	No individual author attribution anywhere
Technical accuracy	Yes	Product specifications are detailed and manufacturer-sourced
Category-specific knowledge	Partial	Incontinentie page shows segmented knowledge; mobiliteit page does not
Medical/healthcare context	Minimal	No RIZIV/reimbursement info, no medical guidance
Specialist appointment system	Yes	Links to specialist appointments (cross-domain to goed.be)
Certification mentions	No	No ISO, CE, or medical device certifications mentioned
Product comparison tools	No	No comparison functionality
Buying guides	No	Zero buying guide content found

Key Gap: For YMYL healthcare products, expertise signals should be much stronger. The site should include: buying guides written by (para)medische specialisten, RIZIV/ mutualiteit reimbursement information, product selection criteria explained by qualified staff.

Authoritativeness (Weight: 25%) -- Score: 60/100

Signal	Present	Notes
Brand recognition (CM/Goed)	Yes	CM is a major Belgian healthcare institution
Physical retail presence	Yes	34-35 stores across Flanders
Institutional backing	Yes	Part of Christelijke Mutualiteit (major mutualiteit)
External citations/ press	Not on site	No press mentions, awards, or external validation shown
BTW/company registration	Yes	BE 0860.548.465 in footer
Cross-linking with goed.be	Yes	Links to main goed.be site for stores, contact, careers
Social proof	Minimal	Only Facebook link; no follower counts, no review aggregation
Industry partnerships	Implied	Carries major brands (TENA, Vermeiren, MOBIO) but no "authorized dealer" badges

Strength: The CM association is the single strongest authority signal. CM is one of Belgium's largest mutualiteiten, giving the webshop institutional credibility that most competitors lack.

Key Gap: This authority is not sufficiently leveraged on the webshop itself. There should be prominent "onderdeel van CM" messaging, mutual fund member benefit explanations, and cross-referencing with CM's healthcare expertise.

Trustworthiness (Weight: 30%) -- Score: 65/100

Signal	Present	Notes
Contact information	Yes	Phone hours (werkdagen 09:00-17:30, zaterdag 09:00-13:00)
Physical address	Via goed.be	Store locations linked but not displayed on webshop

Signal	Present	Notes
Privacy policy	Yes	Link to goed.be/nl/privacybeleid
Cookie policy	Yes	Cookie banner with preferences
Terms & conditions	Yes	Link to goed.be/nl/algemene-voorwaarden
Secure payment	Yes	Bancontact, Visa, Mastercard, Maestro, ING, KBC, Belfius logos
Return policy	Partially	"gratis ophalen en retourneren" mentioned, links to Zendesk help
Price transparency	Good	CM discount shown, base price + discounted price
Shipping information	Good	"besteld voor 15u, binnen 2 werkdagen geleverd", free from euro 40
BTW registration	Yes	In footer
SSL/HTTPS	Yes	Site served over HTTPS

Key Gap: Trustworthiness would improve with: visible customer reviews, detailed return policy on product pages, warranty information, RIZIV reimbursement details, and a more prominent "about us" presence on the webshop itself (currently requires navigation to goed.be).

E-E-A-T Composite Score Calculation

Factor	Weight	Score	Weighted
Experience	20%	35	7.0
Expertise	25%	50	12.5
Authoritativeness	25%	60	15.0
Trustworthiness	30%	65	19.5
TOTAL	100%	--	54.0/100

AI Citation Readiness: 32/100

AI citation readiness measures how likely content is to be extracted and cited by AI systems (Google AI Overviews, ChatGPT, Perplexity, etc.).

What Works

- Product specifications are structured in clear lists (extractable)
- Price information is clearly displayed
- Delivery timeframes are specific and quotable
- Product schema markup on product pages provides machine-readable data

What Fails

- **No quotable expert statements** -- No named expert says "voor personen met beperkte mobiliteit raden wij aan..."
- **No FAQ content** -- FAQ sections are the most-cited content type for AI systems
- **No statistical data** -- No "X% van Vlamingen heeft last van incontinentie" type facts
- **No comparison tables** -- AI systems love structured comparison data
- **No how-to content** -- "Hoe kies je de juiste rollator?" type content is absent
- **No definition content** -- What is a transferstoel? What types of incontinentie exist?
- **Minimal structured data** -- No FAQ schema, no HowTo schema, no BreadcrumbList schema, no Organization schema on homepage
- **No article/blog content** -- The tips section is a 404
- **Category editorial content** -- Only incontinentie has any; mobiliteit has almost none

Structured Data Gaps

Schema Type	Present	Recommended
Product	Yes (product pages)	Yes
Organization	No	Yes (homepage)
WebSite (with SearchAction)	No	Yes (homepage)
BreadcrumbList	No	Yes (all pages)
ItemList	No	Yes (category pages)
FAQPage	No	Yes (category + product pages)
HowTo	No	Yes (tips/advice pages)
LocalBusiness	No	Yes (store pages)
Offer	Yes (within Product)	Yes
AggregateRating	No	Yes (if reviews added)

Content Freshness Assessment

Signal	Status
Copyright year	2026 (current)
Product availability	Real-time ("Nu besteld, ten laatste 1 april geleverd")
Price updates	Appear current (promotions active)
Blog/news content	ABSENT
Date stamps on content	NONE found
"Last updated" signals	NONE
Seasonal content	Minimal (scooter testing campaign on homepage)
Structured data priceValidUntil	EXPIRED: 2025-12-31 (critical fix needed)

Risk: The expired `priceValidUntil` in Product schema could cause Google to show stale/warning rich results or lose rich snippet eligibility.

Readability Assessment

Language Complexity (Dutch / nl-BE)

The site uses appropriate Belgian Dutch (Flemish) language with: - Short, accessible sentences on product pages - Technical terms used correctly (transferstoel, scootmobiel, incontinentiemateriaal) - Informal "je" address form (appropriate for consumer healthcare) - Some English loan words accepted in context (scooter, slip, pants)

Estimated Readability Metrics

Page	Avg. Sentence Length	Vocabulary Level	Readability
Homepage	Very short (fragments)	B1-B2	Easy
Cat: Mobiliteit	Short	B1-B2	Easy
Cat: Incontinentie editorial	Medium (15-20 words)	B2	Moderate
Product: Bobby Evo	Short	B1	Easy
Product: Wandelstok	Very short	A2-B1	Very Easy

The readability is generally appropriate for the target audience (healthcare consumers, often elderly or caregivers). However, the incontinentie editorial text is noticeably more

"written" than the rest of the site, suggesting different content creation processes (possibly AI-generated SEO text vs. product team descriptions).

Duplicate Content Risks

Identified Risks

1. **Title tag duplication:** Incontinentie category has doubled brand name in title
2. **Meta description patterns:** All product pages follow identical template:
"[Product name]. Besteld voor 15u, binnen 2 werkdagen geleverd. CM - Korting. Gratis verzending vanaf euro 40." -- This creates near-duplicate meta descriptions across hundreds of products
3. **Boilerplate footer:** ~120 words of identical footer content on every page, representing 25-40% of total word count on thin pages
4. **Category page pattern:** Mobiliteit category has almost no unique content, meaning filter parameter URLs could create duplicate thin pages
5. **Cross-domain duplication:** Some content overlaps with goed.be (mission, contact info, store info)
6. **Pagination:** 17 pages of mobiliteit results -- paginated content without rel=prev/next or proper handling

Missing Canonical Tags

CRITICAL: No canonical tags were detected on any of the analyzed pages. This means: - Parameter variations (e.g., `?ref=alg`, `?page=2`) may create duplicate indexing - The site relies entirely on Googlebot's heuristic deduplication - Cross-domain content with goed.be has no canonical signal

Internal Linking Analysis

Strengths

- Clear breadcrumb navigation (up to 5 levels deep on product pages)
- Category > subcategory hierarchy well-linked
- "Gelijkaardige producten" cross-links on product pages
- "Vaak samen gekocht" upsell links on some product pages
- Footer provides comprehensive site-wide navigation
- Cross-domain links to goed.be for stores, contact, specialist appointments

Weaknesses

- **No contextual editorial links** -- Product pages do not link to advice/guide content
- **No "related category" links** -- Mobiliteit does not link to related categories like "slaap- en zitcomfort"
- **Tips & advies link is broken** -- Global nav link leads to 404
- **Blog/content hub absent** -- No content to link to
- **Breadcrumbs use `/nl/products/` path** (product pages) while category pages use `/nl/producten/` -- URL inconsistency in breadcrumb links
- **No internal search link integration** -- Popular searches not surfaced

URL Path Inconsistency (Breadcrumbs)

Product pages link breadcrumbs to `/nl/products/mobiliteit/rolstoelen` while category pages use `/nl/producten/mobiliteit`. The `/products/` vs `/producten/` discrepancy may cause crawl issues or 404s on breadcrumb click-through.

User Intent Alignment

Page	Primary Intent	Alignment	Notes
Homepage	Navigational / Informational	Partial	Good for navigation; lacks informational value prop
Cat: Mobiliteit	Commercial Investigation	Weak	Product listing without buying guidance
Cat: Incontinentie	Commercial Investigation	Moderate	Better editorial content, keuzehulp tool
Product: Bobby Evo	Transactional	Moderate	Specs present but thin description
Product: Wandelstok	Transactional	Weak	Minimal product information
Tips & Advies	Informational	FAIL	404 page

YMYL Considerations

Aanbod.goed.be sells healthcare and medical aid products, placing it firmly in YMYL (Your Money or Your Life) territory. Google applies heightened scrutiny to YMYL pages per the Quality Rater Guidelines.

YMYL Risk Areas

1. **No medical disclaimers** on product pages
 2. **No professional credentials displayed** -- the site mentions "(para)medisch geschoolde medewerkers" but never identifies them
 3. **No RIZIV/reimbursement guidance** -- Belgian healthcare consumers need to know what is reimbursed
 4. **No contraindication information** -- Products like compression stockings have medical implications
 5. **No "consult your doctor" messaging** -- Standard for healthcare retail
-

Priority Recommendations

Critical (Fix Immediately)

1. **Fix the Tips & Advies 404** -- Either create the content section or remove the nav link. A broken global nav link is a severe crawl and UX issue.
2. **Add canonical tags to ALL pages** -- Every page should have a self-referencing canonical. Parameter URLs (`?ref=alg` , `?page=N`) must be handled.
3. **Fix expired priceValidUntil in Product schema** -- Update from "2025-12-31" to a future date or remove the property. This affects all product pages.
4. **Fix duplicate brand name in incontinentie title tag** -- Change from "... | Goed thuiszorgwinkel | Goed thuiszorgwinkel" to single brand suffix.

High Priority (Within 30 Days)

1. **Add Organization and WebSite schema to homepage** -- Include name, logo, URL, sameAs (social), contactPoint, and SearchAction.
2. **Add BreadcrumbList schema to all pages** -- And fix the `/products/` vs `/producten/` URL inconsistency.
3. **Create category editorial content for mobiliteit** -- Follow the incontinentie pattern but with more depth. Include: what are mobility aids, who needs them, how to choose, RIZIV reimbursement info.
4. **Expand product descriptions** -- Aim for 150+ words per product with: use cases, who it is for, key differentiators, care instructions. Prioritize high-traffic products.

5. **Add FAQ sections to top category pages** -- 5-8 questions per category, using FAQPage schema. Example: "Wordt een rollator terugbetaald door het ziekenfonds?"

Medium Priority (Within 90 Days)

1. **Launch a tips/advice content hub** -- Create buying guides, how-to articles, and care advice. Minimum 10 articles covering top categories. Each article should be 1,500+ words with named author attribution.
2. **Implement a customer review system** -- Product reviews are critical for both E-E-A-T and conversion. Add AggregateRating and Review schema.
3. **Add expert profiles** -- Create "onze specialisten" page(s) showing real staff with credentials, photos, and specializations. Link these from product pages.
4. **Add RIZIV/reimbursement information** -- Create dedicated content explaining which products are reimbursable, how to claim, what documentation is needed. This is high-value informational content unique to Belgian healthcare retail.
5. **Improve homepage H1 and content** -- Stable, descriptive H1. Add 300+ words of unique editorial content about Goed's mission, product range, and differentiators.
6. **Add ItemList schema to category pages** -- Include top products in structured data for rich results.

Lower Priority (Within 180 Days)

1. **Add video content** -- Product demonstrations, mobility aid tutorials, incontinence product selection guides.
 2. **Create comparison content** -- Side-by-side product comparisons for categories with multiple similar products (rollators, scootmobielen).
 3. **Implement "specialist recommends" badges** -- Show which products are recommended by Goed's specialists, with brief expert commentary.
 4. **Add seasonal/topical content** -- Summer mobility, winter safety, back-to-school for children's products.
 5. **Leverage CM authority** -- More prominent "onderdeel van CM" messaging, CM member benefit explanations, and cross-referencing CM's health expertise.
-

Competitive Content Benchmark

For a healthcare e-commerce site of this type, competitors like Thuiszorgwinkel.nl, Medipoint.nl, and Zorgzaam.nl typically feature: - 400-800 word category page descriptions - Product buying guides (1,500-3,000 words) - Customer reviews (average 10-50 per popular product) - Expert advice blog (20-50+ articles) - FAQ pages with schema markup - Reimbursement/insurance information pages - Video product demonstrations

Aanbod.goed.be currently trails significantly on content depth compared to these benchmarks, despite having a stronger institutional authority signal (CM backing) than most competitors.

Summary Scores by Page

Page	Content Quality	E-E-A-T	AI Citation	Priority
Homepage	38/100	50/100	25/100	High
Cat: Mobiliteit	32/100	45/100	20/100	Critical
Cat: Incontinentie	55/100	58/100	40/100	Medium
Product: Bobby Evo	52/100	55/100	38/100	High
Product: Wandelstok	45/100	50/100	30/100	High
Tips & Advies	0/100	0/100	0/100	Critical

Report generated: 2026-03-30 Analysis tool: Playwright content extraction + manual E-E-A-T assessment Data source files: /root/seo-audit-aanbod-goed-be/fetched/.json*

Schema Audit

Schema.org Structured Data Audit -- aanbod.goed.be

Date: 2026-03-30 **Site:** <https://aanbod.goed.be> **Type:** Belgian e-commerce healthcare retailer (thuiszorgwinkel), part of CM **Language:** Dutch (nl_BE) **Platform:** Next.js (React) with commercetools backend

Table of Contents

1. [Executive Summary](#)
 2. [Existing Structured Data Detection](#)
 3. [Validation Results](#)
 4. [Google Rich Results Eligibility](#)
 5. [Missing Schema Opportunities](#)
 6. [Recommended JSON-LD Implementations](#)
 7. [Implementation Priority Matrix](#)
-

1. Executive Summary

Overall schema maturity: Very Low (1/10)

aanbod.goed.be has virtually no functional structured data. The site contains partial Microdata on product card components (image, name, price, priceCurrency), but these lack the required `itemscope / itemtype` wrapper at the correct scope level, miss critical properties (description, availability, URL, SKU), and are not present on category pages at all (products load client-side via JavaScript). No JSON-LD exists on any page. No Organization, WebSite, BreadcrumbList, or any other schema type is implemented.

For a healthcare e-commerce site with 35+ physical stores, subscriptions, rental services, and a strong brand association (CM), this represents a significant missed opportunity for search visibility, rich results, and AI/LLM discoverability.

Key findings: - Zero JSON-LD blocks across all analyzed pages - Zero RDFa structured data (only Open Graph meta tags present) - Partial Microdata on product cards (homepage, product page carousel) but incomplete and invalid - Category pages render products client-side -- no structured data in initial HTML - No Organization, LocalBusiness, WebSite, BreadcrumbList, or Product (full) schema - No rich result eligibility for any Google feature

2. Existing Structured Data Detection

2.1 Pages Analyzed

Page	URL / File	JSON-LD	Microdata	RDFa
Homepage	/nl (homepage.html)	0 blocks	Partial (product cards)	None (OG tags only)
Category (scootmobielen)	/nl/producten/mobiliteit/scootmobielen (page-category.html)	0 blocks	None	None (OG tags only)
Category (hulpmiddelen)	/nl/producten (category-hulpmiddelen.html)	0 blocks	None	None
Product Detail	/nl/product/mobio-opvouwbaar-scooter-atto (page-product.html)	0 blocks	Partial (carousel cards)	None (OG tags only)

2.2 Microdata Found (Product Cards)

Product card components on the homepage and product page "vaak samen gekocht met" (frequently bought together) carousel include:

```
<article itemScope="" itemType="http://schema.org/Product">
  <a href="/nl/product/[slug]">
    <figure itemProp="image">...</figure>
    <h3 itemProp="name">Product Name</h3>
    <p itemProp="price">EUR X,XX</p>
    <meta itemProp="priceCurrency" content="EUR"/>
  </a>
</article>
```

Properties present: - `itemType="http://schema.org/Product"` -- uses `http://` (should be `https://`) - `itemProp="image"` -- on `<figure>` element (non-standard) - `itemProp="name"` -- product name - `itemProp="price"` -- price value as text content - `itemProp="priceCurrency"` -- EUR

Properties missing (required for Google rich results): - No `offer` wrapper around price/priceCurrency - No `availability` - No `description` - No `url` - No `sku` or `gtin / mpn` - No `brand` - No `image` as URL string (uses figure element)

2.3 Open Graph Tags

Present on all pages with standard properties: - `og:title` , `og:description` , `og:url` , `og:site_name` , `og:locale` , `og:image` , `og:type` - Product page also includes `og:image:width` , `og:image:height` - Note: Product page is missing `og:type` = "product" (defaults to website)

2.4 Category Pages -- Critical Gap

Category pages (e.g., `/nl/producten/mobiliteit/scootmobielen`) render product listings entirely via client-side JavaScript. The server-rendered HTML contains: - Navigation/header - Filter controls - Product navigation sidebar - But zero product cards or product data in the HTML source

This means search engine crawlers that do not execute JavaScript will see no product data and no structured data whatsoever.

3. Validation Results

3.1 Product Card Microdata -- FAIL

Check	Status	Issue
@context / itemType URL	FAIL	Uses <code>http://schema.org/Product</code> instead of <code>https://schema.org/Product</code>
Required: name	PASS	Present
Required: image	PARTIAL	Uses <code><figure></code> element, not a URL string
Required: offers	FAIL	Price/priceCurrency are direct children of Product, not wrapped in Offer
Required: offers.price	FAIL	Text content <code>EUR X,XX</code> instead of numeric value
Required: offers.availability	FAIL	Missing entirely
Recommended: description	FAIL	Missing
Recommended: sku/gtin/mpn	FAIL	Missing
Recommended: brand	FAIL	Missing
Recommended: url	FAIL	Missing (link exists but no itemProp)

Verdict: The existing Microdata is structurally invalid and will not generate Google rich results. Google's Rich Results Test would report errors for missing `offers` and `availability`.

3.2 All Other Schema Types -- NOT PRESENT

No other structured data exists to validate.

4. Google Rich Results Eligibility

Rich Result Type	Current Status	Potential
Product snippets (price, availability)	NOT ELIGIBLE -- invalid Microdata	HIGH -- product pages have all needed data
Merchant listings	NOT ELIGIBLE	HIGH -- e-commerce with prices
Breadcrumbs	NOT ELIGIBLE	HIGH -- breadcrumb UI exists on product pages
Sitelinks search box	NOT ELIGIBLE	MEDIUM -- search functionality exists
Organization knowledge panel	NOT ELIGIBLE	HIGH -- established brand (Goed/CM)
Local business / store locator	NOT ELIGIBLE	HIGH -- 35+ physical stores
FAQ rich results	N/A	LOW -- restricted to government/healthcare (Goed may qualify as healthcare, but benefit is limited)
Product reviews	NOT ELIGIBLE	LOW -- no review system detected on-site

5. Missing Schema Opportunities

5.1 Critical Priority (direct rich result impact)

A. Product Schema (JSON-LD) -- Product Detail Pages

The main product page (`/nl/product/mobio-opvouwbare-scooter-atto`) displays: - Product name: "MOBIO Opvouwbare Scooter ATTO" - Brand: "Mobio" - Article number: "0041514" - Description: detailed text - Price: visible in page (e.g., amount in EUR) - Images: multiple product images from commercetools CDN - Related products in carousel

All data needed for a complete Product schema with Offer is available. This is the single highest-impact implementation.

B. BreadcrumbList -- Product and Category Pages

Breadcrumb navigation is already rendered in the HTML:

```
Startpagina > Producten > mobiliteit > scootmobielen > [Product Name]
```

Adding BreadcrumbList JSON-LD would enable breadcrumb rich results in Google SERPs immediately.

C. WebSite with SearchAction -- Homepage

The site has a search input (`type="search"`) with placeholder "zoek een product, merk of trefwoord...". WebSite + SearchAction enables the sitelinks search box in Google.

D. Organization -- Sitewide

Goed thuiszorgwinkel is part of CM (Christelijke Mutualiteit). Adding Organization schema with logo, contact info (03 205 69 29), social profiles, and parent organization establishes entity identity.

5.2 High Priority

E. LocalBusiness / MedicalBusiness -- Store Pages

With 35+ physical stores across Flanders, individual store pages (if they exist at `/nl/winkels/[store]`) should have LocalBusiness or MedicalBusiness schema with: - Address, geo coordinates - Opening hours - Phone number - Department/service type

F. ItemList -- Category Pages

Category pages should include ItemList schema listing products, even if products render client-side. This helps search engines understand the page as a product listing.

G. OfferShippingDetails -- Product Pages

The site prominently displays "Besteld voor 15u, binnen 2 werkdagen geleverd" and "Gratis verzending vanaf EUR 40". This shipping data should be included in Product schema.

5.3 Medium Priority

H. FAQPage -- Product Pages (for AI/LLM discoverability)

The product page contains accordion content with "veelgestelde vragen" (frequently asked questions). Since Goed is a healthcare retailer, it may qualify for Google FAQ rich results (restricted to healthcare since August 2023). Even if it does not qualify, FAQPage schema improves AI citation and GEO (Generative Engine Optimization).

Note: This is an Info-level recommendation, not Critical. The primary value is AI discoverability, not Google rich results.

I. Service -- Rental Service (Uitleendienst)

The site offers a rental service for medical equipment. A Service schema could describe this offering.

J. Offer with Subscription -- Subscription Products

The site has a subscription model for incontinence products with delivery frequency options and 10% subscription discount. This could be represented with extended Offer properties.

6. Recommended JSON-LD Implementations

6.A -- Product Schema (Product Detail Pages)

Place in `<head>` of every product detail page. This is the highest-priority implementation.

```
{
  "@context": "https://schema.org",
  "@type": "Product",
  "name": "MOBIO Opvouwbare Scooter ATTO",
  "description": "Elegante, comfortabele en opvouwbare scootmobiel. De Atto Scooter is een s",
  "image": [
    "https://images.cdn.europe-west1.gcp.commercetools.com/c49a479e-cca0-47ff-8b0a-c8b91d4e0",
  ],
  "sku": "0041514",
  "brand": {
    "@type": "Brand",
    "name": "Mobio"
  },
  "offers": {
    "@type": "Offer",
    "url": "https://aanbod.goed.be/nl/product/mobio-opvouwbare-scooter-atto",
    "priceCurrency": "EUR",
```



```

    "price": "2695.00",
    "availability": "https://schema.org/InStock",
    "itemCondition": "https://schema.org/NewCondition",
    "seller": {
      "@type": "Organization",
      "name": "Goed thuiszorgwinkel"
    },
    "shippingDetails": {
      "@type": "OfferShippingDetails",
      "shippingDestination": {
        "@type": "DefinedRegion",
        "addressCountry": "BE"
      },
      "deliveryTime": {
        "@type": "ShippingDeliveryTime",
        "handlingTime": {
          "@type": "QuantitativeValue",
          "minValue": 0,
          "maxValue": 1,
          "unitCode": "DAY"
        },
        "transitTime": {
          "@type": "QuantitativeValue",
          "minValue": 1,
          "maxValue": 2,
          "unitCode": "DAY"
        }
      },
      "shippingRate": {
        "@type": "MonetaryAmount",
        "value": "0",
        "currency": "EUR"
      }
    }
  }
}

```

Implementation notes: - `price` must be a numeric string without currency symbol or thousand separators. Convert "EUR 2.695,00" to "2695.00". - `availability` should be dynamically set based on stock status. Use `https://schema.org/InStock`, `https://schema.org/OutOfStock`, or `https://schema.org/PreOrder` as appropriate. - `shippingRate` of 0 applies for orders above EUR 40. For products under EUR 40, set the actual shipping cost. - For products with CM member discount pricing, consider adding a second Offer with `priceSpecification` to represent the discounted price. - All URLs must be absolute.

6.B -- BreadcrumbList (Product and Category Pages)

Place in `<head>` of every page with breadcrumb navigation.

```

{
  "@context": "https://schema.org",
  "@type": "BreadcrumbList",
  "itemListElement": [
    {
      "@type": "ListItem",
      "position": 1,
      "name": "Startpagina",
      "item": "https://aanbod.goed.be/nl"
    },
    {
      "@type": "ListItem",
      "position": 2,
      "name": "Producten",
      "item": "https://aanbod.goed.be/nl/producten"
    },
    {
      "@type": "ListItem",
      "position": 3,
      "name": "Mobiliteit",
      "item": "https://aanbod.goed.be/nl/producten/mobiliteit"
    },
    {
      "@type": "ListItem",
      "position": 4,
      "name": "Scootmobielen",
      "item": "https://aanbod.goed.be/nl/producten/mobiliteit/scootmobielen"
    },
    {
      "@type": "ListItem",
      "position": 5,
      "name": "MOBIO Opvouwbare Scooter ATT0"
    }
  ]
}

```

Implementation notes: - The last item (current page) should omit the `item` URL property per Google's guidelines. - Build dynamically from the existing breadcrumb component's data. - Note: The existing HTML breadcrumbs use `/nl/products/mobiliteit` (English "products") while other links use `/nl/producten/mobiliteit`. Ensure consistency in the schema URLs.

6.C -- WebSite with SearchAction (Homepage)

Place in `<head>` of the homepage only.

```

{
  "@context": "https://schema.org",
  "@type": "WebSite",
  "name": "Goed thuiszorgwinkel",

```

```

    "alternateName": "Goed",
    "url": "https://aanbod.goed.be",
    "inLanguage": "nl-BE",
    "potentialAction": {
      "@type": "SearchAction",
      "target": {
        "@type": "EntryPoint",
        "urlTemplate": "https://aanbod.goed.be/nl/zoeken?q={search_term_string}"
      },
      "query-input": "required name=search_term_string"
    }
  }
}

```

Implementation notes: - The `urlTemplate` must match the actual search results URL pattern. Verify the correct search URL by performing a search on the site. Common patterns for Next.js sites: `/nl/zoeken?q=`, `/nl/search?q=`, or `/nl/producten?q=`. Adjust accordingly. - This enables the Google Sitelinks Search Box feature.

6.D -- Organization (Sitewide, in homepage or all pages)

Place in `<head>` of the homepage. Can also be included sitewide.

```

{
  "@context": "https://schema.org",
  "@type": "Organization",
  "name": "Goed thuiszorgwinkel",
  "alternateName": "Goed",
  "url": "https://www.goed.be",
  "logo": "https://www.datocms-assets.com/136341/1743491777-cam-goed-1200x630-60b0e92b10a42.",
  "description": "Goed thuiszorgwinkel is de hulpmiddelenspecialist van Vlaanderen. Hulpmiddelen",
  "parentOrganization": {
    "@type": "Organization",
    "name": "CM (Christelijke Mutualiteit)",
    "url": "https://www.cm.be"
  },
  "contactPoint": {
    "@type": "ContactPoint",
    "telephone": "+32-3-205-69-29",
    "contactType": "customer service",
    "availableLanguage": "Dutch",
    "hoursAvailable": [
      {
        "@type": "OpeningHoursSpecification",
        "dayOfWeek": ["Monday", "Tuesday", "Wednesday", "Thursday", "Friday"],
        "opens": "09:00",
        "closes": "17:30"
      },
      {
        "@type": "OpeningHoursSpecification",
        "dayOfWeek": "Saturday",
        "opens": "09:00",

```

```

        "closes": "13:00"
      }
    ]
  },
  "sameAs": [
    "https://www.facebook.com/Goedthuiszorgwinkel"
  ],
  "numberOfEmployees": {
    "@type": "QuantitativeValue",
    "value": "35+"
  }
}

```

Implementation notes: - Replace the `logo` URL with the actual Goed logo URL (the OG image may not be the correct logo). - Add additional `sameAs` links for Instagram, LinkedIn, YouTube if they exist. - The `url` should point to the main domain (www.goed.be), not the webshop subdomain.

6.E -- LocalBusiness (Individual Store Pages)

For each of the 35+ physical stores, if individual store pages exist:

```

{
  "@context": "https://schema.org",
  "@type": "MedicalBusiness",
  "name": "Goed thuiszorgwinkel Antwerpen",
  "image": "https://aanbod.goed.be/images/stores/antwerpen.jpg",
  "url": "https://aanbod.goed.be/nl/winkels/antwerpen",
  "@id": "https://aanbod.goed.be/nl/winkels/antwerpen#store",
  "telephone": "+32-3-XXX-XX-XX",
  "address": {
    "@type": "PostalAddress",
    "streetAddress": "Straatnaam 123",
    "addressLocality": "Antwerpen",
    "postalCode": "2000",
    "addressRegion": "Antwerpen",
    "addressCountry": "BE"
  },
  "geo": {
    "@type": "GeoCoordinates",
    "latitude": 51.2194,
    "longitude": 4.4025
  },
  "openingHoursSpecification": [
    {
      "@type": "OpeningHoursSpecification",
      "dayOfWeek": ["Monday", "Tuesday", "Wednesday", "Thursday", "Friday"],
      "opens": "09:00",
      "closes": "18:00"
    },
    {

```

```

        "@type": "OpeningHoursSpecification",
        "dayOfWeek": "Saturday",
        "opens": "09:00",
        "closes": "13:00"
    }
],
    "parentOrganization": {
        "@type": "Organization",
        "name": "Goed thuiszorgwinkel",
        "url": "https://www.goed.be"
    },
    "priceRange": "$$",
    "currenciesAccepted": "EUR",
    "paymentAccepted": "Cash, Credit Card, Bancontact"
}

```

Implementation notes: - `MedicalBusiness` is appropriate given the healthcare/ medical supplies nature of the business. Alternatively, `Store` with `additionalType` of `MedicalBusiness` can be used. - Each store needs its own address, phone, coordinates, and opening hours. - Ensure `geo` coordinates are accurate per store. - This schema drives Google Maps / Local Pack visibility.

6.F -- ItemList (Category Pages)

Place in `<head>` of category listing pages.

```

{
  "@context": "https://schema.org",
  "@type": "ItemList",
  "name": "Elektrische scooters",
  "description": "Elektrische scooter kopen bij Goed thuiszorgwinkel.",
  "url": "https://aanbod.goed.be/nl/producten/mobiliteit/scootmobielen",
  "numberOfItems": 15,
  "itemListElement": [
    {
      "@type": "ListItem",
      "position": 1,
      "url": "https://aanbod.goed.be/nl/product/scooter-lm-vivo"
    },
    {
      "@type": "ListItem",
      "position": 2,
      "url": "https://aanbod.goed.be/nl/product/scooter-strider-st4"
    },
    {
      "@type": "ListItem",
      "position": 3,
      "url": "https://aanbod.goed.be/nl/product/scooter-lm-presto"
    }
  ]
}

```

```
]
}
```

Implementation notes: - Since category pages render products client-side, this JSON-LD must be rendered server-side in the initial HTML response. This is critical because it may be the only product data that search engine crawlers see. - Each `Listitem` should include the `url` to the product detail page. - Alternatively, embed full Product objects within each Listitem for richer data, but this increases page weight. - Update `numberOfItems` and `itemListElement` dynamically based on the current product listing.

6.G -- Combined Homepage Script Block

For efficiency, combine WebSite and Organization on the homepage:

```
<script type="application/ld+json">
{
  "@context": "https://schema.org",
  "@graph": [
    {
      "@type": "WebSite",
      "@id": "https://aanbod.goed.be/#website",
      "name": "Goed thuiszorgwinkel",
      "alternateName": "Goed",
      "url": "https://aanbod.goed.be",
      "inLanguage": "nl-BE",
      "publisher": {
        "@id": "https://aanbod.goed.be/#organization"
      },
      "potentialAction": {
        "@type": "SearchAction",
        "target": {
          "@type": "EntryPoint",
          "urlTemplate": "https://aanbod.goed.be/nl/zoeken?q={search_term_string}"
        },
        "query-input": "required name=search_term_string"
      }
    },
    {
      "@type": "Organization",
      "@id": "https://aanbod.goed.be/#organization",
      "name": "Goed thuiszorgwinkel",
      "alternateName": "Goed",
      "url": "https://www.goed.be",
      "logo": {
        "@type": "ImageObject",
        "url": "https://www.goed.be/assets/images/goed-logo.svg",
        "width": 200,
        "height": 60
      }
    }
  ]
}
```

```

    "description": "Goed thuiszorgwinkel is de hulpmiddelenspecialist van Vlaanderen.",
    "parentOrganization": {
      "@type": "Organization",
      "name": "CM (Christelijke Mutualiteit)",
      "url": "https://www.cm.be"
    },
    "contactPoint": {
      "@type": "ContactPoint",
      "telephone": "+32-3-205-69-29",
      "contactType": "customer service",
      "availableLanguage": "Dutch"
    },
    "sameAs": [
      "https://www.facebook.com/Goedthuiszorgwinkel"
    ]
  },
  {
    "@type": "WebPage",
    "@id": "https://aanbod.goed.be/nl#webpage",
    "name": "Welkom bij Goed thuiszorgwinkel",
    "url": "https://aanbod.goed.be/nl",
    "isPartOf": {
      "@id": "https://aanbod.goed.be/#website"
    },
    "about": {
      "@id": "https://aanbod.goed.be/#organization"
    },
    "inLanguage": "nl-BE"
  }
]
}
</script>

```

7. Implementation Priority Matrix

Priority	Schema Type	Page(s)	Impact	Effort	Rich Result?
P0 -- Critical	Product (JSON-LD)	Product detail pages	Very High	Medium	Yes -- Product snippets, Merchant listings
P0 -- Critical	BreadcrumbList	Product + category pages	High	Low	Yes -- Breadcrumb trails in SERP
P1 -- High	WebSite + SearchAction	Homepage	High	Low	Yes -- Sitelinks search box
	Organization		High	Low	

Priority	Schema Type	Page(s)	Impact	Effort	Rich Result?
P1 -- High		Homepage / sitewide			Yes -- Knowledge panel signals
P1 -- High	Fix/remove existing Microdata	Product cards sitewide	Medium	Low	Fixes validation errors
P2 -- Medium	LocalBusiness/ MedicalBusiness	Store pages	High	Medium-High	Yes -- Local Pack, Maps
P2 -- Medium	ItemList	Category pages	Medium	Medium	Indirect -- helps crawlability
P2 -- Medium	OfferShippingDetails	Product detail pages	Medium	Low	Yes -- Shipping info in snippets
P3 -- Low	FAQPage	Product pages with FAQ	Low-Medium	Low	Possible (healthcare exemption) + AI discoverability
P3 -- Low	Service	Rental service page	Low	Low	No direct rich result

Additional Recommendations

1. **Remove or replace existing Microdata.** The current product card Microdata is invalid (missing Offer wrapper, http:// instead of https://, missing required properties). Either fix it or remove it and rely entirely on JSON-LD. JSON-LD is preferred because it decouples structured data from HTML rendering.
2. **Server-side render product data on category pages.** Category pages currently load products via client-side JavaScript, meaning Googlebot may not see product listings. Even if Googlebot renders JavaScript, JSON-LD in the initial HTML is more reliable.
3. **Implement JSON-LD via Next.js `<Head>` component or `generateMetadata`.** Since the site uses Next.js, structured data should be added in the page component's metadata layer, ensuring it is present in the server-rendered HTML.
4. **Test all implementations** with:
5. Google Rich Results Test: <https://search.google.com/test/rich-results>

6. Schema.org Validator: <https://validator.schema.org/>
 7. Google Search Console > Enhancements (after deployment)
 8. **Monitor Merchant Center eligibility.** With proper Product + Offer schema, the site becomes eligible for free Google Shopping listings (Merchant Center) without a manual product feed -- Google can extract product data directly from structured data.
-

Appendix: Pages Analyzed

File	Corresponding URL
/root/homepage.html	https://aanbod.goed.be/nl
/root/page-home.html	https://aanbod.goed.be/nl (duplicate fetch)
/root/page-category.html	https://aanbod.goed.be/nl/producten/mobiliteit/scootmobielen
/root/category-hulpmiddelen.html	https://aanbod.goed.be/nl/producten
/root/category-scootmobielen.html	https://aanbod.goed.be/nl/producten/mobiliteit/scootmobielen
/root/page-product.html	https://aanbod.goed.be/nl/product/mobio-opvouwbaar-scooter-atto

Performance

Performance Audit: aanbod.goed.be

Date: 2026-03-30 **Site:** https://aanbod.goed.be **Stack:** Next.js 14+ (App Router with React Server Components), commercetools, DatoCMS, TwicPics CDN **Analysis method:** Static HTML source analysis of the server-rendered homepage (748 KB document)

Executive Summary

The site suffers from **severe render-blocking resource overload**: 48 CSS files and 50 JavaScript chunks are loaded on the homepage. A critical bug causes the hero/LCP image to carry both `fetchPriority="high"` and `loading="lazy"` simultaneously, which undermines LCP optimization. The React Server Components (RSC) payload embedded inline weighs approximately 545 KB, bloating the HTML document to 748 KB. TwicPics-managed images lack explicit width/height attributes, creating CLS risk. No preconnect hints exist for the image CDN domain `afbeeldingen.goed.be`. These issues combined are expected to produce poor LCP scores, marginal INP scores, and borderline CLS scores for real users.

Estimated Core Web Vitals (field projection):

Metric	Estimated Value	Threshold	Status
LCP	3.5-5.0s (mobile)	<=2.5s	POOR
INP	200-400ms (mobile)	<=200ms	NEEDS IMPROVEMENT
CLS	0.1-0.2	<=0.1	NEEDS IMPROVEMENT

These estimates are based on the structural issues found in the HTML source. Field data from CrUX should be consulted via CrUX Vis (<https://cruxvis.withgoogle.com>) or the CrUX API for real 75th percentile values.

1. Core Web Vitals Analysis

1.1 LCP (Largest Contentful Paint) -- CRITICAL

Likely LCP element: Hero image (scootertestdagen.jpg) served via TwicPics CDN.

Critical bug found -- `loading="lazy"` on the LCP image:

```
` for the hero image and no `<link rel="preconnect">` to `afbeeldingen.goed.be`, the image request starts late.
3. **Resource Load Time:** The hero image uses responsive `srcSet` with AVIF format (good), but the largest variant is 3072x2048 -- oversized for most viewports. Without a `sizes` attribute, the browser may download a larger variant than needed.
4. **Element Render Delay:** The RSC payload (~545 KB inline scripts) must be parsed before React hydration can trigger rendering of the hero section.

**Preload issues:** - The only preloaded image is `/assets/images/cm-footer.png` (a footer image) -- this is counterproductive, as it steals bandwidth priority from the hero image. - The webpack bootstrap script is preloaded with `fetchPriority="low"`, which is correct. - No preload for the LCP hero image exists. - No preconnect to `afbeeldingen.goed.be` exists (0 preconnect hints in the entire document).

## 1.2 INP (Interaction to Next Paint) -- AT RISK

### JavaScript bundle analysis:

- **50 external JS chunks** loaded via `<script async>` tags
- **96 inline RSC payload chunks** (`self.__next_f.push(...)`) totaling ~545 KB
- **558 KB total inline script content** in the document
- **1 polyfill script** with `noModule` attribute (correct legacy handling)
- **0 deferred scripts** -- all scripts use `async`

## Risk factors:

- **Massive hydration payload:** 96 RSC chunks must be parsed and reconciled during hydration. This creates a long task on the main thread (likely 200-500ms on mid-tier mobile devices).
- **50 async JS chunks** compete for network bandwidth and main thread parsing time simultaneously, since `async` scripts execute as soon as they download.
- **GTM (GTM-PL68M6S):** Google Tag Manager loads additional third-party scripts that further compete for main thread time during and after hydration.
- **No evidence of `React.lazy()` or dynamic imports** for below-fold components -- the entire page appears to hydrate at once.

**Positive factors:** - All scripts use `async` attribute (no render-blocking `<script>` without `async/defer`). - Next.js App Router with RSC means server-rendered HTML is interactive before full hydration (partial).

## 1.3 CLS (Cumulative Layout Shift) -- AT RISK

### Issues found:

1. **TwicPics images without dimensions:** Images using `data-twic-src` have only `style="object-fit:contain"` but no `width` or `height` attributes. When TwicPics client-side JS replaces the placeholder with the actual image, a layout shift occurs unless CSS reserves the space.
  2. **8 images with empty `alt=""` attribute:** While not directly a CLS issue, these images combined with missing dimensions suggest they may be decorative elements that shift layout when loaded.
  3. **Hero image srcSet without `sizes` attribute:** The hero image has a `srcSet` with variants from 320w to 3072w but no `sizes` attribute, meaning the browser defaults to `100vw`. This may cause it to download unnecessarily large images but does not directly cause CLS since width/height are set (1536x1024).
  4. **GT-Haptik custom font (6 variants loaded via OTF format):** No `font-display` property was found in the HTML. If the font CSS does not include `font-display: swap` or `font-display: optional`, the font loading will cause FOIT (Flash of Invisible Text) or FOUT (Flash of Unstyled Text), both of which cause layout shifts.
  5. **Footer image preloaded unnecessarily:** `cm-footer.png` is preloaded as an image, which suggests it may be a late-injected element that previously caused CLS. The preload band-aid does not fix the root cause.
-

## 2. Resource Optimization

### 2.1 CSS -- CRITICAL ISSUE

**48 separate CSS files** loaded in the `<head>`:

All files follow the pattern `/_next/static/css/{hash}.css` with `data-precedence="next"`. This is Next.js App Router's CSS streaming behavior, where each component's CSS is extracted into a separate file.

#### Problems:

- **48 HTTP requests** for CSS before any rendering can begin. Even with HTTP/2 multiplexing, the browser must discover, request, and parse all 48 files.
- **No critical CSS inlining:** None of the above-fold styles are inlined in the `<head>`. Everything is an external file.
- **Over-granular code splitting:** Next.js App Router extracts CSS per component module. With 48 files, the overhead of HTTP request headers, TLS record framing, and stream scheduling exceeds the benefit of granular caching.

**Recommendation:** Configure `next.config.js` to consolidate CSS:

```
// next.config.js
experimental: {
 optimizeCss: true, // enables critters for critical CSS inlining
}
```

Alternatively, use `@next/bundle-analyzer` to identify which CSS files are actually needed above the fold and inline those critical styles.

### 2.2 JavaScript

**50 external script chunks** plus ~545 KB of inline RSC data:

| Category                    | Count | Notes                                                           |
|-----------------------------|-------|-----------------------------------------------------------------|
| Vendor chunks (numeric IDs) | ~30   | e.g., <code>9622-dcaa4dd9e58af3b4.js</code>                     |
| App route chunks            | ~12   | e.g., <code>app/[lang]/(base)/layout-894e4d07dfb10441.js</code> |
| Framework chunks            | 4     | webpack, main-app, polyfills, global-error                      |
| Named vendor chunks         | 2     | <code>b5df8cbc-...</code> , <code>0d63573d-...</code>           |

**Inline RSC payload:** 96 `self.__next_f.push()` calls totaling ~545 KB. This payload contains the serialized React Server Component tree, including product data from commercetools (190 references) and content from DatoCMS (157 references).

#### Problems:

- **545 KB inline RSC data** makes the HTML document 748 KB total. This is extreme for an initial page load. The browser must download and parse all of this before any rendering begins.
- **No apparent route-level code splitting for the homepage.** The chunk for the page itself ( `app/[lang]/(base)/(default)/page-b8a794522cd07455.js` ) is loaded alongside layout chunks for every level of the route hierarchy.
- **Product data embedded inline** rather than fetched lazily. If the homepage shows a product carousel, all product data (images, prices, descriptions) for every carousel item is in the RSC payload.

## 2.3 Images

**35 total `<img>` elements found:**

**Positive findings:** - TwicPics CDN ( `afbeeldingen.goed.be` ) serves images with AVIF format and `quality=90` - Responsive `srcSet` with multiple breakpoints (320w to 3072w) on key images - `loading="lazy"` on 27 images (below-fold content) - Hero image has explicit `width` and `height` attributes

**Negative findings:** - **LCP image has contradictory `loading="lazy"` + `fetchPriority="high"`** (see section 1.1) - **TwicPics lazy-loaded images ( `data-twic-src` ) lack `width/height`** -- only 1 image uses `data-twic-src` in the server-rendered HTML, but more may be injected client-side - **No `sizes` attribute on `srcSet` images** -- browser defaults to `100vw`, potentially downloading larger images than needed - **No `<link rel="preload">` for the hero image** - **Footer image ( `cm-footer.png` ) is preloaded instead of the hero image** -- misplaced priority - **OTF font format** used for GT-Haptik (6 variants) instead of WOFF2 -- OTF files are significantly larger than WOFF2

---

## 3. Third-Party Script Impact

### 3.1 Google Tag Manager (GTM-PL68M6S)

GTM is referenced in the HTML and will load additional scripts post-page-load. Common payloads injected by GTM include:

- Google Analytics 4 ( `gtag.js` )
- Facebook Pixel ( `fbevents.js` ) -- 9 "facebook" references found in the source
- Potentially: Hotjar, Google Ads remarketing, cookie consent

**Impact:** GTM itself is ~90 KB compressed. Each tag it loads adds main thread work during and after hydration. The Facebook Pixel references (9 occurrences) suggest multiple FB events are tracked, each triggering network requests and DOM mutations.

### 3.2 TwicPics Client-Side SDK

TwicPics uses `data-twic-src` and `data-twic-transform` attributes that require a client-side JavaScript SDK to resolve images. This adds:

- An additional JS file to download and parse
- Client-side image URL resolution (DOM observation + mutation)
- Potential render delay for images managed by TwicPics

**Recommendation:** For LCP-critical images, use direct `<img src>` with the TwicPics URL pre-resolved server-side (as is done for the hero image). Only use the TwicPics JS SDK for lazy-loaded below-fold images.

### 3.3 External Domains Summary

| Domain                                | Purpose              | Preconnect | Impact                                            |
|---------------------------------------|----------------------|------------|---------------------------------------------------|
| <code>afbeeldingen.goed.be</code>     | Image CDN (TwicPics) | MISSING    | HIGH -- DNS+TCP+TLS adds 150-300ms to first image |
| <code>www.googletagmanager.com</code> | GTM                  | MISSING    | MEDIUM                                            |
| <code>connect.facebook.net</code>     | FB Pixel (via GTM)   | MISSING    | LOW (deferred)                                    |

## 4. Caching and CDN Effectiveness

### 4.1 Static Assets

All Next.js static assets use content-hashed filenames ( `/_next/static/css/{hash}.css` , `/_next/static/chunks/{hash}.js` ), enabling immutable caching ( `Cache-Control: public, max-age=31536000, immutable` ). This is a strong point.

### 4.2 Image CDN

TwicPics CDN ( `afbeeldingen.goed.be` ) provides:

- Automatic AVIF format conversion
- Quality optimization (quality=90)
- Responsive resizing (inside=WxH parameter)
- Edge caching for transformed images

**Missing:** No `<link rel="preconnect" href="https://afbeeldingen.goed.be">` to warm the connection early.



## 4.3 HTML Document Caching

The 748 KB HTML document is the critical bottleneck. If this is served from a Vercel edge function or similar, the TTFB depends on: - Whether the response is cached at the edge (ISR/static) or generated per-request (SSR) - Geographic proximity to Belgian users (Vercel has edge nodes in Europe)

**Recommendation:** If using ISR (Incremental Static Regeneration), ensure the homepage has a reasonable revalidation period (e.g., 60 seconds) so most requests are served from cache.

---

## 5. Font Loading Strategy

### 5.1 GT-Haptik Font Family

6 font variants detected:

| Variant                       | Format |
|-------------------------------|--------|
| GT-Haptik-Regular.OTF         | OTF    |
| GT-Haptik-Regular-Oblique.OTF | OTF    |
| GT-Haptik-Medium.OTF          | OTF    |
| GT-Haptik-Medium-Oblique.OTF  | OTF    |
| GT-Haptik-Bold.OTF            | OTF    |
| GT-Haptik-Bold-Oblique.OTF    | OTF    |

**Critical issues:**

- 1. OTF format instead of WOFF2:** OTF files are uncompressed glyph outlines. WOFF2 provides 30-50% better compression. A typical OTF file of 80 KB compresses to ~40 KB as WOFF2. With 6 variants, the savings could reach 200+ KB.
- 2. No `font-display` property detected:** Without `font-display: swap` or `font-display: optional`, the browser uses its default behavior (typically `font-display: auto`), which in Chrome means a 3-second invisible text period (FOIT) before falling back to a system font. This directly impacts LCP if the largest element contains text styled with GT-Haptik.
- 3. 6 variants loaded:** The oblique variants (Regular-Oblique, Medium-Oblique) may not be used on the homepage. Each unused variant wastes bandwidth and delays font rendering.

4. No `<link rel="preload" as="font">` for any font file. Fonts are discovered only after CSS is parsed, adding latency.

#### Recommendations:

- Convert all GT-Haptik fonts from OTF to WOFF2 format
  - Add `font-display: swap` to all `@font-face` declarations
  - Preload only the 1-2 font variants used above the fold: `<link rel="preload" as="font" type="font/woff2" href="/fonts/GT-Haptik-Regular.woff2" crossorigin>`
  - Subset fonts to include only Latin character set (sufficient for Dutch/Belgian content)
  - Remove oblique variants if not used on critical pages
- 

## 6. Critical Rendering Path

### 6.1 Current Rendering Sequence (Estimated)

```
0ms DNS lookup for aanbod.goed.be
50ms TCP + TLS handshake
100ms HTTP request sent
300ms First byte received (TTFB)
300ms HTML streaming begins (748 KB document)
600ms First CSS <link> discovered -- 48 CSS files requested
800ms All 48 CSS requests initiated (HTTP/2 multiplexed)
1200ms CSS files downloaded and parsed
1200ms First paint possible (CSSOM ready)
1200ms Hero image discovered (but loading="lazy" delays it)
1500ms Browser determines hero image is in viewport, starts loading
1500ms DNS lookup for afbeeldingen.goed.be (no preconnect!)
1700ms TCP + TLS to afbeeldingen.goed.be
2000ms Hero image request sent
2500ms Hero image downloaded (AVIF, ~100-200 KB)
2500ms LCP event fires
2500ms RSC payload parsing continues (~545 KB)
3000ms React hydration begins
3500ms React hydration complete -- page becomes interactive (INP-ready)
3500ms GTM loads and injects third-party scripts
4000ms Facebook Pixel and analytics fire
```

**Estimated mobile LCP: 3.5-5.0 seconds** (on 4G connection with mid-tier device)

**Estimated desktop LCP: 2.0-3.0 seconds** (on broadband with fast CPU)

### 6.2 Optimized Rendering Sequence (Target)

```
0ms DNS lookup
50ms TCP + TLS
```

```
100ms HTTP request
200ms First byte (edge cached, smaller HTML)
200ms Preconnect to afbeeldingen.goed.be established
400ms Critical CSS inlined -- first paint
400ms Hero image preload initiated (no lazy loading)
400ms Consolidated CSS files (5-8 instead of 48) loading
600ms Hero image downloaded (AVIF, properly sized)
600ms LCP event fires
800ms Remaining CSS loaded
1000ms React hydration (smaller RSC payload)
1200ms Page fully interactive
```

**Target mobile LCP: 1.5-2.5 seconds**

---

## 7. Mobile vs Desktop Performance

### 7.1 Key Differences

| Factor                | Mobile Impact              | Desktop Impact             |
|-----------------------|----------------------------|----------------------------|
| 748 KB HTML download  | ~2s on 3G, ~0.5s on 4G     | ~0.1s on broadband         |
| 48 CSS file parsing   | ~800ms on mid-tier CPU     | ~200ms on desktop CPU      |
| 545 KB RSC parsing    | ~1.5s on mid-tier CPU      | ~300ms on desktop CPU      |
| React hydration       | ~500ms-1s on mid-tier CPU  | ~100-200ms on desktop CPU  |
| Hero image (no sizes) | May download 3072w variant | May download 3072w variant |
| Font loading (6 OTF)  | ~400ms extra on 4G         | ~100ms on broadband        |

### 7.2 Mobile-Specific Issues

- **No viewport-aware image sizing:** The hero `srcSet` lacks a `sizes` attribute, so mobile browsers default to `100vw` and may download the 3072w image (designed for Retina desktop) on a 375px-wide phone screen.
  - **CPU-bound bottleneck:** On a Moto G Power (representative mid-tier device), parsing 545 KB of inline scripts takes significantly longer than on desktop.
  - **48 CSS files on HTTP/2:** While multiplexed, mobile browsers typically have lower concurrency limits and slower DNS resolution, amplifying the impact of many small files.
-

## 8. Prioritized Recommendations

### P0 -- Critical (Expected LCP improvement: 1-2 seconds)

| # | Issue                                     | Fix                                                                                                                                             | Impact            |
|---|-------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|
| 1 | LCP image has <code>loading="lazy"</code> | Remove <code>loading="lazy"</code> from the hero image. Keep <code>fetchPriority="high"</code> .                                                | LCP -500ms to -1s |
| 2 | No preconnect to image CDN                | Add <code>&lt;link rel="preconnect" href="https://afbeeldingen.goed.be"&gt;</code> in <code>&lt;head&gt;</code>                                 | LCP -150-300ms    |
| 3 | No preload for LCP image                  | Add <code>&lt;link rel="preload" as="image" href="..." fetchpriority="high"&gt;</code> for the hero image. Remove the footer image preload.     | LCP -200-500ms    |
| 4 | 48 CSS files block rendering              | Enable <code>experimental.optimizeCss</code> in <code>next.config.js</code> or use a CSS consolidation strategy. Target: 5-8 CSS files maximum. | LCP -200-400ms    |

### P1 -- High (Expected improvement across all CWV)

| # | Issue                                                         | Fix                                                                                                                                                                            | Impact                             |
|---|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|
| 5 | 545 KB inline RSC payload                                     | Reduce homepage data: paginate product carousels, lazy-load below-fold sections via <code>React.lazy()</code> + <code>Suspense</code> boundaries. Target: <200 KB inline data. | LCP -300ms, INP -100ms             |
| 6 | GT-Haptik fonts in OTF format                                 | Convert to WOFF2, add <code>font-display: swap</code> , preload primary variant, subset to Latin.                                                                              | LCP -200ms, CLS improvement        |
| 7 | TwicPics images lack dimensions                               | Add <code>width</code> and <code>height</code> attributes to all <code>&lt;img&gt;</code> elements using <code>data-twic-src</code> .                                          | CLS -0.05-0.1                      |
| 8 | No <code>sizes</code> attribute on <code>srcSet</code> images | Add <code>sizes="(max-width: 768px) 100vw, 50vw"</code> (or appropriate values) to all images with <code>srcSet</code> .                                                       | Bandwidth savings 30-50% on mobile |

### P2 -- Medium (Incremental improvements)

| # | Issue | Fix | Impact |
|---|-------|-----|--------|
| 9 |       |     |        |

| #  | Issue                                     | Fix                                                                                                                          | Impact                    |
|----|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|---------------------------|
|    | <b>50 JS chunks loaded simultaneously</b> | Review chunk splitting strategy. Use <code>next/dynamic</code> for below-fold components.                                    | INP<br>-50-100ms          |
| 10 | <b>GTM blocks main thread</b>             | Defer GTM loading until after <code>load</code> event or use Partytown for third-party scripts.                              | INP<br>-50-150ms          |
| 11 | <b>Footer image preloaded</b>             | Remove <code>&lt;link rel="preload" as="image" href="/assets/images/cm-footer.png"&gt;</code> . This wastes early bandwidth. | LCP -50ms (indirect)      |
| 12 | <b>6 font variants loaded</b>             | Audit font usage: likely only Regular and Bold are needed on the homepage. Remove unused oblique variants.                   | Bandwidth savings ~150 KB |

### P3 -- Low (Best practices)

| #  | Issue                             | Fix                                                                                                              | Impact                  |
|----|-----------------------------------|------------------------------------------------------------------------------------------------------------------|-------------------------|
| 13 | Empty alt text on 8 images        | Add descriptive alt text for non-decorative images. Mark decorative ones with <code>role="presentation"</code> . | Accessibility, SEO      |
| 14 | Missing preconnect for GTM domain | Add <code>&lt;link rel="dns-prefetch" href="https://www.googletagmanager.com"&gt;</code>                         | Minor latency reduction |
| 15 | HTML document size (748 KB)       | Investigate if ISR/static generation is used. If SSR, enable edge caching with stale-while-revalidate.           | TTFB improvement        |

## 9. Resource Inventory Summary

| Resource Type                       | Count   | Notes                                                    |
|-------------------------------------|---------|----------------------------------------------------------|
| CSS files                           | 48      | All render-blocking, <code>data-precedence="next"</code> |
| External JS chunks                  | 50      | All <code>async</code> , no <code>defer</code>           |
| Inline script payload               | ~545 KB | 96 RSC chunks                                            |
| HTML document size                  | 748 KB  | Single minified line                                     |
| Images ( <code>&lt;img&gt;</code> ) | 35      | 27 lazy, 1 with <code>fetchPriority=high</code>          |

| Resource Type             | Count   | Notes                                             |
|---------------------------|---------|---------------------------------------------------|
| Images (TwicPics managed) | 1+      | <code>data-twic-src</code> , no dimensions        |
| Font variants (GT-Haptik) | 6       | OTF format, no font-display                       |
| Preconnect hints          | 0       | None for any domain                               |
| Preloads                  | 2       | Footer image (wasteful) + webpack chunk (correct) |
| Third-party: GTM          | 1       | GTM-PL68M6S                                       |
| Third-party: Facebook     | ~9 refs | Likely pixel + events                             |
| External image domain     | 1       | afbeeldingen.goed.be (TwicPics)                   |

## 10. Validation Recommendations

To validate these findings with real-world data:

1. **CrUX Vis** (<https://cruxvis.withgoogle.com>): Check field data for [aanbod.goed.be](https://aanbod.goed.be). Look at LCP subparts (TTFB, resource load delay, resource load time, element render delay) which are available in CrUX since February 2025.
2. **PageSpeed Insights** (<https://pagespeedonline.googleapis.com>): Run both mobile and desktop tests. Focus on the LCP element identification and the opportunity scores.
3. **Chrome DevTools Performance panel**: Record a page load on a throttled 4G connection to confirm the rendering sequence described in section 6.1.
4. **WebPageTest** (<https://www.webpagetest.org>): Run from a Brussels, Belgium test location with a Moto G Power device profile to simulate real Belgian user conditions. Use the filmstrip view to identify the exact LCP moment.

---

*Report generated from static HTML source analysis. Field data validation recommended.*

# GEO & AI Readiness

---

# GEO & AI Search Readiness Audit:

## aanbod.goed.be

**Date:** 2026-03-30 **Domain:** https://aanbod.goed.be **Subject:** Goed Thuiszorgwinkel -- Belgian healthcare retail (thuiszorgwinkel), part of CM (Christelijke Mutualiteit)  
**Language:** Dutch (nl) **Sector:** E-commerce / Healthcare Retail / Mobility Aids / Medical Supplies

### Executive Summary

aanbod.goed.be scores poorly on Generative Engine Optimization readiness. The site relies heavily on client-side rendering (Next.js RSC streaming), has near-total absence of structured data, lacks educational content, and is missing AI-specific directives. AI search engines (ChatGPT, Perplexity, Google AI Overviews, Bing Copilot) will struggle to crawl, comprehend, extract, and cite content from this domain. The site currently functions as a transactional e-commerce storefront with minimal content depth -- a significant disadvantage in the age of AI-generated answers.

**Overall GEO Readiness Score: 18/100**

### 1. GEO Health Score Breakdown

| Dimension                   | Weight | Score (0-100) | Weighted |
|-----------------------------|--------|---------------|----------|
| Citability                  | 25%    | 10            | 2.5      |
| Structural Readability      | 20%    | 20            | 4.0      |
| Multi-Modal Content         | 15%    | 15            | 2.3      |
| Authority and Brand Signals | 20%    | 22            | 4.4      |
| Technical Accessibility     | 20%    | 24            | 4.8      |
| Total                       | 100%   |               | 18.0     |



## 1.1 Citability (10/100)

**Critical deficiency.** AI systems need self-contained, extractable passages to cite in their responses. aanbod.goed.be provides almost none.

- **No educational or informational content** on category pages. The mobility, incontinence, and compression stocking category pages contain zero explanatory text -- only product grid listings rendered client-side.
- **Product descriptions are thin** (~60 words on the Scooter L&M Vivo+ page). The optimal passage length for AI citation is 134-167 words. Current descriptions fall far below this threshold.
- **No definition blocks** answering common questions like "Wat is een scootmobiel?" or "Welke incontinentiematerialen worden terugbetaald?"
- **No FAQ page accessible** at any tested URL pattern (/veelgestelde-vragen, /nl/veelgestelde-vragen). The footer references an FAQ but it returns 404 or is not crawlable.
- **No blog, guides, or advice content** found. Links to "tips & advies" exist in navigation but no content hub is accessible.
- **No statistics or data points** with source attribution that AI systems could cite.
- **No comparison content** (e.g., "rollator vs. looprek" or product comparison tables).

**Impact:** When a user asks ChatGPT "Waar kan ik een scootmobiel kopen in België?" or Perplexity "Welke incontinentiematerialen worden terugbetaald door CM?", there is nothing on aanbod.goed.be that can be extracted as a cited passage.

## 1.2 Structural Readability (20/100)

- **Heading hierarchy is weak.** Category pages lack proper H1 > H2 > H3 semantic structure. Content is rendered through React component streaming rather than semantic HTML.
- **No question-based headings.** None of the analyzed pages use H2/H3 headings phrased as questions (the pattern most favored by AI systems for extraction).
- **No lists or tables with explanatory content.** Product specification tables exist on individual product pages (dimensions, speed, weight capacity) but are isolated from context.
- **Product pages have some structure** (specifications, description, reimbursement info) but lack the depth and self-containment needed for AI citation.
- **Navigation is well-organized** with clear category taxonomy: mobiliteit, incontinentie-en-stoma, hulpmiddelen, compressiekousen, etc.

### 1.3 Multi-Modal Content (15/100)

- **Product images exist** but lack alt text analysis (client-side rendering prevents verification).
- **No video content** detected. YouTube presence for Goed is unverified but likely minimal. YouTube mentions have the strongest correlation (~0.737) with AI citation.
- **No infographics or diagrams** explaining product selection, sizing guides, or reimbursement processes.
- **No image schema markup** (ImageObject) detected.
- **PDF product sheets** ("productfiche") are linked from product pages -- positive signal but PDFs are less citable than HTML content.

### 1.4 Authority and Brand Signals (22/100)

- **CM (Christelijke Mutualiteit) parent brand** provides institutional authority, but the connection is underexploited. The footer mentions "samen met CM" but there is no structured data establishing this relationship.
- **No Organization schema.org markup** detected.
- **No author attribution** on any content. No named experts, healthcare professionals, or editorial team.
- **No publication dates** on content (there is virtually no editorial content to date).
- **VAT number present** (BE 0860.548.465) -- minor trust signal.
- **35+ physical stores** mentioned -- strong local authority signal, but no LocalBusiness schema markup on the store locator page.
- **Wikipedia entity status:** No dedicated Wikipedia article for "Goed thuiszorgwinkel" found. CM (Christelijke Mutualiteit) has a Dutch Wikipedia presence, but the link to Goed is not established in structured knowledge graphs.
- **Reddit presence:** Likely minimal. Healthcare retail in Belgium has limited Reddit discussion.
- **LinkedIn presence:** Goed likely has a company page, but not verified in this audit.
- **No E-E-A-T signals** (Experience, Expertise, Authoritativeness, Trustworthiness) beyond the CM institutional affiliation.

### 1.5 Technical Accessibility (24/100)

#### AI Crawler Access Status

| Crawler | Service          | Status                          | Impact                            |
|---------|------------------|---------------------------------|-----------------------------------|
| GPTBot  | ChatGPT training | <b>Not blocked</b><br>(default) | Can crawl, but CSR limits content |

| Crawler         | Service           | Status                          | Impact                            |
|-----------------|-------------------|---------------------------------|-----------------------------------|
| OAI-SearchBot   | ChatGPT search    | <b>Not blocked</b><br>(default) | Can crawl, but CSR limits content |
| ChatGPT-User    | ChatGPT browse    | <b>Not blocked</b><br>(default) | Can crawl, but CSR limits content |
| ClaudeBot       | Claude/Anthropic  | <b>Not blocked</b><br>(default) | Can crawl, but CSR limits content |
| PerplexityBot   | Perplexity        | <b>Not blocked</b><br>(default) | Can crawl, but CSR limits content |
| Google-Extended | Gemini training   | <b>Not blocked</b><br>(default) | Can crawl                         |
| Googlebot       | Google Search/AIO | <b>Not blocked</b><br>(default) | Can crawl, renders JS             |
| CCBot           | Common Crawl      | <b>Not blocked</b><br>(default) | Can crawl                         |
| Bytespider      | TikTok/ByteDance  | <b>Not blocked</b><br>(default) | Can crawl                         |
| anthropic-ai    | Anthropic         | <b>Not blocked</b><br>(default) | Can crawl                         |
| cohere-ai       | Cohere            | <b>Not blocked</b><br>(default) | Can crawl                         |
| Baiduspider     | Baidu             | <b>BLOCKED</b>                  | No China visibility               |
| YandexBot       | Yandex            | <b>BLOCKED</b>                  | No Russia visibility              |
| Qwantify        | Qwant             | <b>BLOCKED</b>                  | No Qwant visibility               |

**Positive:** No major AI crawlers are blocked. GPTBot, ClaudeBot, PerplexityBot, and OAI-SearchBot all have default access.

**Critical negative: Client-Side Rendering (CSR) severely limits AI crawler access.**

The site is built on Next.js with React Server Components (RSC) streaming. Page content is delivered via `self.__next_f.push()` JavaScript payloads rather than pre-rendered HTML. This means:

- Most AI crawlers (especially PerplexityBot, ClaudeBot, CCBot) **cannot execute JavaScript** and will see empty or minimal content.
- Only Googlebot reliably renders JavaScript, but even then with delays and potential indexing gaps.
- GPTBot and OAI-SearchBot have limited JS rendering capability.

- The static HTML contains navigation, footer text, and framework bootstrap code -- but not the actual product data, descriptions, or category content.

**This is the single biggest technical barrier to AI search visibility.**

**Other Technical Findings**

- **Sitemaps present:** 6 sitemaps referenced in robots.txt covering the main site, categories, products, jobs, and lending service.
- **URL structure is clean:** `/nl/producten/[category]/[subcategory]` and `/nl/product/[product-slug]` patterns are logical and crawlable.
- **No llms.txt file:** Neither `/llms.txt` nor `/.well-known/llms.txt` returns a valid llms.txt file. The `/llms.txt` URL returns the homepage HTML instead of a 404 or valid llms.txt content (indicating a catch-all route).
- **No canonical tags verified** (CSR prevents verification).
- **No hreflang tags verified** (CSR prevents verification).
- **Blocked paths in robots.txt** include `/promoties`, `/afspraak`, `/abonneren`, `/webreservatie` -- these are appropriate blocks for transactional pages.

---

## 2. Platform-Specific AI Search Readiness

| Platform            | Readiness | Score  | Key Issue                                                                        |
|---------------------|-----------|--------|----------------------------------------------------------------------------------|
| Google AI Overviews | Very Low  | 20/100 | CSR partly mitigated by Googlebot JS rendering; no structured data; thin content |
| ChatGPT (search)    | Very Low  | 15/100 | CSR blocks content extraction; no citable passages; no FAQ schema                |
| Perplexity          | Very Low  | 12/100 | PerplexityBot cannot render JS; zero extractable content from static HTML        |
| Bing Copilot        | Very Low  | 18/100 | Bingbot renders some JS but content is too thin for citation                     |

### Google AI Overviews

Google can render JavaScript, so product pages are technically accessible. However, the lack of structured data (Product, Organization, LocalBusiness, FAQPage schema), thin descriptions, and zero educational content mean Google AI Overviews will prefer competitor sites with richer content when generating healthcare product answers in Dutch.

## ChatGPT (Browse and Search)

ChatGPT browsing capability can render some JavaScript, but the RSC streaming format is particularly challenging. Even if content is accessed, there are no passages of sufficient length (134-167 words) or self-contained answers for ChatGPT to cite. The site will not appear in ChatGPT search results for healthcare product queries.

## Perplexity

PerplexityBot is a traditional web crawler that does not render JavaScript. It will encounter near-empty HTML pages. Goed will be entirely invisible to Perplexity users asking about Belgian healthcare products, mobility aids, or incontinence supplies.

## Bing Copilot

Similar to Google but with less aggressive JS rendering. Bing AI features (Copilot) pull from Bing index, which will have limited content from aanbod.goed.be due to CSR and thin content.

---

## 3. llms.txt Compliance

**Status: NOT PRESENT / MALFORMED**

- `https://aanbod.goed.be/llms.txt` -- Returns homepage HTML (catch-all route), not a valid llms.txt file.
- `https://aanbod.goed.be/.well-known/llms.txt` -- Returns 404.

**What is needed:** A plain-text llms.txt file following the emerging llms.txt specification that: - Declares what the site is (Belgian healthcare retail / thuiszorgwinkel) - Lists key content areas and their URLs - Specifies any AI usage permissions or restrictions - Provides entity context (parent organization CM, store count, product categories)

---

## 4. Brand Mention and Entity Analysis

### 4.1 Entity Disambiguation

**"Goed" is a highly ambiguous term.** In Dutch, "goed" is a common adjective meaning "good." This creates severe entity disambiguation challenges for AI systems:

- When a user asks about "Goed thuiszorgwinkel," AI systems may not recognize "Goed" as a brand name.
- There is no Wikipedia entity for Goed (the retail chain), which is the strongest disambiguation signal for AI systems.

- No Wikidata Q-number exists for the Goed retail entity.
- The domain split (goed.be for informational, aanbod.goed.be for e-commerce) further fragments entity signals.

## 4.2 Brand Mention Signals

| Platform               | Presence                       | Estimated Impact                                       |
|------------------------|--------------------------------|--------------------------------------------------------|
| Wikipedia (nl)         | Not found (Goed) / Exists (CM) | Very negative -- no entity anchor                      |
| YouTube                | Unknown / likely minimal       | Very negative (strongest correlation factor at ~0.737) |
| Reddit                 | Likely minimal                 | Negative                                               |
| LinkedIn               | Likely present (company page)  | Minor positive                                         |
| Google Knowledge Panel | Not verified                   | Likely absent for "Goed thuiszorgwinkel"               |

## 4.3 Knowledge Panel Readiness

**Not ready.** A Google Knowledge Panel requires: - Wikipedia/Wikidata entity (missing for Goed) - Consistent NAP (Name, Address, Phone) across the web (partially present via 35 stores, but no LocalBusiness schema) - Organization schema.org markup (missing) - Google Business Profiles for all stores (not verified but likely partially present) - Clear brand identity signals (weakened by "goed" ambiguity)

---

# 5. Content Gap Analysis for AI Visibility

The most damaging gap is the complete absence of informational content. Competitors who publish healthcare guides, product selection advice, and reimbursement explainers in Dutch will dominate AI-generated answers. Key missing content types:

| Content Type                                         | Status         | Priority |
|------------------------------------------------------|----------------|----------|
| Category explainer text (134-167 words per category) | Missing        | Critical |
| Product buying guides ("Hoe kies ik een rollator?")  | Missing        | Critical |
| FAQ with FAQPage schema                              | Missing/broken | Critical |
| Reimbursement guides (RIZIV/VSB terugbetaling)       | Missing        | High     |
| Sizing guides (compression stockings)                | Missing        | High     |

| Content Type                                           | Status                   | Priority |
|--------------------------------------------------------|--------------------------|----------|
| Comparison content (product vs. product)               | Missing                  | Medium   |
| Blog/advice articles                                   | Missing/<br>inaccessible | Medium   |
| Video content (product demos, store tours)             | Missing                  | Medium   |
| Store-specific landing pages with LocalBusiness schema | Missing                  | Medium   |

## 6. Top 10 Highest-Impact Recommendations

### PRIORITY 1 -- CRITICAL (Implement within 30 days)

#### R1. Enable Server-Side Rendering (SSR) or Static Site Generation (SSG)

**Impact:** Unlocks all AI crawler access. Currently the single biggest blocker. **Effort:** High (2-4 weeks engineering) **Details:** Configure Next.js to pre-render all product and category pages as static HTML or use SSR with full HTML output. At minimum, implement `generateStaticParams` for all product and category routes. Verify with `curl -A "ClaudeBot" https://aanbod.goed.be/nl/producten/mobiliteit` that full HTML content is returned without JavaScript execution.

#### R2. Add Category Introductory Content (134-167 words per category)

**Impact:** Creates citable passages for every major product category. Direct path to AI citations. **Effort:** Medium (1-2 weeks content creation) **Details:** For each of the 11 product categories, write a self-contained introductory paragraph that: - Directly answers "Wat is [category]?" in the first 40-60 words - Includes specific statistics (e.g., "Meer dan 1 op 10 Belgen heeft last van incontinentie") - References Goed by name and mentions CM affiliation - Is placed above the product grid in an H1 + intro paragraph pattern - Example for mobiliteit: "Een scootmobiel biedt zelfstandige mobiliteit voor mensen met beperkte loopafstand. Bij Goed thuiszorgwinkel, onderdeel van CM, vindt u meer dan 20 scootmobielen en elektrische rolstoelen die in aanmerking komen voor terugbetaling via de Vlaamse Sociale Bescherming (VSB). Onze ergotherapeuten in 35 winkels adviseren u gratis bij de keuze van het juiste mobiliteitshulpmiddel."

#### R3. Implement Schema.org Structured Data

**Impact:** Enables rich results and improves AI comprehension of entities and relationships. **Effort:** Medium (1-2 weeks development) **Details:** Add JSON-LD for: - **Organization** (on every page): name, logo, url, parentOrganization (CM),

foundingDate, numberOfEmployees, areaServed - **Product** (on product pages): name, description, brand, offers (price, availability, priceCurrency: EUR), sku, image, review/aggregateRating when available - **LocalBusiness** (on store pages): name, address, geo (lat/lng), telephone, openingHoursSpecification for all 35+ stores - **BreadcrumbList** (on all pages): reflecting the category hierarchy - **FAQPage** (on FAQ and category pages): question-answer pairs

## PRIORITY 2 -- HIGH (Implement within 60 days)

### R4. Create and Publish an FAQ Section with FAQPage Schema

**Impact:** FAQ content is the most directly citable format for AI systems. Question-answer pairs map 1:1 to AI query patterns. **Effort:** Medium (2-3 weeks content + development) **Details:** - Create 30-50 FAQs covering: product selection, reimbursement (RIZIV, CM, VSB), delivery, store services, rental, returns - Use question-based H2 headings: "Wordt mijn rollator terugbetaald door CM?" - Keep answers between 134-167 words, self-contained - Implement FAQPage schema on all FAQ content - Place top 3-5 relevant FAQs on each category page

### R5. Create a Valid llms.txt File

**Impact:** Provides explicit context and permissions for AI systems. **Effort:** Low (1 day) **Details:** Create `/llms.txt` (ensure the Next.js catch-all route does not intercept this path) served as plain text (Content-Type: text/plain), declaring the organization identity, key product category URLs, store locator URL, and contact information. Also create `/.well-known/llms.txt` as an alias.

### R6. Expand Product Descriptions to 134-167 Words

**Impact:** Makes individual products citable in AI responses. **Effort:** High (ongoing, 3-6 months for full catalog) **Details:** Current product descriptions (~60 words) need expansion to include: - What the product is and who it is for (first 40 words) - Key specifications in sentence form (not just a spec table) - Reimbursement eligibility information - How Goed supports the customer (advice, fitting, delivery) - Prioritize top-selling products and high-search-volume categories first

## PRIORITY 3 -- MEDIUM (Implement within 90 days)

### R7. Create Buying Guides and Advice Content

**Impact:** Positions Goed as an authority source that AI systems will cite for informational queries. **Effort:** High (ongoing content program) **Details:** Publish 10-20 guide articles covering: - "Hoe kies ik de juiste rollator?" (How to choose the right rollator) - "Compressiekousen: welke klasse heb ik nodig?" (Compression stockings: which class do I need) - "Terugbetalen mobiliteitshulpmiddelen via



VSB" (Reimbursement of mobility aids via VSB) - "Incontinentiemateriaal: een overzicht" (Incontinence products: an overview) - Each guide should be 800-1500 words, with clear H2 question headings, specific data points, and references to Belgian healthcare regulations - Include author attribution (named healthcare advisor or ergotherapist from Goed)

## **R8. Build Wikipedia/Wikidata Entity Presence**

**Impact:** Resolves entity disambiguation and establishes knowledge graph presence.

**Effort:** Medium (requires notability establishment first) **Details:** - Ensure CM Wikipedia article (nl.wikipedia.org) mentions Goed thuiszorgwinkel as a subsidiary/service - If sufficient third-party press coverage exists, create a dedicated Wikipedia article for Goed - Create a Wikidata item (Q-number) for Goed with properties: instance\_of (retail chain), country (Belgium), parent\_organization (CM), industry (healthcare retail), number\_of\_locations (35+) - This is the single most impactful action for entity disambiguation given that "goed" is a common Dutch word

## **R9. Develop YouTube Content**

**Impact:** YouTube mentions have the strongest correlation (~0.737) with AI citation rates. **Effort:** High (ongoing) **Details:** - Create product demonstration videos (scootmobiel test rides, rollator comparisons) - Film store tours and expert advice sessions - Publish "how to choose" video guides - Optimize video titles and descriptions with brand name "Goed thuiszorgwinkel" - Embed videos on relevant product and category pages

## **R10. Add Explicit AI Crawler Directives to robots.txt**

**Impact:** Low immediate impact but establishes intentional AI search strategy. **Effort:** Low (1 hour) **Details:** Add explicit allow rules for AI search crawlers (GPTBot, OAI-SearchBot, ChatGPT-User, ClaudeBot, PerplexityBot, Google-Extended). Consider blocking training-only crawlers (CCBot, anthropic-ai) if content licensing is a concern.

---

# **7. Competitive Vulnerability Assessment**

The Belgian healthcare retail / thuiszorgwinkel space is relatively niche in Dutch-language AI search. This creates both risk and opportunity:

**Risk:** Generic health information sites (gezondheid.be, thuisarts.nl), Belgian government sites (RIZIV, VAPH), and larger retailers with better content (e.g., medipoint.nl in Netherlands) will capture AI citations that could reference Goed.

**Opportunity:** There are likely few competitors investing in GEO for Dutch-language healthcare retail. First-mover advantage in creating comprehensive, citable content

about Belgian healthcare products and reimbursement systems could establish Goed as the default cited source.

**Key competitive queries where Goed should aim for AI citation:** - "Waar kan ik een scooter kopen in België?" - "Wordt incontinentiemateriaal terugbetaald door het ziekenfonds?" - "Welke compressiekousen heb ik nodig?" - "Thuiszorgwinkel in de buurt" - "Rollator kopen met terugbetaling CM" - "Hulpmiddelen voor ouderen België"

## 8. Technical Implementation Roadmap

| Phase   | Timeline   | Actions                                                                                            | Expected Score Impact |
|---------|------------|----------------------------------------------------------------------------------------------------|-----------------------|
| Phase 1 | Week 1-4   | SSR/SSG migration; Schema.org implementation; lms.txt creation                                     | 18 -> 35              |
| Phase 2 | Week 4-8   | Category intro content; FAQ section; Product description expansion (top 50 products)               | 35 -> 50              |
| Phase 3 | Week 8-16  | Buying guides (10 articles); LocalBusiness schema for all stores; robots.txt AI directives         | 50 -> 62              |
| Phase 4 | Week 16-26 | Wikipedia/Wikidata entity; YouTube channel; Full product description expansion; Author attribution | 62 -> 75              |

## 9. Monitoring and Measurement

### Metrics to Track

- AI citation monitoring:** Use manual testing -- query ChatGPT, Perplexity, and Google AI Overviews monthly with target queries and check if aanbod.goed.be is cited.
- Structured data validation:** Google Rich Results Test for all schema implementations.
- Crawl accessibility:** Check server logs for GPTBot, ClaudeBot, PerplexityBot user agents. Verify they receive full HTML content (not empty JS shells).
- Content indexation:** Google Search Console coverage report -- ensure all new content pages are indexed.
- Brand mention tracking:** Monitor mentions of "Goed thuiszorgwinkel" across platforms.

### Tools

- Google Search Console (indexation, structured data errors)

- Schema.org Validator (structured data testing)
- Screaming Frog with JS rendering (crawl comparison: JS off vs. JS on)
- Manual AI platform testing (ChatGPT, Perplexity, Google AIO, Bing Copilot)

## Appendix A: robots.txt Current State (Summary)

```
Blocked crawlers:
User-agent: Baiduspider -> Disallow: /
User-agent: YandexBot -> Disallow: /
User-agent: Qwantify -> Disallow: /

Throttled crawlers:
User-agent: Slurp -> Crawl-delay: 20

Default rules (User-agent: *):
Disallow: /*?* (query parameters)
Disallow: /winkelmandje (cart)
Disallow: /account (user accounts)
Disallow: /inloggen (login)
Disallow: /promoties (promotions)
Disallow: /afspraak (appointments)
Disallow: /abonneren (subscriptions)
Disallow: /webreservatie (web reservations)
Disallow: /_next/ (Next.js internals)
Disallow: /cache/ (cache files)
Disallow: /build/ (build files)

6 Sitemaps declared
```

## Appendix B: Key Findings Summary Table

| Check                             | Status        | Severity |
|-----------------------------------|---------------|----------|
| AI crawlers blocked in robots.txt | No (good)     | --       |
| llms.txt present and valid        | No            | Medium   |
| Server-side rendering (SSR)       | No (CSR only) | Critical |
| Schema.org Product markup         | Not detected  | Critical |
| Schema.org Organization markup    | Not detected  | High     |
| Schema.org LocalBusiness markup   | Not detected  | High     |
| Schema.org FAQPage markup         | Not detected  | High     |
| Category educational content      | Missing       | Critical |

| Check                             | Status         | Severity |
|-----------------------------------|----------------|----------|
| Product descriptions >= 134 words | No (~60 words) | High     |
| FAQ section accessible            | No (broken)    | High     |
| Blog/advice content hub           | Not found      | Medium   |
| Question-based headings           | Not found      | Medium   |
| Author attribution                | Not found      | Medium   |
| Publication dates on content      | Not found      | Low      |
| Wikipedia entity for Goed         | Not found      | High     |
| Wikidata entity for Goed          | Not found      | High     |
| YouTube content                   | Not found      | Medium   |
| Explicit AI crawler allow rules   | Not present    | Low      |
| Review/rating structured data     | Not detected   | Medium   |
| Image alt text (verifiable)       | Not verifiable | Medium   |
| Hreflang tags                     | Not verifiable | Low      |
| Canonical tags                    | Not verifiable | Medium   |

---

*Report generated 2026-03-30. Analysis based on live crawl data from aanbod.goed.be. Methodology: GEO Health Score framework with 5 weighted dimensions.*

# Visual Analysis

---

# Visual Analysis Report: aanbod.goed.be

---

**Date:** 2026-03-30 **Pages analyzed:** Homepage, Category page (mobiliteit), Subcategory/product page (wandelstokken) **Viewports tested:** Desktop (1920x1080), Mobile (375x812)

---

## 1. Above-the-Fold Content Quality

### Desktop Homepage

- The hero banner area is partially visible but heavily obscured by a **cookie consent modal** that overlays the center of the page. This is a critical first-impression problem: users cannot see the hero content or primary CTA without first interacting with the cookie banner.
- Behind the modal, a promotional banner referencing "scooters gratis" is partially visible, along with a row of mobility scooter products with prices and "meer info" buttons.
- The top utility bar shows trust signals: "gratis verzending vanaf 40 euro," "gratis ophalen en retourneren in onze winkel," and "besteld voor 15u, binnen 2 werkdagen geleverd." These are well-placed but rendered in very small text that is easy to miss.
- The main navigation bar includes category links (promoties, incontinentie & stoma, hulpmiddelen, mobiliteit, sport & revalidatie, etc.), a search bar, login button, and cart icon.

### Mobile Homepage

- The mobile above-the-fold is even more severely impacted by the cookie consent modal. It covers roughly the bottom 60% of the visible viewport.
- Above the cookie banner, only the Goed logo, hamburger menu, account/cart icons, search bar, a "gratis verzending vanaf 40 euro" badge, and the beginning of category icon circles (promoties, incontinentie & stoma, hulpmiddelen, mobiliteit) are visible.
- The hero banner image is just barely peeking through before the cookie modal takes over.
- **No primary CTA is visible** on mobile until the cookie banner is dismissed.

### Category Page (Mobiliteit) -- Desktop

- The page shows a clear H1 "mobiliteit" heading with a descriptive paragraph below it.

- A left sidebar displays subcategories (wandelstokken, rollators, krukken, rolstoelen, etc.) with product counts, and brand filters.
- Product cards are visible with images, names, prices, and teal "voeg toe" (add to cart) buttons.
- The cookie modal again obscures the center of the viewport.

### Category Page (Mobiliteit) -- Mobile

- The H1 and category description are clearly visible and well-sized.
- Subcategory pill-shaped buttons (wandelstokken, rollators, kruk...) are displayed as a horizontal scrollable row -- a good mobile pattern.
- However, the cookie modal blocks the entire product grid. **Zero products are visible** above the fold on mobile.

### Subcategory Page (Wandelstokken) -- Desktop and Mobile

- Similar pattern to the category page. Clear H1, descriptive text, breadcrumb navigation.
- Desktop shows subcategory filters in the left sidebar and product cards with prices and "voeg toe" buttons.
- Mobile uses the same horizontal scrollable pill pattern for sub-subcategories (plooibare wandelstokken, niet plooibare...).
- Again, the cookie modal dominates both viewports on first load.

**Severity: HIGH** -- The cookie consent implementation is the single biggest above-the-fold issue across every page and every viewport.

---

## 2. Visual Hierarchy and CTA Visibility

### Primary CTAs

- **"voeg toe" (Add to cart) buttons:** These use a strong teal/dark green color that contrasts well against the white product cards. They are consistently styled across category and subcategory pages.
- **"meer info" buttons:** On the homepage product row, lighter-colored "meer info" buttons appear below product prices. These have lower visual weight than the "voeg toe" buttons, which is appropriate for a secondary action.
- **Search bar:** Prominent placement in the header on both desktop and mobile with a clear magnifying glass icon. On mobile, it stretches nearly full-width, which is excellent for discoverability.

## Heading Hierarchy

- H1 headings on category/subcategory pages are large, bold, and clearly the dominant text element -- good visual hierarchy.
- Category descriptions sit below the H1 in regular-weight body text, providing a clear information hierarchy.
- Product names within cards are slightly bold, with prices in a larger or emphasized style below them.

## Issues

- The homepage hero banner text is partially cut off and hard to read at a glance on desktop.
  - On the full-page desktop homepage, a "waarom kopen bij goed" (why buy from Goed) section with value propositions (30% korting, thuiszorgwinkel, advies, aanbod huurartikelen, huislevering, abonnement) is only visible after significant scrolling -- these trust signals would benefit from higher placement.
  - No single, dominant primary CTA (such as "Shop nu" or "Bekijk aanbod") exists on the homepage above the fold. The homepage relies on the product row and category navigation rather than a strong call-to-action.
- 

## 3. Mobile Rendering Quality and Tap Target Sizes

### Positive Observations

- The hamburger menu icon is adequately sized (appears to meet the 48x48px minimum).
- The search bar is large and easy to tap.
- Account and cart icons in the header appear sufficiently sized.
- Category icon circles on the homepage are generously sized and well-spaced for touch.
- Subcategory pills on category pages are tall enough to be easily tappable.
- Cookie consent buttons ("Alle cookies toestaan" and "Weigeren") are full-width and tall -- easy to tap.

### Potential Issues

- The "Ik wil mijn cookies zelf instellen" link within the cookie modal is plain underlined text, not a button. It may be slightly harder to tap accurately, though it appears to have adequate padding.
- On the full mobile homepage, individual product cards in the promotions row may have small tap targets for the "meer info" or price elements.



- The breadcrumb links on mobile category pages ("producten," "mobiliteit") are relatively small text links that could be difficult to tap precisely.
- The "meer..." expand link for truncated category descriptions is small.

## Text Readability

- Base font size on mobile appears to be 16px or larger, meeting the recommendation for readability without zooming.
  - Line heights appear comfortable.
  - No horizontal scrolling issues detected on any mobile screenshot.
- 

## 4. Layout Shifts and Visual Issues

### Cookie Consent Modal

- The modal is a non-dismissable overlay (not a simple bottom bar) that significantly disrupts the visual experience. It appears as a centered white box on desktop and a bottom-sheet-style panel on mobile.
- On mobile, the modal covers approximately 55-60% of the viewport.
- On desktop, it covers the central content area while leaving navigation and sidebar partially visible.

### Layout Observations

- No obvious broken layouts or overlapping elements were detected outside of the cookie modal.
- Product card grids appear to align properly on desktop (5 columns on category pages).
- The full-page desktop homepage shows clean section separations with alternating white and light grey backgrounds.
- Image scaling appears correct; product images maintain proper aspect ratios.
- The homepage hero image (showing an elderly person with a mobility scooter outdoors) renders well and communicates the brand's target audience clearly.

### Potential Concerns

- Some product card titles may be truncating (e.g., "Wandelstok 4-delig (vrouw)" appears to fit, but longer names might clip).
  - Discount badges ("10% extra korting," "25% CM-korting," "mobiliteitsvoordeel") are layered in the top-left corner of product images and use different colored labels. While informative, having multiple badges stacked can create visual clutter.
-

## 5. Navigation Usability

### Desktop Navigation

- **Primary nav bar:** A horizontal menu with category links (promoties, incontinentie & stoma, hulpmiddelen, mobiliteit, sport & revalidatie, zwangerschap & kind, slaap- en zitcomfort, compressiekousen). This is a comprehensive menu but somewhat crowded.
- **"alle categorieën" link:** Positioned at the far right of the nav bar, providing access to the full category tree.
- **Breadcrumbs:** Present on category and subcategory pages (e.g., producten > mobiliteit > wandelstokken). These support navigation and SEO.
- **Utility bar:** The top bar includes "winkel," "tips & advies," "contact," and "inloggen" links.
- **"onze producten" dropdown:** A teal button in the header area offers another product navigation entry point.

### Mobile Navigation

- **Hamburger menu:** Clearly visible in the top-left corner with the Goed logo next to it.
- **Back navigation:** Category and subcategory pages show a back arrow with the parent category name (e.g., "< producten" or "< mobiliteit"), providing clear hierarchical navigation.
- **Search:** Prominently placed below the header, taking full width.
- **No visible bottom navigation bar** -- this could be an opportunity to add persistent cart/account/home shortcuts.

### Sidebar Filters (Desktop)

- Category pages show a left sidebar with subcategories and faceted filters (brand, product type).
- Filter counts in parentheses help users gauge available products.
- Expandable/collapsible sections with chevron icons.

### Issues

- On mobile, all filtering appears to be hidden (no visible filter button in the above-the-fold area of category screenshots). Users need to scroll past the cookie modal and products to find sorting/filtering options, which could harm usability.
  - The desktop nav bar has many items that may cause readability issues at smaller desktop/laptop widths (1366px).
-

## 6. Product Presentation Quality

### Product Cards

- **Images:** Clean, white-background product photos that are consistent in style. Products are centered and clearly visible.
- **Information displayed:** Product name, price, and an "add to cart" button. Some cards also show discount badges.
- **Pricing:** Clearly displayed in a slightly larger or bold font. Prices use the Euro symbol with comma-separated decimals (Belgian convention).
- **Add-to-cart buttons:** Teal-colored with a cart icon and "voeg toe" text. These are prominent and action-oriented.

### Discount/Promotion Badges

- Multiple badge types are used: "10% extra korting" (red/pink), "25% CM-korting" (teal), "mobiliteitsvoordeel" (teal). These are overlaid on the top-left of product images.
- The variety of badge styles communicates different value propositions but may be confusing to users unfamiliar with CM-korting (health insurance discount in Belgium).

### Homepage Product Row

- Featured scooter products are displayed in a horizontal row with product images, names, prices, and "meer info" buttons.
- Price range visible (approximately 1,911 to 4,429 EUR) communicates that this is a premium/medical product category.

### Promotions Section

- A "niet te missen promoties" (unmissable promotions) section on the homepage shows discounted items with clear pricing.

### Missing Elements

- No visible star ratings or review counts on product cards.
  - No "compare" functionality visible.
  - No wishlist/save functionality visible on product cards.
  - No stock availability indicators.
-

## 7. Brand Consistency

### Color Palette

- **Primary:** Dark teal/green (used for header, buttons, footer, navigation backgrounds).
- **Secondary:** White (content backgrounds, product cards).
- **Accent:** Purple/violet (used for login button outline, some interactive elements).
- **Alert/Promo:** Pink/magenta (used for some discount badges and promotional highlights).
- The color scheme is consistent across all pages and viewports.

### Typography

- A clean, modern sans-serif font is used consistently throughout.
- Heading weights and sizes are consistent across pages.
- The Goed logo uses a distinctive lowercase rounded font that aligns with the approachable, healthcare-oriented brand identity.

### Visual Language

- The brand communicates "accessibility," "healthcare," and "comfort" through its imagery (elderly people using mobility devices, medical product photography).
- The teal/green palette evokes trust and health, appropriate for a medical/wellness product retailer.
- Icon style for category circles on the homepage is consistent (flat illustration style with teal tones).

### Consistency Issues

- The cookie consent modal uses a standard style that does not match the brand's teal color scheme -- it uses generic grey/white with black text, creating a slight visual disconnect.
  - The discount badge colors (red, teal, pink) do not follow a single unified system, which could confuse users about what each badge means.
- 

## 8. Conversion Optimization Signals

### Trust Signals Present

- Free shipping threshold ("gratis verzending vanaf 40 euro") in the utility bar and on mobile.

- Free in-store pickup and returns ("gratis ophalen en retourneren in onze winkel").
- Fast delivery promise ("besteld voor 15u, binnen 2 werkdagen geleverd").
- Physical store references ("winkels" link) -- important for a Belgian healthcare retailer.
- "hulp nodig?" (need help?) box on category pages with a link to make an appointment with mobility advisors.
- "waarom kopen bij goed" section further down the homepage listing six value propositions.

## Conversion Barriers

1. **Cookie modal dominance:** The most significant conversion barrier. It blocks product visibility and requires interaction before any shopping can begin.
2. **No urgency indicators:** No stock level warnings, no "X people viewing this" indicators, no time-limited offer countdowns.
3. **No social proof on product cards:** No ratings, reviews, or "bestseller" badges.
4. **Homepage lacks a clear singular CTA:** The homepage tries to serve multiple purposes (promotions, featured products, category browsing) without a dominant action path.
5. **No visible live chat or quick help widget** -- for a medical product retailer, immediate expert assistance could significantly boost conversions.
6. **Price anchoring is weak:** Discount badges show percentage off but original/ crossed-out prices are not visible on the product cards in these screenshots.

## Positive Conversion Elements

- Direct "voeg toe" (add to cart) buttons on product listing pages reduce clicks to purchase.
- Clear pricing with no hidden information.
- Category and subcategory structure helps users find specific products quickly.
- The "hulp nodig?" assistance box on category pages is a good trust/conversion element.

---

## 9. Accessibility Visual Cues

### Positive Observations

- Text contrast appears adequate: dark text on white backgrounds, white text on dark teal backgrounds.
- The search bar has clear placeholder text.
- Breadcrumbs provide orientation for screen reader users (assuming proper ARIA markup).

- Category subcategory counts (e.g., "wandelstokken (74)") provide useful context.
- The "meer..." (more) link for truncated descriptions allows expanded content access.

## Concerns

- **Color reliance for badges:** The discount badges rely on both color and text to convey information, which is acceptable, but the small badge text over product images may be difficult to read for users with low vision.
- **Cookie modal focus management:** The modal appears to be full-viewport on mobile, but it is unclear whether keyboard focus is properly trapped within the modal.
- **Image alt text:** Cannot be verified from screenshots alone, but product images should have descriptive alt text.
- **Link underlines:** Most links do not appear to use underlines (relying on color alone), which can be an accessibility concern for users who cannot distinguish colors.
- **Form field labels:** The search bar uses placeholder text ("zoek een product, merk of trefwoord...") rather than a visible label, which disappears on input -- a common accessibility anti-pattern.
- **Touch target spacing on mobile:** While individual tap targets appear adequately sized, some areas (breadcrumbs, small text links) may not meet WCAG 2.5.8 target spacing requirements.

## Target Audience Consideration

- Given that Goed sells mobility aids and healthcare products, a significant portion of their audience likely includes elderly users and people with disabilities. Accessibility is therefore not just a compliance concern but a core business requirement. The current visual design is generally clean and readable but should be audited more deeply for WCAG 2.1 AA compliance, particularly around:
    - Focus indicators on interactive elements
    - Screen reader compatibility of the product grid and filters
    - Keyboard navigation through the cookie modal and product cards
    - Text resizing behavior up to 200%
-

## Summary of Critical Findings

| Priority | Finding                                                                            | Impact                                                               | Pages Affected        |
|----------|------------------------------------------------------------------------------------|----------------------------------------------------------------------|-----------------------|
| CRITICAL | Cookie consent modal blocks above-the-fold content on all pages, especially mobile | Users cannot see products or CTAs without first dismissing the modal | All                   |
| HIGH     | No primary CTA visible on homepage above the fold                                  | Reduces conversion rate for new visitors                             | Homepage              |
| HIGH     | No product ratings/reviews visible on product cards                                | Missing social proof reduces purchase confidence                     | Category, Subcategory |
| MEDIUM   | Mobile filter/sort functionality not visible above the fold                        | Users may not discover filtering options                             | Category, Subcategory |
| MEDIUM   | Multiple inconsistent discount badge styles                                        | Confuses users about promotion types                                 | Category, Subcategory |
| MEDIUM   | Trust signals ("waarom kopen bij goed") buried below the fold                      | Key differentiators are missed by users who do not scroll            | Homepage              |
| LOW      | Search bar uses placeholder instead of visible label                               | Accessibility concern, especially for target demographic             | All                   |
| LOW      | Cookie modal styling does not match brand design                                   | Minor brand consistency issue                                        | All                   |

## Recommendations

1. **Redesign the cookie consent as a bottom bar** (not a modal overlay) so it does not block page content. A slim, non-intrusive bar with "Accept" and "Manage" options would comply with GDPR while preserving the shopping experience.
2. **Add a clear hero CTA on the homepage** such as "Bekijk ons aanbod" (View our range) or "Ontdek onze promoties" (Discover our promotions) above the fold.
3. **Integrate product ratings and review counts** on product listing cards to provide social proof.
4. **Expose sort and filter controls on mobile** at the top of the product listing, either as a sticky bar or prominent buttons visible before scrolling.

5. **Standardize discount badge design** with a single color and clear labeling system that explains badge meanings.
6. **Elevate trust signals** by incorporating key value propositions (free shipping, expert advice, easy returns) into a visible banner or icon row above the fold on the homepage.
7. **Add a visible label or icon to the search field** rather than relying solely on placeholder text.
8. **Consider adding a persistent bottom navigation bar on mobile** with Home, Search, Cart, and Account for improved navigation efficiency.
9. **Conduct a full WCAG 2.1 AA accessibility audit** given the target demographic of elderly and disabled users.



# Image Audit

---

# Image SEO Audit: aanbod.goed.be

**Data source:** Image Audit (static analysis) **Date:** 2026-03-30 **Auditor:** Claude SEO Agent **Pages analyzed:** 4 (homepage, category, subcategory, product)

## Image Audit Summary

| Metric                            | Value                             | Status                  |
|-----------------------------------|-----------------------------------|-------------------------|
| Pages with OG images              | 3/4                               | WARN                    |
| OG images correct size (1200x630) | 1/4                               | FAIL                    |
| OG image:width/height declared    | 2/4                               | FAIL                    |
| Twitter card images present       | 3/4                               | WARN                    |
| Schema ImageObject usage          | 0/4                               | FAIL                    |
| JSON-LD structured data (any)     | 0/4                               | FAIL                    |
| AVIF adoption                     | ~100%                             | PASS                    |
| WebP adoption                     | 0%                                | N/A (AVIF used instead) |
| Images with srcSet (responsive)   | 27/35 (homepage)                  | PASS                    |
| Images with sizes attribute       | 0/27 (homepage)                   | FAIL                    |
| Images with width/height (CLS)    | 28/35 (homepage), 8/15 (category) | WARN                    |
| Images with empty alt text        | 8/35 (homepage), 7/15 (category)  | FAIL                    |
| Images without alt attribute      | 0/35 (homepage)                   | PASS                    |
| Lazy loading implemented          | Yes (27/35 homepage)              | PASS                    |
| fetchPriority on hero             | Yes (high)                        | PASS                    |
| Static images bypassing CDN       | 1 (cm-footer.png)                 | LOW                     |

# 1. OG / Social Preview Images

## Homepage (/nl)

- **og:image:** `https://www.datocms-assets.com/136341/1743491777-cam-goed-1200x630-60b0e92b10a42.png` -- PASS
- **og:image:width:** 1200, **og:image:height:** 630 -- PASS
- **og:type:** website -- PASS
- **twitter:card:** summary\_large\_image -- PASS
- **twitter:image:** Same as og:image -- PASS
- **twitter:image:width/height:** Declared -- PASS

**Assessment:** The homepage has a properly configured OG image at 1200x630 with all required meta tags. The image is served from DatoCMS assets CDN.

## Category page (/nl/producten/mobiliteit)

- **og:image:** `https://www.datocms-assets.com/136341/1721229470-mobiliteit.png` -- WARN
- **og:image:width:** NOT SET -- FAIL
- **og:image:height:** NOT SET -- FAIL
- **twitter:card:** summary\_large\_image -- PASS
- **twitter:image:** Same as og:image -- PASS

**Assessment:** OG image exists but lacks `og:image:width` and `og:image:height` declarations. The image URL suggests it is a category-specific image, which is good. However, without dimension metadata, social platforms may render it unpredictably.

## Subcategory page (/nl/producten/mobiliteit/rollators)

- **og:image:** NOT SET -- FAIL
- **og:image:width:** NOT SET -- FAIL
- **twitter:card:** summary (not summary\_large\_image) -- WARN
- **twitter:image:** NOT SET -- FAIL

**Assessment:** Critical gap. Subcategory pages have no OG image or Twitter image at all. The twitter:card is downgraded to "summary" instead of "summary\_large\_image". When these pages are shared on social media, no image preview will appear, reducing click-through rates significantly.

## Product page (/nl/product/scooter-lm-vivo)

- **og:image (1st):** `https://images.cdn.europe-west1.gcp.commercetools.com/.../Q_S7Acov.png` -- WARN

- **og:image (2nd):** `https://www.datocms-assets.com/136341/1743491777-cam-goed-1200x630-60b0e92b10a42.png` -- WARN
- **og:image:width:** 1200, **og:image:height:** 630 -- WARN (applies to 2nd image only)
- **twitter:card:** `summary_large_image` -- PASS
- **twitter:image:** Duplicate tags (product + fallback) -- WARN

**Assessment:** The product page declares TWO `og:image` tags. The first is the actual product photo from Commercetools CDN (good for relevance), but it is a raw product PNG -- likely not 1200x630 and lacking dimension declarations. The second is the generic site-wide fallback. The `og:image:width/height` tags (1200x630) correspond to the second (fallback) image, creating a mismatch. Social platforms will likely use the first image at an unpredictable aspect ratio.

---

## 2. Alt Text Quality

### Summary by page

| Page        | Total Images | Empty alt ( <code>alt=""</code> ) | Descriptive alt | No alt attr |
|-------------|--------------|-----------------------------------|-----------------|-------------|
| Homepage    | 35           | 8 (23%)                           | 27 (77%)        | 0           |
| Category    | 15           | 7 (47%)                           | 8 (53%)         | 0           |
| Subcategory | 15           | 7 (47%)                           | 8 (53%)         | 0           |
| Product     | 28           | 7 (25%)                           | 21 (75%)        | 0           |

### Detailed findings

**Navigation/category icons (7 images per page, empty alt):** Images like `datocms/1741679780-vlot-vooruit.png`, `badkamer.png`, `moeder-en-kind.png` appear on every page as category navigation icons. All have `alt=""`. If they serve a navigational purpose and convey meaning, they should have descriptive alt text like `alt="Mobiliteit"` or `alt="Badkamer hulpmiddelen"`. If truly decorative with adjacent text labels, `alt=""` is acceptable but a missed SEO opportunity.

**Product images on homepage (19 images, good alt):** Product card images have descriptive alt text matching the product name, e.g.: - `alt="Scooter L&M Vivo+"` - `alt="TENA ProSkin Pants Maxi"` - `alt="byACRE Ultralichte loophulp Carbon Ultralight"` - `alt="BOTALUX 70 Kniekous (AD) zonder teen"`

These are functional but not fully SEO-optimized. They use product names only without additional descriptive keywords. For example, `alt="Scooter L&M Vivo+ - elektrische scootmobiel"` would be stronger.

**Product page gallery (12 images, identical alt):** All 12 product images use the identical alt text `alt="Scooter L&M Vivo+"`. Each image shows a different angle/detail, but the alt text does not differentiate. Better alternatives: - `alt="Scooter L&M Vivo+ - vooraanzicht"` - `alt="Scooter L&M Vivo+ - stuur detail"` - `alt="Scooter L&M Vivo+ - zijaanzicht"`

**Hero/banner image (homepage):** The main hero banner ( `scootertestdagen.jpg` ) has `alt=""` with `fetchPriority="high"`. This is the most prominent image on the page. An empty alt tag means search engines cannot understand or index this image. It should have descriptive alt text like `alt="Scooter testdagen bij Goed thuiszorgwinkel"`.

**Footer payment icons (8 images, good alt):** Payment method icons have appropriate short alt text: "Bancontact", "Visa", "Mastercard", etc. This is correct.

---

### 3. Image Format Usage

| Format     | Usage                      | Notes                                                         |
|------------|----------------------------|---------------------------------------------------------------|
| AVIF       | ~100% of CDN-served images | Via TwiC transform<br><code>/format=avif/quality=90</code>    |
| WebP       | 0%                         | Not used; AVIF is the preferred modern format                 |
| PNG        | Source format              | Original files are PNG, transformed to AVIF on delivery       |
| JPEG       | 1 hero image source        | <code>scootertestdagen.jpg</code> -- also transformed to AVIF |
| Static PNG | 1 file                     | <code>/assets/images/cm-footer.png</code> (16x16, no CDN)     |

**Assessment:** PASS. The site has adopted AVIF as its sole modern format delivery via the TwiC CDN ( `afbeeldingen.goed.be` ). AVIF offers better compression than WebP and is supported by all modern browsers. The `format=avif` parameter in TwiC URLs confirms server-side format conversion. There is no WebP fallback visible in the HTML, but TwiC likely handles format negotiation server-side based on Accept headers.

---

## 4. Image Sizing and Responsive Implementation

### srcSet implementation

Images served via the Next.js Image component include comprehensive srcSet with 9 breakpoints:

```
320w, 640w, 768w, 1024w, 1280w, 1536w, 2048w, 2560w, 3072w
```

This provides excellent responsive coverage from mobile to high-DPI displays.

### sizes attribute -- CRITICAL ISSUE

**None of the images with srcSet have a `sizes` attribute.** This is a significant performance problem.

Without `sizes`, the browser defaults to assuming the image is `100vw` (full viewport width). This means: - On a 1440px desktop viewport, the browser will download the 2048w or 2560w variant even if the image only occupies a 300px product card - Product card thumbnails (~300px wide) may download 3072px images - This wastes bandwidth and slows page load, especially on mobile

The `sizes` attributes found in the HTML ( `48x48` , `96x96` , `180x180` ) belong to favicon/icon `<link>` tags, not `<img>` tags.

### Width and height attributes (CLS prevention)

| Page     | With width/height | Without     | CLS risk |
|----------|-------------------|-------------|----------|
| Homepage | 28/35 (80%)       | 7/35 (20%)  | Medium   |
| Category | 8/15 (53%)        | 7/15 (47%)  | High     |
| Product  | 9/28 (32%)        | 19/28 (68%) | High     |

The 7 navigation icons on every page use `data-twic-src` without width/height attributes. The 12 product gallery images on the product page also lack dimensions. TwiC may inject dimensions via JavaScript, but this creates a CLS risk during initial render before JS executes.

---

## 5. Lazy Loading Implementation

| Page     | Lazy loaded | Eagerly loaded       | Notes             |
|----------|-------------|----------------------|-------------------|
| Homepage | 27          | 2 (hero + 1 product) | Good distribution |

| Page     | Lazy loaded | Eagerly loaded | Notes                              |
|----------|-------------|----------------|------------------------------------|
| Category | 7           | 0              | All lazy -- no eager hero          |
| Product  | 8           | 0              | All lazy -- no eager product image |

**Homepage:** `loading="lazy"` is applied to 27 images, with the hero banner correctly using `fetchPriority="high"` (not lazy). One additional image has `fetchPriority="low"`. Good implementation.

**Category page:** All images have `loading="lazy"` and the only `fetchPriority` is "low". There is no eagerly loaded above-the-fold image. If the page has a hero or header image, it should not be lazy-loaded.

**Product page:** All 8 images with `loading` attribute are lazy. The main product image (first in the gallery) should be eagerly loaded with `fetchPriority="high"` since it is the primary visual content.

## 6. TwiC CDN Configuration

The site uses TwiC (TwicPics) CDN at `afbeeldingen.goed.be` as an image proxy/optimizer. Two delivery mechanisms are observed:

### Mechanism 1: TwiC data attributes (navigation icons, product gallery)

```

```

- Images are lazy-initialized by TwiC JavaScript SDK
- No `src`, `srcSet`, `width`, or `height` in initial HTML
- Relies on client-side JavaScript for rendering
- **SEO concern:** Googlebot may not see these images without JavaScript execution. While Googlebot does execute JS, it adds crawl delay and introduces uncertainty.

### Mechanism 2: Next.js Image component (product cards, footer icons)

```
<img alt="Product Name" height="1024" width="1536"
 srcSet="https://afbeeldingen.goed.be/commercetools/.../image.png?twic=v1/format=avif/qu
 loading="lazy" />
```

- Full server-rendered `srcSet` with TwiC transformation URLs

- Includes `width`, `height` for CLS prevention
- All responsive variants are pre-computed in HTML
- **SEO-friendly:** Fully visible to crawlers without JS

### CDN URL patterns

- **DatoCMS assets:** `afbeeldingen.goed.be/datocms/136341/{id}-{name}.{ext}`
- **Commercetools assets:**  
`afbeeldingen.goed.be/commercetools/{project-key}/{image-id}.{ext}`
- **Transform syntax:** `?twic=v1/format=avif/quality=90/inside={width}x{height}`

### Quality settings

All images use `quality=90`, which is appropriate for product photography but could be reduced to 80-85 for non-hero images to save bandwidth without visible quality loss.

---

## 7. Schema / Structured Data

**No JSON-LD structured data was found on any of the 4 analyzed pages.** This is a significant SEO gap.

Expected schema types that should include image properties:

| Page type | Expected schema          | Image property needed        |
|-----------|--------------------------|------------------------------|
| Homepage  | Organization, WebSite    | logo, image                  |
| Category  | CollectionPage, ItemList | image per item               |
| Product   | Product                  | image (array of ImageObject) |

The absence of `Product` schema on the product page is especially impactful. Google Shopping, rich results, and product knowledge panels all rely on Product schema with image data.

---

## 8. Image Generation Plan

**Note:** The nanobanana-mcp image generation tool is NOT currently configured. The recommendations below are for manual execution or future configuration. Generation requires the banana extension to be set up first.



## Pages requiring new or improved images

| Page                                                   | Issue                                           | Suggested Use Case | Prompt Idea                                                                                                                       | Priority |
|--------------------------------------------------------|-------------------------------------------------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------|----------|
| /nl/producten/*/ [subcategory] (all ~40 subcategories) | Missing OG image entirely                       | og                 | Professional category header showing [category items] in clean Belgian healthcare store setting, 1200x630, Goed brand green/white | Critical |
| /nl/product/* (all products)                           | OG image is raw product photo, wrong dimensions | og                 | Product social preview: [product name] on white background with Goed branding bar, 1200x630                                       | Critical |
| /nl (homepage)                                         | Hero banner has empty alt                       | hero               | N/A -- existing image needs alt text fix only                                                                                     | High     |
| /nl/producten/ [category] (top categories)             | OG image exists but lacks dimension meta        | og                 | N/A -- existing image, add og:image:width/height meta tags                                                                        | High     |
| Navigation icons (all pages)                           | 7 icons with empty alt, no dimensions, JS-only  | icon               | N/A -- existing images need alt text and SSR rendering                                                                            | Medium   |

## Estimated scope

- **Subcategory OG images needed:** ~40+ pages lacking any OG image
  - **Product OG images:** Recommend dynamic OG image generation via Next.js `/api/og` route rather than static generation (catalog has hundreds of products)
  - **Recommended approach for products:** Build a Next.js Edge OG image route that composites the product photo onto a branded 1200x630 template
  - **Estimated cost if using nanobanana-mcp for subcategories:** ~40 images at generation cost per image
  - **Batch generation recommended:** Group by category for visual consistency
-

# Recommendations

## Critical (fix immediately)

1. **Add `sizes` attribute to all `<img>` tags with `srcSet`.** This is the single highest-impact performance fix. Example for product cards: `sizes="(max-width: 640px) 100vw, (max-width: 1024px) 50vw, 320px"` Without this, browsers download images 3-10x larger than needed.
2. **Add OG images to all subcategory pages.** Over 40 subcategory pages currently have no social sharing image. Implement a fallback chain: page-specific OG image > parent category OG image > site-wide default.
3. **Fix product page OG image implementation.** Remove the duplicate `og:image` tag. Either:
4. Serve a properly sized (1200x630) version of the product image via TwiC transform: `?twic=v1/format=png/inside=1200x630`
5. Or use Next.js dynamic OG image generation ( `/app/api/og/route.tsx` ) to create branded social preview cards with the product photo composited onto a template
6. **Add Product schema (JSON-LD) to product pages** with `image` property containing an array of product photo URLs. This enables Google rich results and Shopping integration.

## High (fix within 2 weeks)

1. **Add descriptive alt text to the homepage hero banner.** Currently `alt=""` on the highest-priority image. Should describe the promotional content.
2. **Add `og:image:width` and `og:image:height`** to category pages that have OG images but lack dimension declarations.
3. **Add `width` and `height` attributes** to all TwiC `data-twic-src` images (7 navigation icons on every page and 12 product gallery images on product pages). This prevents CLS.
4. **Make the primary product image eagerly loaded.** On product pages, the first product gallery image should have `fetchPriority="high"` and no `loading="lazy"`.

## Medium (fix within 1 month)

1. **Differentiate alt text for product gallery images.** Instead of repeating the product name 12 times, add angle/view descriptors: "vooraanzicht", "zijaanzicht", "detail stuur", etc.
2. **Add descriptive alt text to navigation category icons** or confirm they are purely decorative with adjacent text labels.
3. **Add Organization and WebSite schema** to the homepage with `logo` and `image` properties.
4. **Consider server-side rendering for TwiC data-src images.** The 7 navigation icons using `data-twic-src` without a `src` fallback are invisible to crawlers that do not execute JavaScript. Consider using the Next.js Image component pattern for these too.

## Low (backlog)

1. **Reduce quality from 90 to 80-85** for non-hero product thumbnails. At the responsive sizes served (320-1024px), the difference is imperceptible but can save 15-25% bandwidth.
2. **Add WebP fallback** for older browsers. While TwiC likely handles this via Accept header negotiation server-side, explicit `<picture>` elements with WebP and AVIF `<source>` tags would guarantee correct format delivery.
3. **Convert** `/assets/images/cm-footer.png` to use the TwiC CDN instead of serving as a static asset.

---

## Technical Architecture Notes

- **CMS:** DatoCMS (content images) + Commercetools (product images)
- **CDN:** TwiC/TwicPics at `afbeeldingen.goed.be` proxying both DatoCMS and Commercetools origins
- **Framework:** Next.js (App Router with React Server Components)
- **Image component:** Mix of Next.js `<Image>` (SSR with `srcSet`) and TwiC SDK (client-side lazy init)
- **OG images:** Served from `datocms-assets.com` (not via TwiC CDN)
- **Product images origin:** `images.cdn.europe-west1.gcp.commercetools.com`

---

*Report generated by Claude SEO Agent -- Image Audit (static analysis). Live rendering behavior (JavaScript-dependent images, TwiC runtime transforms) may differ from*

*static HTML analysis. Recommend supplementing with Lighthouse and Chrome DevTools audits for runtime validation.*

# Sitemap Audit

---

# Sitemap Audit - aanbod.goed.be

## Overview

Six sitemaps are declared in robots.txt. Analysis results below.

## Sitemap Inventory

| Sitemap URL                                           | Status                    | URLs    | Last Modified Range |
|-------------------------------------------------------|---------------------------|---------|---------------------|
| <code>aanbod.goed.be/nl/general/sitemap.xml</code>    | OK                        | 4       | Jul 2024 - Mar 2026 |
| <code>aanbod.goed.be/nl/categories/sitemap.xml</code> | OK                        | 220     | Nov 2025 - Mar 2026 |
| <code>aanbod.goed.be/nl/products/sitemap.xml</code>   | OK                        | ~1,200+ | Mar 2026            |
| <code>aanbod.goed.be/uitleendienst/sitemap.xml</code> | REDIRECT (301)            | 0       | N/A                 |
| <code>www.goed.be/sitemap.xml</code>                  | External (main domain)    | Unknown | N/A                 |
| <code>jobs.goed.be/sitemap.xml</code>                 | External (jobs subdomain) | Unknown | N/A                 |

Total estimated URLs in aanbod.goed.be sitemaps: ~1,424+

## Detailed Analysis

### 1. General Sitemap ( `/nl/general/sitemap.xml` )

Contains only 4 core pages: - `/nl/startpagina` (lastmod: 2026-03-26) - `/nl/producten` (lastmod: 2025-01-17) - `/nl/evenementen` (lastmod: 2024-07-05) - `/nl/onze-winkels` (lastmod: 2024-07-05)

**Issues:** - **CRITICAL:** Missing many important pages: `/nl/contact` , `/nl/tips-en-advies` , `/nl/vestigingen` , individual store pages, info pages - No `changefreq` or `priority` attributes - `/nl/evenementen` and `/nl/onze-winkels` have very old lastmod dates (Jul 2024)

## 2. Categories Sitemap ( /nl/categories/sitemap.xml )

Contains 220 category and subcategory URLs. Well-structured covering: - Mobility (wheelchairs, walking aids, adapted bicycles) - Incontinence & stoma - Sleep & seating comfort - Care products - Pregnancy & child - Sport & rehabilitation - Adapted clothing - Compression stockings - Measuring devices - Hearing & reading aids - Rental services

**Issues:** - No `changefreq` or `priority` attributes - Some categories may have stale `lastmod` dates

## 3. Products Sitemap ( /nl/products/sitemap.xml )

Contains 1,200+ product URLs following pattern: `/nl/product/[product-name]`

**Issues:** - **Content truncated** during fetch - exact count unknown, likely 1,200-2,000+ URLs - No `changefreq` or `priority` attributes - All URLs use consistent pattern which is good - Product modification dates clustered in late March 2026 - suggests bulk update

## 4. Uitleendienst Sitemap ( /uitleendienst/sitemap.xml )

**CRITICAL:** Returns 301 redirect to `http://aanbod.goed.be/nl/uitleendienst` (a webpage, not a sitemap). This sitemap is broken and non-functional.

---

# Issues Found

### Critical

1. **Broken sitemap:** `/uitleendienst/sitemap.xml` redirects to a regular page instead of serving XML
2. **Missing pages in general sitemap:** Contact, tips & advies, vestigingen, about pages not included
3. **No sitemap index file:** There is no sitemap index at `/sitemap.xml` that references all sub-sitemaps

### High

1. **No `changefreq` or `priority`** on any sitemap - search engines get no crawl priority guidance
2. **Stale lastmod dates:** Some general pages show July 2024 - either they haven't been updated or `lastmod` is not being maintained
3. **Missing individual store pages:** With 35+ locations, each store page should be in a sitemap

4. **Cross-domain sitemaps in robots.txt:** `www.goed.be/sitemap.xml` and `jobs.goed.be/sitemap.xml` are declared in `aanbod.goed.be/robots.txt` - these should only be in their respective domain's robots.txt

## Medium

1. **No image sitemap:** Product images from `afbeeldingen.goed.be` are not included in sitemaps
2. **No video sitemap:** If product videos exist, they're not in sitemaps
3. **Promotions pages blocked + not in sitemap:** `/nl/promoties` is blocked by robots.txt AND not in any sitemap - intentional but worth reviewing
4. **Large products sitemap:** With 1,200+ URLs, this may benefit from being split into multiple sitemaps by category

## Low

1. **No news sitemap:** If tips & advices content is regularly published, consider a news sitemap
  2. **HTTP in redirect:** The uitleendienst redirect goes to `http://` instead of `https://`
- 

# Recommendations

## Immediate Actions

1. **Fix uitleendienst sitemap** - Either create a proper XML sitemap for rental service pages or remove the reference from robots.txt
2. **Create sitemap index** at `https://aanbod.goed.be/sitemap.xml` that references all sub-sitemaps
3. **Expand general sitemap** to include all important non-product, non-category pages

## Short-term

1. **Add `changefreq` and `priority`** to all sitemap entries
2. **Add individual store pages** to a dedicated locations sitemap
3. **Remove cross-domain sitemap references** from robots.txt (keep only `aanbod.goed.be` sitemaps)
4. **Fix lastmod dates** - ensure they reflect actual content modification dates

## Long-term

1. **Add image sitemap** for product photography
2. **Consider splitting products sitemap** by category for better organization



3. **Implement automatic sitemap generation** tied to CMS content updates
  4. **Add hreflang sitemaps** if multi-language support is planned
- 

## Scoring

| Criterion                       | Score | Max |
|---------------------------------|-------|-----|
| Sitemap exists and is valid XML | 7/10  | 10  |
| All important pages included    | 4/10  | 10  |
| Lastmod accuracy                | 5/10  | 10  |
| Changefreq & priority           | 0/10  | 10  |
| Sitemap index present           | 0/10  | 10  |
| No broken sitemaps              | 5/10  | 10  |
| Image/video sitemaps            | 0/10  | 10  |

**Overall Sitemap Score: 21/70 (30%)**