Monitor Cradle:

1 mm is too thin. separates too easily.

- increase large flat areas to 2mm.
  sides appear to be fine

---

Add supports to back. 3mm high × 4mm across




Then split piece in the middle of those supports. Glue back together.

Only need 2 types — with cable hole
without cable hole.






# Monitor Cradle:

1 mm is too thin. separators too easily.

- increase large flat areas to 2mm.
  sides appear to be fine

---

Add supports to back. 3mm high × 4mm across




Then split piece in the middle of those supports. Glue back together.

Only need 2 types — with cable hole
without cable hole.






# Monitor Cradle (V2)

- keep bezel. Maybe increase size of screw holes
- make new back, breaking in to 4 quadrants to be glued together. V1 didn't print well b/c plate was too big.
- increase walls to 2mm or more.
- increase depth of back to 10mm. possibly bezel as well.







Broken into 4 pieces

2 x A

1 x B

1 x C

# Monitor Cradle V2

- keep bezel. Maybe increase size of screw holes
- make new back, breaking in to 4 quadrants to be glued together. V1 didn't print well b/c plate was too big.
- increase walls to 2mm or more.
- increase depth of back to 10mm, possibly bezel as well.







Broken into 4 pieces

2 x A

1 x B

1 x C