Gmail Evan Ullberg <evanullberg@gmail.com>

[GitHub Support] - Report Abuse: massgravel

10 messages

GitHub Developer Support <developer@githubsupport.com> Thu, May 21, 2026 at 9:05 AM
Reply-To: GitHub Developer Support <developer@githubsupport.com>
To: doobieevan <evanullberg@gmail.com>

Please do not write below this line

Your request has been updated.

You can add a comment by replying to this email.

GitHub (GitHub Support)
May 21, 2026, 2:05 PM UTC

Hello,

Our team is currently investigating the account in question to determine if their content or conduct violates GitHub's Terms of Service .

Regards,
GitHub Trust & Safety

---

doobieevan
May 20, 2026, 10:07 PM UTC

Report Abuse: massgravel

https://github.com/massgravel

Reason

Actively running malicious software or the active exploitation of vulnerabilities for the purpose of compromising security or causing harm.

Comments

GITHUB get on your abuse and policys. or hire someone like me or someone can remove this garbage....

POSTED as a issue on the user commit.

https://github.com/massgravel/Microsoft-Activation-Scripts/issues/1446

Beyond Activation — Unmasking Malicious Loader Activity Disguised as Utility Tools (The MAS Threat)
By: [Doobie] | Date: [2026-05-20]
(This report analyzes artifacts related to the widely circulated "Microsoft Activation Scripts," identifying significant Indicators of Compromise (IOCs) suggesting these tools are being weaponized for payload delivery rather than legitimate software activation.)

::::::Before i start::::

I noticed the mods quickly discredit people(s) obvious and real questions Security/Intragity and just being validated that their right. the people asking questions "DONT" need a degree to be valid/half educated to know. That being said i do think some are just poking around but they are onto somthing neverless!

MASDEV do not tell me your code is 100% i know and spent hours looking around. and without going into to much detail that would give away alot my research i made this simple to read and limited for reasons. you guys can go ahead and update Your code over and over after you pretend.

I. Introduction: The Illusion of Legitimacy
On the surface, scripts like those found at massgrave.dev or hosted on related GitHub repositories present themselves as simple utilities designed to activate Microsoft products. This facade is dangerously misleading. A thorough technical analysis reveals that these tools are not merely activators; they function as advanced delivery systems—or loaders—for sophisticated malware, indicating a malicious intent far beyond product key management.

Our research indicates that the sophistication used to conceal this malicious payload vastly outweighs any genuine necessity for legitimate software utility. When a script requires extreme obfuscation and multiple complex evasion techniques just to achieve basic execution, it raises serious red flags.

II. Technical Deep Dive: The Evidence of Malice
The artifacts recovered paint a clear picture of targeted threat activity, utilizing classic Tactics, Techniques, and Procedures (TTPs) associated with advanced persistent threats (APTs).

:::: Reconnaissance and Evasion ::::::::::::::

Before any payload can drop, the malware must check its surroundings. We observed definitive evidence of this reconnaissance:

::::::Anti-Forensics Check::::

The presence of a WMI query string artifact designed to specifically search for AntiVirusProduct confirms that the attacker is checking if security tools (like Antivirus or Firewalls) are active before proceeding. This is textbook behavior for an adversary mapping out defenses.

::::Obfuscation Overkill::::

Multiple instances of suspicious obfuscation artifacts, such as those related to pdfexaminer_obfuscation(really?), point to a concerted effort to confuse detection engines rather than improve readability. The unnecessary complexity suggests that the authors are prioritizing evasion over clean functionality.:::::::::::::::

. Payload Delivery and Execution

The scripts themselves contain multiple pathways for malicious code injection:

Suspicious Process Chains: We observed strings referencing outlook.exe being utilized in conjunction with information gathering and login processes. This suggests a technique of "living off the land," where legitimate system processes are hijacked to hide the true payload activity (a common tactic used by threat actors).
Advanced Scripting Techniques: The code shows references to advanced PowerShell functions, including PRNG (Pseudo-Random Number Generator) usage within script logic (($URL in $URLs | Sort-Object { Get-Random })). This indicates highly customized, anti-static analysis scripting designed to make reverse engineering exponentially harder.
The Loader Function: The activity chain leads directly to the detection of loaders like Cosmali Loader and XWorm PowerShell. These are known components used for initial access and subsequent lateral movement within a network.

::::::::: Command & Control (C2) Infrastructure ::::::::::::::

The malicious operation requires reliable communication channels. We have identified critical infrastructure points:

":::::Delivery Points:::::::

The scripts rely heavily on fetching files via HttpRequest from specific, suspicious domains like git.activated.win/Microsoft-Activation-Scripts/..., suggesting these are the primary distribution vectors (DVs).
Suspicious Infrastructure Links: Furthermore, linked IPs and domains associated with the activity—such as 185.199.110.153 or infrastructure tied to Let's Encrypt — are frequently linked in threat intelligence reports to various APT groups, indicating that this malware framework is part of a larger, organized campaign effort (potentially targeting government sectors, based on consumer ID patterns).

:::: A Warning to the Community :::
The evidence strongly suggests that these "activation scripts" are not harmless utilities. They are packaged Trojan horses designed to gain initial foothold access and download secondary malicious payloads. The technical complexity employed for evasion—combined with clear indicators of reconnaissance (WMI queries) and payload delivery artifacts (Cosmali Loader)—is too high, and the operational risk is too great, for any legitimate utility tool.

This email is a service from GitHub Support.

[R0WKDL-0YN93]

Evan Ullberg <evanullberg@gmail.com> Thu, May 21, 2026 at 10:42 AM
To: GitHub Developer Support <developer@githubsupport.com>

If you require more information please let me know.

Im a non profit person that belives in real morals. I like to reverse and review code as a hobby...

These people talk me down and discriminate. Discredit everyone including my self. I gave them bit coin wallet address. Private address. Secondary loader ioc. Anti vm machine and disables windows defender.

They banned me from all social media soon after.

They say its open source but thats only half true. It spawns downloads behind scene and loader before windows even knows.
[Quoted text hidden]

Evan Ullberg <evanullberg@gmail.com> Tue, May 26, 2026 at 10:55 PM
To: GitHub Developer Support <developer@githubsupport.com>

they claim to be open source but hlf the real code is obfuscated.

webfile: C:\Users\evan\Downloads\massgravel.github.io-main.zip|https://git.activated.win/massgravel.github.io/snapshot/massgravel.github.io-main.zip|pid:2908,ProcessStart:134237949514470861

webfile: C:\Users\evan\Downloads\Ohook_Activation_AIO.cmd|https://github.com/|pid:16060,ProcessStart:134243247451151458

In the :dk_done section, the script uses start to execute external programs based on user input:

if !errorlevel!==1 (start %selfgit% & start %github% & for %%# in (%fixes%) do (start %%#))
Security Implication: The variables %selfgit%, %github%,

and the list of executables in fixes are executed upon user selection. If these external files are compromised, or if the script is run on a system where those paths lead to malicious payloads, the code would execute them automatically.

On Thu, May 21, 2026 at 10:42 AM Evan Ullberg <evanullberg@gmail.com> wrote:

> If you require more information please let me know.
>
> Im a non profit person that belives in real morals. I like to reverse and review code as a hobby...
>
> These people talk me down and discriminate. Discredit everyone including my self. I gave them bit coin wallet address. Private address. Secondary loader ioc. Anti vm machine and disables windows defender.
>
> They banned me from all social media soon after.
>
> They say its open source but thats only half true. It spawns downloads behind scene and loader before windows even knows.
>
> On Thu, May 21, 2026, 9:05 a.m. GitHub Developer Support <developer@githubsupport.com> wrote:
>
> > ## Please do not write below this line ##
> >
> > Your request has been updated.
> >
> > You can add a comment by replying to this email.

You guys still have this online?
[Quoted text hidden]

Evan Ullberg <evanullberg@gmail.com> Wed, May 27, 2026 at 8:56 PM
To: GitHub Developer Support <developer@githubsupport.com>

i don't understand how you guys have no precautions in place for any APT. like its been a week now with one reply. it doesn't take a rocket scientist to tell you what they're doing if trained. I supplied all the info on their code and IOC, how ?????????
[Quoted text hidden]

Evan Ullberg <evanullberg@gmail.com> Mon, Jun 1, 2026 at 11:45 PM
To: GitHub Developer Support <developer@githubsupport.com>

This report documents security concerns identified during analysis of Microsoft Activation Scripts (MAS), related domains, downloaded artifacts, and associated infrastructure. The objective is to assess whether the observed behavior is consistent with legitimate software distribution, potentially unwanted software, or malware-related activity.

The findings identify numerous behaviors commonly associated with malware and offensive tooling, including PowerShell-based execution, remote payload retrieval, security product enumeration, process spawning, obfuscation indicators, and anti-analysis techniques. However, further investigation is required to conclusively determine whether specific malware families were distributed directly by the official project or by third-party clones and mirrors.

Scope

Reviewed items include:

- MAS_AIO.cmd
- Referenced PowerShell execution chains
- Download infrastructure
- GitHub repositories
- Related domains
- Observed indicators of compromise (IOCs)
- VirusTotal and sandbox observations
- Public reporting concerning Cosmali Loader and XWorm

Observed Technical Findings

1. Remote Payload Retrieval

Observed downloads from:

- raw.githubusercontent.com
- dev.azure.com
- git.activated.win
- get.activated.win
- massgrave.dev

Behavior:

- PowerShell-based retrieval of remote content
- Execution of downloaded content
- Multiple fallback download sources

Risk:

- Remote payload retrieval allows post-delivery modification of behavior.
- Security review of the initial script may not fully reveal final executed code.

Severity: Medium to High

---

2. Security Product Enumeration

Observed indicators:

PowerShell queries against:

root\SecurityCenter2

Class:

AntiVirusProduct

Purpose:

- Enumerate installed antivirus products
- Detect third-party security software

Risk:

Commonly observed in:

- Malware
- Red-team tooling
- Security assessment tools
- Troubleshooting utilities

Severity: Medium

---

3. PowerShell Execution

Observed:

- Extensive PowerShell usage
- Secondary script execution
- External content retrieval

Risk:

PowerShell is a common administration tool but is also heavily abused by threat actors.

Relevant ATT&CK Technique:

T1059.001 – PowerShell

Severity: Medium

---

4. Process Creation Activity

Observed:

Start-Process

and related execution behavior.

Potential impact:

- Execution of downloaded components
- Launching secondary programs
- Chained execution

Severity: Medium

---

5. Anti-Analysis Indicators

Reported observations include:

- Virtual machine detection
- Sandbox evasion
- Delayed execution
- Environmental checks

Potential ATT&CK mappings:

- T1497 – Virtualization/Sandbox Evasion

Risk:

These behaviors are frequently associated with malware attempting to avoid automated analysis.

Severity: High

---

6. Obfuscation Indicators

Reported detections:

- PDFExaminer obfuscation rule
- toString() related signatures

- Encoded script content

Potential ATT&CK mapping:

T1027 – Obfuscated Files or Information

Risk:

Obfuscation reduces transparency and complicates analysis.

Severity: Medium

---

7. Persistence Indicators

Reported persistence mechanisms:

- Startup entries
- Registry modifications

Potential ATT&CK mappings:

- T1547 – Boot or Logon Autostart Execution

Severity: High

Infrastructure Analysis

Domains

Observed domains include:

- massgrave.dev
- get.activated.win
- git.activated.win

Assessment:

These domains should be reviewed for:

- Historical DNS records
- TLS certificate history
- Hosting relationships
- Downloaded payload lineage

IP Addresses

Observed IPs:

- 185.199.108.133
- 185.199.109.153
- 185.199.110.153
- 185.199.111.153

Assessment:

These IPs belong to GitHub Pages / Fastly infrastructure.

Important:

The presence of malicious content associated with shared CDN infrastructure does not independently implicate every repository or domain hosted behind that infrastructure.

Malware Associations

Cosmali Loader

Public reporting has linked fake MAS-themed distribution channels with Cosmali Loader infections.

Observed reporting suggests:

- MAS-themed lures
- PowerShell execution chains
- XWorm deployment

Further validation is required to establish whether infections originated from:

- Official repositories
- Third-party mirrors
- Clone websites
- Repackaged downloads

XWorm

Reported associations:

- Remote access functionality
- Credential theft
- System surveillance

Evidence should be validated through:

- Hash correlation
- Behavioral analysis
- Network telemetry
- Process execution chains

Indicators of Interest

Hashes

SHA256:

d94b1abcba24d26c5fbe114a15b53a558684d74a1accff79bbb2407be7102a89

Additional hashes identified:

- bbb68fcbfbbe2ab1cc7c6d3390be5b4ac64baae71d7ca71b347abe7646c674dd
- a7364897acdb689c0a629a7ec10fb3a6458e75eb11b40ede5988e716664fc675
- dc4f889f1eabc5f14c24a851121992ff0e1b55b6d46275a366b0de2ecd5d4d5d
- a61003040854b1aa07438a5c739f70fc94c10b5aa7686dcc9b986cdbc0e95c03

[Quoted text hidden]

Evan Ullberg <evanullberg@gmail.com> Mon, Jun 1, 2026 at 11:49 PM
To: GitHub Developer Support <developer@githubsupport.com>

GITHUB need to do your job instead of hiding under a carpet.
this is a legal notice of CLASS ACTION
hire people like me that can do their job!
atleast pay someone to respond to me instead of pretending to know your looking into it... common man been 18 months
[Quoted text hidden]

Evan Ullberg <evanullberg@gmail.com> Mon, Jun 1, 2026 at 11:53 PM
To: GitHub Developer Support <developer@githubsupport.com>

Tactics

ID	Name	Adversary action	Created	Updated
TA0043	Reconnaissance	The adversary is trying to gather information they can use to plan future operations.	2 Oct, 2020	25 Apr, 2025
TA0042	Resource Development	The adversary is trying to establish resources they can use to support operations.	30 Sep, 2020	25 Apr, 2025
TA0001	Initial Access	The adversary is trying to get into your network.	16 Oct, 2018	25 Apr, 2025
TA0002	Execution	The adversary is trying to run malicious code.	16 Oct, 2018	25 Apr, 2025
TA0003	Persistence	The adversary is trying to maintain their foothold.	16 Oct, 2018	25 Apr, 2025
TA0004	Privilege Escalation	The adversary is trying to gain higher-level permissions.	16 Oct, 2018	25 Apr, 2025
TA0005	Defense Evasion	The adversary is trying to avoid being detected.	16 Oct, 2018	25 Apr, 2025
TA0006	Credential Access	The adversary is trying to steal account names and passwords.	16 Oct, 2018	25 Apr, 2025
TA0007	Discovery	The adversary is trying to figure out your environment.	16 Oct, 2018	25 Apr, 2025
TA0008	Lateral Movement	The adversary is trying to move through your environment.	16 Oct, 2018	25 Apr, 2025
TA0009	Collection	The adversary is trying to gather data of interest to their goal.	16 Oct, 2018	5 Sep, 2024
TA0011	Command and Control	The adversary is trying to communicate with compromised systems to control them.	16 Oct, 2018	25 Apr, 2025
TA0010	Exfiltration	The adversary is trying to steal data.	16 Oct, 2018	25 Apr, 2025
TA0040	Impact	The adversary is trying to manipulate, interrupt, or destroy your systems and data.	14 Mar, 2019	25 Apr, 2025

[Quoted text hidden]

Evan Ullberg <evanullberg@gmail.com> Sat, Oct 31, 2026 at 11:11 PM
To: GitHub Developer Support <developer@githubsupport.com>

im wondering why i never got a reply from support from valid malicious complaint. i would like talk to someone that treats this seriously. gave and have more proof of only one alone of threat actors and also pirated content. you guys have failed everyone here and i can easy spot said issues but yet not taken seriously. I waited a year for a response to be shoved under. this logs and issues and direct contact devs saying same thing, im gunna email tomorrow or next few days to the news reporters of how github r↓ns its repos publicly. you guys publicly allow bad actors to use your service. with proof.
[Quoted text hidden]

Evan Ullberg <evanullberg@gmail.com> Sat, Oct 31, 2026 at 11:21 PM
To: GitHub Developer Support <developer@githubsupport.com>

I heard that developer @ developer@githubsupport.com has been served a year's notice one one incident without even doing any investigative responsibilities on their own and behalf.. this will serve as a class action notice and private law issue. I have yet to receive a responsible reply from any info sent from more information retained. baseline, should of and purpose of a formal response with no reply. this will be a final notice before litigation. their is many other investigated users that also contribute to said APT but also many others gathering into a portfolio.
[Quoted text hidden]

Evan Ullberg <evanullberg@gmail.com> Sat, Oct 31, 2026 at 11:27 PM
To: GitHub Developer Support <developer@githubsupport.com>

GitHub Abuse Report — Account: hefung (U: hefung)

Submission metadata

- **Reported user:** hefung — https://github.com/hefung
- **Report type:** User-level abuse (cluster of activity across multiple repositories)
- **Report URL:** https://github.com/hefung?tab=repositories
- **Target policy:** GitHub Acceptable Use Policy — "Active Malware or Exploits" (and Terms of Service re: platform resource abuse / creating resources for activity generation)
- **Evidence sources:** GitHub repository pages, raw GitHub content, upstream security report, sandbox analysis

---

Summary

The account hefung (何丰) maintains a repository portfolio (~30+ public repos) that is overwhelmingly composed of forks of other people's toolchains, concentrated in domains that violate GitHub's Acceptable Use Policy and Terms of Service: Windows/Office activation tooling with documented anti-AV and payload-delivery behavior, office-subscription "freshing" via GitHub Actions, automated RDP deployment with default credentials, and temp/anti-forensic email infrastructure.

Evidence 1 — Microsoft-Activation-Scripts fork (activation / distribution channel)

- **Repository:** https://github.com/hefung/Microsoft-Activation-Scripts
- **Upstream:** massgravel/Microsoft-Activation-Scripts (527 commits, 2 branches, 28 tags)
- **README install command (verbatim):**

```
irm https://get.activated.win | iex
```

and fallback:

```
iex (curl.exe -s --doh-url https://1.1.1.1/dns-query https://get.activated.win | Out-String)
```

`irm` + `iex` is a remote PowerShell download-and-execute one-liner.

- **Link to upstream security analysis:** massgravel/Microsoft-Activation-Scripts Issue #1446, opened 2026-05-20 by `doobieevan`:
  https://github.com/massgravel/Microsoft-Activation-Scripts/issues/1446

  Doobie's report documents, in the upstream codebase:
  - **Anti-forensics / reconnaissance:** WMI query artifact searching for `AntiVirusProduct` to detect AV/Firewall presence before proceeding.
  - **Obfuscation overkill:** repeated `pdfexaminer_obfuscation` artifacts, described as "a concerted effort to confuse detection engines rather than improve readability."
  - **Living-off-the-land process chains:** strings referencing `outlook.exe` for information gathering and login processes.
  - **Anti-static-analysis scripting:** PRNG usage `( $URL in $URLs | Sort-Object { Get-Random })` to randomize download URLs per-run.
  - **Known-malware loader components:** chains referencing `Cosmali Loader` and `XWorm PowerShell` (initial access / lateral movement).
  - **C2 / distribution infrastructure:** `git.activated.win` as the primary distribution vector; `185.199.110.153` and Let's Encrypt–correlated infrastructure "frequently linked in threat intelligence reports to various APT groups."

- **Sandbox corroboration:** ANY.RUN analysis of `https://get.activated.win/` (2026-01-05) — verdict **Malicious activity**, tags `powershell anti-evasion arch-exec`. Process tree shows msedge.exe opening 185.199.109.153:443; script contains `Check3rdAV` logic, SHA256 `releaseHash` verification, `Autorun` registry checks, and `Start-Process` elevation to `cmd.exe`.
  https://app.any.run/tasks/5d3d7ea2-ee63-4e24-979c-817f103eff8e

---

Evidence 2 — E5-Rclone-Actions-Repo (GitHub Actions platform-resource abuse / subscription fraud)

- **Repository:** https://github.com/hefung/E5-Rclone-Actions-Repo
- **Upstream:** ChirmyRam/E5-Rclone-Actions-Repo

- **Workflow schedule (verbatim):**

```yaml
on:
  workflow_dispatch:
  schedule:
    - cron: 0 22 1/2 * *
```

```
Every 2nd day at 22:00 UTC (= 06:00 Beijing).

- **Workflow body (verbatim):**

```yaml
- name: Install rclone #安装rclone
  run: curl https://rclone.org/install.sh | sudo bash

- name: Run rclone #运行rclone
  run: |
    delay() { random_time=$(($RANDOM % $1)); echo "等待 ${random_time} 分钟后开始签到"; for((i=1;i<=${random_time};i++)); do sleep 1m; done; }
    delay 30
    sudo cp /usr/share/zoneinfo/Asia/Shanghai /etc/localtime
    rclone lsf e5:/ > "lsf.log"
    rclone mkdir e5:/E5-Rclone-Actions-Repo/
    rclone move lsf.log e5:/E5-Rclone-Actions-Repo/
    rclone delete e5:/E5-Rclone-Actions-Repo/lsf.log
    rclone rmdir e5:/E5-Rclone-Actions-Repo/
```

This orchestrates a periodic OneDrive interaction loop designed to keep an Office E5 subscription "alive." The README openly acknowledges it is against GitHub's rules:

> "Github严厉打击在公共仓库使用actions刷自动脚本的行为，轻则封仓库，重则封号，像我一样头铁的可以试试"
> ("GitHub strictly punishes using Actions auto-scripts in public repos; light: repo ban, heavy: account ban. Try it like me, a die-hard.")

This constitutes **creating platform resources with the intent to generate activity / platform-resource abuse**, and is a known GitHub Terms-of-Service violation pattern.

Evidence 3 — enigmano-free-rdp (automated RDP deployment / attack infrastructure)

- **Repository:** https://github.com/hefung/enigmano-free-rdp
- **Upstream:** Ckc9898/enigmano-free-rdp

- **Workflow schedule (verbatim):**

```yaml
on:
  workflow_dispatch:
    inputs:
      instance_number:
        description: 'Instance Number (1-10)'
        required: true
        default: '1'
        type: string
```

- **Workflow body (verbatim):**

```powershell
Set-ItemProperty -Path 'HKLM:\System\CurrentControlSet\Control\Terminal Server' -name "fDenyTSConnections" -Value 0
Enable-NetFirewallRule -DisplayGroup "Remote Desktop"
$Password = ConvertTo-SecureString "P@ssw0rd!" -AsPlainText -Force
Set-LocalUser -Name "runneradmin" -Password $Password
Add-LocalGroupMember -Group "Remote Desktop Users" -Member "runneradmin"
Invoke-WebRequest -Uri "https://bin.equinox.io/c/bNyj1mQVY4c/ngrok-v3-stable-windows-amd64.zip" -OutFile "ngrok.zip"
Start-Process -FilePath "C:\ngrok\ngrok.exe" -ArgumentList "tcp 3389" -WindowStyle Hidden
```

The README advertises automated provisioning of "64-core CPU, 16GB RAM, and 3GB/s internet speed using GitHub Actions," with pre-set default credentials `runneradmin` / `P@ssw0rd!`, and a persistent ngrok TCP 3389 tunnel. This is an **automated remote-access build-and-deploy pipeline** that can be used as attack infrastructure (unauthorized remote access), which GitHub's Acceptable Use Policy prohibits as "attack infrastructure."

Evidence 4 — cloudflare_temp_email (anti-forensic / temp-mail infrastructure)

- **Repository:** https://github.com/hefung/cloudflare_temp_email
- **Upstream:** dreamhunter2333/cloudflare_temp_email

- **README feature list (verbatim excerpt):**
  - "使用 `password` 重新登录之前的邮箱"
  - "获取自定义名字的邮箱，`admin` 可配置黑名单"
  - "支持发送邮件"
  - "支持 `DKIM`"
  - "添加 `SMTP proxy server`，支持 `SMTP` 发送邮件, `IMAP` 查看邮件"
  - "增加自动回复功能"
  - "增加查看 `附件` 功能"
  - "增加访问密码，可作为私人站点"

Temp/anti-forensic mailboxes are standard infrastructure for account-creation abuse, verification-code sniffing, and dropping forensic traces. This repo is a redistribution of a third-party project, but its presence alongside the activation/fraud cluster contributes to the account's overall profile.

```

Evidence 5 — Inventory pattern (fork-heavy redistribution "parking lot")

Of the 30+ public repositories on the account, the majority are "Forked from …":

Repo	Forked from
`Microsoft-Activation-Scripts`	massgravel/Microsoft-Activation-Scripts
`E5-Rclone-Actions-Repo`	ChirmyRam/E5-Rclone-Actions-Repo
`enigmano-free-rdp`	Ckc9898/enigmano-free-rdp
`cloudflare_temp_email`	dreamhunter2333/cloudflare_temp_email
`Cloudflare_vless_trojan`	yonggekkk/Cloudflare-vless-trojan
`edgetunnel`	cmliu/edgetunnel
`epeius`	cmliu/epeius
`bot`	LloydAsp/nfd
`free-llm-api-resources`	jtig37/free-llm-api-resources
`mas`	massgravel/massgrave.dev
`ACL4SSR`	cmliu/ACL4SSR
`msdl`	own
`PayQrcode`	uxiaohan/PayQrcode

This is a redistribution/parking-lot pattern: grab popular toolchains, re-host under a single persona, and push them outward with minimal original contribution.

Policy references

1. **GitHub Acceptable Use Policy — Active Malware or Exploits:**
   https://docs.github.com/en/site-policy/acceptable-use-policies/github-active-malware-or-exploits
   > "We do not allow anyone to use our platform in direct support of unlawful attacks that cause technical harms, such as using GitHub as a means to deliver malicious executables or as attack infrastructure."

2. **GitHub Terms of Service — Platform resource abuse / activity generation:**
   https://docs.github.com/en/site-policy/acceptable-use-policies/github-community-guidelines
   (Creating resources with the intent of generating platform activity is prohibited.)

3. **GitHub abuse reporting guidance:**
   https://docs.github.com/en/communities/maintaining-your-safety-on-github/reporting-abuse-or-spam

---

Recommended actions

1. **Restrict or disable** the repository `hefung/Microsoft-Activation-Scripts` (content deemed "active malware" by upstream analysis and sandbox verdict on its distribution domain).
2. **Review access/actions for** `hefung/E5-Rclone-Actions-Repo` (platform-resource abuse pattern).
3. **Review access/actions for** `hefung/enigmano-free-rdp` (potential attack infrastructure).
4. **Scrutinize** the remaining fork-repos for similar patterns.
5. **Consider account-level review** given the aggregate cluster of abuse-adjacent activity.

Attachments

- https://github.com/hefung/Microsoft-Activation-Scripts (README, fork of massgravel/MS-AS)
- https://github.com/hefung/E5-Rclone-Actions-Repo (workflow: E5-Rclone-Actions-Repo.yml)
- https://github.com/hefung/enigmano-free-rdp (workflow: windows-rdp.yml)
- https://github.com/hefung/cloudflare_temp_email (README)
- massgravel/Microsoft-Activation-Scripts Issue #1446 (Doobie report)
- https://get.activated.win/ (ANY.RUN sandbox: malicious activity)
- https://github.com/hefung (user profile)

Report compiled from publicly available GitHub content, raw repository files, and third-party sandbox analysis. All line references are verbatim from the cited sources.
[Quoted text hidden]