Heuristic under-estimating cost tends to value the established past (tracked by cost) over an uncertain future (estimated by heuristic)

Heuristic under-estimating cost tends to value the established past (tracked by cost) over an uncertain future (estimated by heuristic)

A-star as a tweak of breadth-first:

tree with branching factor b, counted by geometric series

$$1+b+b^2+b^3+\cdots+b^n = \sum_{k=0}^n b^k = \frac{1-b^{n+1}}{1-b}$$

Heuristic under-estimating cost tends to value the established past (tracked by cost) over an uncertain future (estimated by heuristic)

A-star as a tweak of breadth-first:

tree with branching factor b, counted by geometric series

$$1+b+b^2+b^3+\cdots+b^n = \sum_{k=0}^n b^k = \frac{1-b^{n+1}}{1-b}$$

Shift:

▶
$$b = 2 \iff b = 1/2$$
 (discounting future)

Heuristic under-estimating cost tends to value the established past (tracked by cost) over an uncertain future (estimated by heuristic)

A-star as a tweak of breadth-first:

tree with branching factor b, counted by geometric series

$$1+b+b^2+b^3+\cdots+b^n = \sum_{k=0}^n b^k = \frac{1-b^{n+1}}{1-b}$$

Shift:

- ▶ $b = 2 \implies b = 1/2$ (discounting future)
- ▶ frontier search from start → back up from goal

Heuristic under-estimating cost tends to value the established past (tracked by cost) over an uncertain future (estimated by heuristic)

A-star as a tweak of breadth-first:

tree with branching factor b, counted by geometric series

$$1 + b + b^2 + b^3 + \dots + b^n = \sum_{k=0}^n b^k = \frac{1 - b^{n+1}}{1 - b}$$

Shift:

- ▶ $b = 2 \implies b = 1/2$ (discounting future)
- ▶ frontier search from start → back up from goal
- ▶ arc ≈ action, subject to a reward

Heuristic under-estimating cost tends to value the established past (tracked by cost) over an uncertain future (estimated by heuristic)

A-star as a tweak of breadth-first:

tree with branching factor b, counted by geometric series

$$1+b+b^2+b^3+\cdots+b^n = \sum_{k=0}^n b^k = \frac{1-b^{n+1}}{1-b}$$

Shift:

- ▶ $b = 2 \iff b = 1/2$ (discounting future)
- ▶ frontier search from start → back up from goal
- ▶ arc ≈ action, subject to a reward
- ▶ heuristic cost estimate h-to-minimize

reward *H*-to-maximize

Shifting perspectives: from searching to learning

Heuristic under-estimating cost tends to value the established past (tracked by cost) over an uncertain future (estimated by heuristic)

A-star as a tweak of breadth-first:

tree with branching factor b, counted by geometric series

$$1+b+b^2+b^3+\cdots+b^n = \sum_{k=0}^n b^k = \frac{1-b^{n+1}}{1-b}$$

Shift:

- ▶ $b = 2 \implies b = 1/2$ (discounting future)
- ▶ frontier search from start → back up from goal
- ▶ arc ≈ action, subject to a reward
- ► heuristic cost estimate *h*-to-minimize ~>

reward H-to-maximize

approximate $H = \lim_{n \to \infty} H_n$ based on look-ahead n

learning in stages