CSSE 404, MiniJava Grammar

Dillon Scroggin, Kyle Dooley March 28, 2014.

```
Program
                      MainClassDecl ClassDecl*
{\bf ClassDecl^*}
                      {\it ClassDecl*}
{\bf MainClassDecl}
                      class ID { public static void main(String[] ID ){ Stmt* }}
                 \rightarrow
\operatorname{Stmt}^*
                      Stmt Stmt*
                      class ID { ClassVarDecl* MethodDecl* }
ClassDecl
                       class ID extends ID { ClassVarDecl* MethodDecl* }
MethodDecl*
                      MethodDecl MethodDecl*
ClassVarDecl*
                      ClassVarDecl* ClassVarDecl*
{\bf ClassVarDecl}
                      Type ID;
MethodDecl
                      public Type ID ( Formal* ){ Stmt* return Expr;}
Formal*
                      Formal+
Formal+
                      Formal, Formal+
                       Formal
Formal
                      Type ID
Type
                      int
                       boolean
                       ID
\operatorname{Stmt}
                      Type ID = Expr;
                       { Stmt* }
                      if( Expr ) Stmt else Stmt
                       while (Expr ) Stmt
                       System.out.println( Expr );
                       ID = Expr;
```

```
\operatorname{Expr}
                Expr2 || Expr
                 Expr2
Expr2
                Expr3 && Expr2
                Expr3
                Expr4 == Expr3
{\rm Expr3}
                 Expr4 != Expr3
                Expr4
Expr4
                Expr5 < Expr4
                {\rm Expr5} > {\rm Expr4}
                {\rm Expr5} <= {\rm Expr4}
                Expr5 >= Expr4
                Expr5
Expr5
                Expr6 + Expr5
                 Expr<br/>6 - Expr<br/>5
                 Expr6
Expr6
                Expr7 * Expr6
                 Expr7 / Expr6
                Expr7
Expr7
                - Expr7
                ! Expr7
                {\rm Expr} 8
{\rm Expr8}
                Expr9 Expr8'
Expr8'
                 . ID ( \rm Expr8^* ) \rm Expr8'
Expr8*
                Expr8+
Expr8+
                Expr , Expr8+
                \operatorname{Expr}
Expr9
                new ID ()
                ID
                this
                Integer
                null
                 true
                 false
                 (Expr)
```