

Menu

- [Getting Started](#)
- [Light and Dark version](#)
- [Pages](#)
 - ◆ [How to add a new page](#)
 - ◆ [Anchors](#)
 - ◆ [Animation](#)
- [Menu](#)
 - ◆ [Menu Elements](#)
 - ◆ [Inverted Menu](#)
 - ◆ [Horizontal Menu](#)
 - ◆ [Social Links](#)
- [Main Page](#)
 - ◆ [Background Image](#)
 - ◆ [Background color](#)
 - ◆ [Фонове відео](#)
 - ◆ [Countdown Clock](#)
- [Contact Form](#)
- [Notify Me](#)
- [Sliders](#)
 - ◆ [Team Slider](#)
 - ◆ [Portfolio Slider](#)
 - ◆ [Services Slider](#)
- [Credits](#)

Getting Started

First of all unzip the recieved archive into any folder. Next step is to change the logo: to do that, change `src=""` image in the block with the class `.logo`. Next it is necessary to generate the favicons of the site, use this site realfavicongenerator.net, than choose the paragraph “ I cannot or I do not want to place favicon files at the root of my web site. Instead I will place them here” and specify the path `/img/favicon` and rewrite the generated code from the site.

```
<link rel="apple-touch-icon" sizes="57x57" href="img/favicon/apple-touch-icon-57x57.png">
<link rel="apple-touch-icon" sizes="60x60" href="img/favicon/apple-touch-icon-60x60.png">
<link rel="apple-touch-icon" sizes="72x72" href="img/favicon/apple-touch-icon-72x72.png">
<link rel="apple-touch-icon" sizes="76x76" href="img/favicon/apple-touch-icon-76x76.png">
<link rel="apple-touch-icon" sizes="114x114" href="img/favicon/apple-touch-icon-114x114.png">
<link rel="apple-touch-icon" sizes="120x120" href="img/favicon/apple-touch-icon-120x120.png">
<link rel="apple-touch-icon" sizes="144x144" href="img/favicon/apple-touch-icon-144x144.png">
<link rel="apple-touch-icon" sizes="152x152" href="img/favicon/apple-touch-icon-152x152.png">
<link rel="apple-touch-icon" sizes="180x180" href="img/favicon/apple-touch-icon-180x180.png">
<link rel="icon" type="image/png" href="img/favicon/favicon-32x32.png" sizes="32x32">
<link rel="icon" type="image/png" href="img/favicon/android-chrome-192x192.png"
sizes="192x192">
<link rel="icon" type="image/png" href="img/favicon/favicon-96x96.png" sizes="96x96">
<link rel="icon" type="image/png" href="img/favicon/favicon-16x16.png" sizes="16x16">
<link rel="manifest" href="img/favicon/manifest.json">
<link rel="mask-icon" href="img/favicon/safari-pinned-tab.svg" color="#5bbad5">
<meta name="msapplication-TileColor" content="#da532c">
<meta name="msapplication-TileImage" content="img/favicon/mstile-144x144.png">
<meta name="theme-color" content="#ffffff">
```


Light and Dark version

There are two types of color scheme on your choice

To set up a dark version, you need to enable the dark.css file

```
<link href="css/dark.css" rel="stylesheet">
```


Also, it is necessary to insert the dark overlay with the attributes
`data-overlay-color="" data-overlay-opacity=""`



Thereafter, to set up the light version, enable light.css file

```
<link href="css/light.css" rel="stylesheet">
```

Also, don't forget to enable the light overlay, as it was mentioned in the dark version




Pages

You can quickly and easily add new pages

How to add a new page

To add a new page you have to add a new container with the classes '.section' and '.container-fluid' into the element with the id="fullpage"



```
<div id="fullpage">
  <div class="section">
    ...
  </div>
  <div class="section">
    ...
  </div>
  <div class="section">
    ...
  </div>
</div>
```

Anchors

You can add Anchors with the usage of the attribute data-anchors

```
<div id="fullpage" data-anchors='["home", "about", "portfolio", "services",  
"contact"]'>
```

More you can find on [fullpage](#)

Animation

You can set animation to any page element by adding the class '.toanimate' and attributes data-animation="..." - for animation appearance

data-animation-delay="numb" - animation delay in ms

data-out-animation="..." - animation disappearance

data-out-animation-delay="numb" - animation disappearance delay in ms

All possible animation can be seen in the file animate.css

```
<div class="toanimate"  
  data-animation="fadeInDown"  
  data-out-animation="fadeOutUp"  
  data-animation-delay="300"  
  data-out-animation-delay="0">  
</div>
```


Menu

Menu blocks must be located after the block #fullpage

Menu Elements

You can easily add a menu element by creating a new tag with <a> which will have a link


```
<li class="text-uppercase"><a href="#contact">Contact</a>
```



Inverted Menu

To create an inverted menu you should use the class '.rotated-menu' that will have a block 'nav' and social links.


```
<div class="rotated-menu">
  <ul class="social-links">
    <li class="links"><a href="#"><i class="fa fa-facebook"></i></a></li>
    <li class="links"><a href="#"><i class="fa fa-google"></i></a></li>
    <li class="links"><a href="#"><i class="fa fa-dribbble"></i></a></li>
  </ul>
  <nav>
    <ul>
      <li class="text-uppercase"><a href="#contact"> Contact </a>
      <li class="text-uppercase"><a href="#services"> Services </a>
      <li class="text-uppercase"><a href="#portfolio"> Portfolio </a>
      <li class="text-uppercase"><a href="#about"> About </a>
      <li class="text-uppercase"><a href="#home"> Home </a>
    </ul>
  </nav>
</div>
```



Horizontal Menu

To create an horizontal menu you should use the class 'horizontal-menu' that will have a block 'nav' and social links.

```
<div class="horizontal-menu">
  <nav>
    <ul>
      <li class="text-uppercase"><a href="#contact"> Contact </a>
      <li class="text-uppercase"><a href="#services"> Services </a>
      <li class="text-uppercase"><a href="#portfolio"> Portfolio </a>
      <li class="text-uppercase"><a href="#about"> About </a>
      <li class="text-uppercase"><a href="#home"> Home </a>
    </ul>
  </nav>
  <ul class="social-links">
    <li class="links"><a href="#"><i class="fa fa-facebook"></i></a></li>
    <li class="links"><a href="#"><i class="fa fa-google"></i></a></li>
    <li class="links"><a href="#"><i class="fa fa-dribbble"></i></a></li>
  </ul>
</div>
```



Social Links

You can add social links using this html structure; more about them can be found here [fontawesome](#)

```
<ul class="social-links">  
  <li class="links"><a href="#"><i class="fa fa-facebook"></i></a></li>  
  <li class="links"><a href="#"><i class="fa fa-google"></i></a></li>  
  <li class="links"><a href="#"><i class="fa fa-dribbble "></i></a></li>  
</ul>
```



Main Page

There are three types of pages on your choice

Background Image

You can set the background image by adding a block with the class *bg* *data-background*="...", also you can add an overlay with such attributes as *data-overlay-color*="..." and *data-overlay-opacity*="..."


```
<div class="bg" data-background="img/BG.jpg" data-overlay-color="rgb(24, 36, 49)" data-overlay-opacity=".9"></div>
```



Background color

To set up the background color and to the block with the class *color-bg* attribute *data-background-color*="..."


```
<div class="color-bg" data-background-color="#2c3845"></div>
```



Background video

To set up the background video, add to the block with class *video-bg* attribute *data-video=""*. Also you can set the overlay and its opacity


```
<div class="video-bg" data-video="mountains" data-overlay-color="rgb(24, 36, 49)" data-overlay-opacity="0.8"></div>
```



Countdown Clock

You can add a countdown clock using this html structure; to show the clock all the time, use the class *none-hover*, to set up the end-time, use the attribute *data-countdown*


```
<div id="clock" data-countdown="2017/10/10">
  <div class="clock-days">
    <div class="default-clock">
      D
    </div>
    <div class="clock-hover">
      <span class="days"></span>
      <div class="smalltext">days</div>
    </div>
  </div>
  <div class="clock-hours">
    <div class="default-clock">
      H
    </div>
    <div class="clock-hover">
      <span class="hours"></span>
      <div class="smalltext">hours</div>
    </div>
  </div>
  <div class="clock-minutes">
    <div class="default-clock">
      M
    </div>
    <div class="clock-hover">
      <span class="minutes"></span>
      <div class="smalltext">minutes</div>
    </div>
  </div>
  <div class="clock-seconds">
    <div class="default-clock">
      S
    </div>
    <div class="clock-hover">
      <span class="seconds"></span>
      <div class="smalltext">seconds</div>
    </div>
  </div>
</div>
```



Contact Form

To set up the contact form, open the file /php/contact.php and change the variable \$to

```
<form id="contact-form" action="#" method="get">
  <div class="name">
    <input id="input-name" type="text" name="name">
    <label for="input-name">Name</label>
  </div>
  <div class="email">
    <input id="email" type="text" name="email">
    <label for="email">Email</label>
  </div>
  <div class="message">
    <textarea id="message" rows="3" name="msg"></textarea>
    <label for="message">Message</label>
  </div>
  <button type="submit" class="main-btn submit-btn text-uppercase">
submit message
  </button>
</form>
<div class="contact-help-block"></div>
```




Notify Me

To add a “Notify me” button, use this html code.

Then, in the file /php/subscribe.php change the variables \$MC_API_KEY = and \$MC_FORM_ID = into your own API and ID of Mailchimp

```
<div class="notify">
  <button class="main-btn notify-btn text-uppercase"
    type="button">Notify me
  </button>
  <form action="#" id="subscribe" class="subscribe-form">
    <input type="text" placeholder="Your Email" class="notify-input" name="email">
    <button type="submit" class="notify-input-btn"><i class="fa fa-angle-right"></i></button>
  </form>
  <div class="subscribe-help-block"></div>
</div>
```



Sliders


There are three types of sliders, which you can add and edit

Team Slider

Team slider can be added by this html example, to add a background, use the container with the class *carousel-overlay*

```
<div class="carousel-overlay"></div>

<div class="carousel-bottom">
  <div class="person-carousel">
    <div>
      
      <div class="person-rotate">
        <p class="text-uppercase person-name">john doe</p>
        <p class="person-post">Creative Director</p>
      </div>
    </div>
    <div>
      
      <div class="person-rotate">
        <p class="text-uppercase person-name">emma johnson</p>
        <p class="person-post">Project Manager</p>
      </div>
    </div>
  </div>
</div>
```




Portfolio Slider

To create a portfolio slider, use such html structure; into the attribute `tite='...'` you insert the title of the image

```

<div class="portfolio-carousel">
  <a href="img/popup-1.jpg" title="building"></a>
  <a href="img/popup-2.jpg" title="door"></a>
  <a href="img/popup-3.jpg" title="wood grain"></a>
  <a href="img/popup-4.jpg" title="air plane"></a>
  <a href="img/popup-5.jpg" title="blocks"></a>
  <a href="img/popup-6.jpg" title="valve"></a>
  <a href="img/popup-7.jpg" title="car"></a>
  <a href="img/popup-8.jpg" title="landscape"></a>
</div>

```



Services Slider

To add a services slider, use this html structure

```

<div class="services-carousel">
  <div class="services-item">
    <div class="services-icon">
      
    </div>
    <a class="text-uppercase">web design</a>
  </div>
  <div class="services-item">
    <div class="services-icon">
      
    </div>
    <a class="text-uppercase">branding</a>
  </div>
  <div class="services-item">
    <div class="services-icon">
      
    </div>
    <a class="text-uppercase">development</a>
  </div>
  <div class="services-item">
    <div class="services-icon">
      
    </div>
    <a class="text-uppercase">mobile app</a>
  </div>
</div>


```



```

<div class="services-item">
  <div class="services-icon">
    
  </div>
  <a class="text-uppercase">marceting</a>
</div>
<div class="services-item">
  <div class="services-icon">
    
  </div>
  <a class="text-uppercase">planing</a>
</div>
</div>

```



Credits

[jQuery](#) — Fast, small, and feature-rich JavaScript library.

[FullPage.js](#) — Plugin which create full screen pages fast and simple.

[Animate.css](#) — A cross-browser library of CSS animations.

[Font Awesome](#) — The iconic font and CSS toolkit.

[Unsplash](#) — Free photo stock.

[Bootstrap](#) — Framework for developing responsive, mobile first projects on the web.

[Magnific Popup](#) — a responsive lightbox & dialog script.

[HTML5-Background-Video](#) — jQuery Background video plugin for jQuery.

[Slick](#) — jQuery plugin that lets you create responsive carousel slider.