REDBELLY DAO COMMUNITY GUIDE

KYC and Wallet Activation Explainer

Do you need KYC, how long approval takes, how many wallets you can add, and what to do when it gets stuck. Every answer links to the official page or portal text it comes from.

LAST VERIFIED 22 OCT 2026

Two regional rules. Keep them apart.

REDBELLY COMMUNITY DAO

Open to general members from every region

The DAO vote that removed regional limits for general members closed on 5 July 2026. [S10] Limits still apply to High Council Members and General DAO Leadership.

REDBELLY NETWORK

Not offered in 18 jurisdictions

Clause 15.1 of the terms lists them. Clause 15.2 says people located in, or tax resident in, those places may not use the website, platform or tools. [S11] The DAO vote did not change this. See question 4.

PART A

Do I need KYC?

"KYC" here means Redbelly Access, with the identity check done by Averer. It lets a wallet send transactions on Redbelly mainnet. Find what you want to do. The answer is in the middle column.

I WANT TO	REDBELLY KYC	WHY
Off Redbelly mainnet		
Buy, hold or trade RBNT on an exchange For example Gate or MEXC	● NOT NEEDED	Your coins sit in your exchange account, not in a Redbelly mainnet wallet. The exchange's own account rules apply. [S6]
Hold, send or swap RBNT on another chain Bridged RBNT or wRBNT on Ethereum, Base, BNB Chain, Polygon, Arbitrum, Avalanche and others	● NOT NEEDED	That token lives on the other chain. Redbelly KYC only controls accounts on Redbelly Network. [S1] [S7] [S8]
On Redbelly mainnet		
Bridge RBNT onto Redbelly mainnet	● NEEDED	Once the coins arrive, every transaction you make with them needs an enabled wallet. Verify and enable first, then bridge. [S1] [S9]
Send, swap or use apps	● NEEDED	Every account must claim an access credential and be enabled before it can write to the network. [S1] [S2]
Bridge RBNT off Redbelly mainnet	● NEEDED	The bridge starts with a transaction sent from your Redbelly wallet. [S1] [S8]
Stake RBNT on Redbelly mainnet	● NEEDED	Staking is a `deposit` call on the mainnet staking contract, so the wallet must be enabled. [S12] [S1]
Vote in the Redbelly DAO	● NEEDED	The governance site says "Complete KYC to participate in DAO voting" and checks for a verified, enabled wallet. [S15]

● NEEDED verify and enable your wallet first. ● NOT NEEDED no Redbelly KYC involved. Staking through an exchange follows that exchange's rules.

● UNCONFIRMED DETAIL

No official page says whether a bridge can deliver RBNT to a Redbelly wallet that is not

> enabled yet. The answer above does not change, because you need an enabled wallet to move the coins once they arrive.

Native or bridged: the one line test

Native RBNT lives on Redbelly mainnet (chain ID 151). Bridged RBNT and wRBNT are tokens on other chains. [S14] [S7] If you never send a transaction on Redbelly mainnet, you do not need Redbelly KYC.



The same table as a 1080 x 1080 image for sharing. Download decision-guide.png

PART B

The five common questions

1. When do I need KYC, and when don't I?

You need it for anything on Redbelly mainnet: sending, swapping, bridging in or out, staking and DAO voting. You do not need it to hold RBNT on an

exchange or bridged RBNT on another chain.

Before a wallet can write to the network, its owner claims an access credential from an accredited issuer and then enables the wallet. [S1] [S3] Averer is the issuer behind Redbelly Access. [E5] DAO voting also needs a verified, enabled wallet, and eligibility is fixed at each proposal's snapshot, so verifying now may not qualify you for a vote already running. [S15] The Part A table covers each case.

2. How many wallets can I add to one KYC?

Up to 10 wallets per verified identity. At 10 the portal shows "Account allocation exhausted." and stops you adding more.

After your first wallet is enabled, Redbelly Access offers **Add another account** and **Link another wallet**, so more wallets join the same verified identity with no new check. [E4] [E5] The portal's own code checks for 10 linked accounts and then shows "Account allocation exhausted." in place of the add option. [E1] You are accountable for everything a linked wallet does on the network, so only link wallets you control. [E4]

3. How long does KYC approval take?

Usually a few minutes, in rare cases a few days. That is the portal's own wording while you wait.

The pending screen says: "This could take a few minutes but in some (rare) cases it could take a few days. Please check again soon." [E2] It is an estimate, not a promise. The portal's code has no fixed deadline beyond this. The one fixed number is the refresh: after you press **Check verification status** the portal waits `30 seconds` before it asks Averer again, so press it once and wait. [E2] What to do depends on the screen you see:

SCREEN TITLE	WHAT IT MEANS	WHAT TO DO
Identity verification pending	Averer is still checking.	Press **Check verification status** once and wait 30 seconds. Still pending after a few days: open an Averer ticket.
Identity verification incomplete	Averer "is not yet able to verify your identity". You may need to resubmit some information.	Press **Retry identity verification** and resubmit.

SCREEN TITLE	WHAT IT MEANS	WHAT TO DO
Identity verification failed	Averer "was not able to verify your identity".	Open an Averer ticket.
"It seems you haven't received the RBNT yet"	You are approved. The RBNT that pays for enabling has not arrived.	Wait a few minutes and press **RETRY**.

Wording copied from the portal. [E2] [E3]

4. Can I join from my country?

The DAO: yes, from any region, as a general member. Redbelly Network: not if you are in, or a tax resident of, one of the 18 jurisdictions in clause 15.1.

REDBELLY COMMUNITY DAO

The Snapshot vote "DAO Proposal: Increase Governance Accessibility and Protect Contributor Privacy" ran from `30 June` to `5 July 2026` and passed. [S10]

For	`8,514,893`
Against	`5,983,785`
Abstain	`1,340,338`

It removed regional restrictions for General DAO Members and kept them for High Council Members and General DAO Leadership. [S10] The same vote removed a voting whitelist. It did not remove KYC for voting. [S15]

REDBELLY NETWORK

Clause 15.1 lists the places where Redbelly does not offer services. Clause 15.2 says tax residents of, or people located in, those places "are not allowed to access or use our website, platform, and our software suite and tools". [S11] Redbelly Access is part of that platform.

Afghanistan | Central African Republic | North Korea | DR Congo | Guinea-Bissau* | Iran | Iraq | Lebanon | Libya | Myanmar | Russia | Somalia | South Sudan | Sudan | Syria | Ukraine | Yemen | Zimbabwe

*The terms spell it "Guinea-Bussau". North Korea appears as "Democratic People's Republic of Korea".

The DAO vote changed the DAO's own membership rule. It did not change Redbelly Network's terms.

5. Do I need KYC to stake?

Yes, to stake on Redbelly mainnet. Staking on an exchange follows that exchange's rules.

Staking means calling `deposit` on the StakingEscrowUpgradable contract on mainnet, and nodes stake `100,000 RBNT`. [S12] Node operators "MUST have network access for 2 accounts". [S13] Every write to Redbelly needs an enabled wallet. [S1] For a third-party staking app, no official page says, so ask the app.

PART C

Get verified and enable a wallet

You do this once, at access.redbelly.network. Redbelly Access is the official portal [S5] and Averer is the accredited issuer that checks your identity. The flow covers wallet connection, the KYC check and on-chain permission. [S4] Button names are written exactly as the portal shows them. [E3]

Before you start

- **MetaMask or Coinbase Wallet.** These are the wallets the portal names. [E5]
- **A valid passport.** The check uses a photo ID with biometric verification. [S1]
- **The address you want to use.** The account you connect becomes your public address on Redbelly Network. [E3]
- **No fee.** The issuer covers the fees for network access and sends the RBNT that pays for enabling. [E5] [E3]
- **Check your country.** People in the 18 clause 15.1 jurisdictions may not use the platform. [S11]

Steps

1 **Open the portal and connect**

Go to access.redbelly.network, press **Connect wallet** and approve in your wallet. [E3]

2 **If the wallet will not connect, add the network by hand**

Press **ADD NETWORK MANUALLY**, or enter these details in your wallet: [S14]

Network name	`Redbelly Network Mainnet`
RPC URL	`https://governors.mainnet.redbelly.network`
Chain ID	`151`
Currency symbol	`RBNT`
Block explorer	`https://redbelly.routescan.io/`

3 **Start verification**

On the "Get access credential" screen press **Begin identity verification**. [E3]

4 **Read the notice and continue to Averer**

The portal says Averer manages the check and your documents are not stored on Redbelly Network. Tick **I understand**, then press **Continue with Averer**. [E3]

5 **Sign the request in your wallet**

Your wallet asks you to let the accredited issuer access your public address. Sign it. [E3]

6 **Complete the check with Averer**

A window titled "Interacting with averer.co" opens. Submit your passport and finish the biometric check there. [S1] [E3]

7 Wait for approval

The screen shows "Identity verification pending". Usually a few minutes, in rare cases a few days. Press **Check verification status** to refresh. The portal takes 30 seconds to re-check. [E2]

8 Enable your account

After approval the account shows "Account status: Not enabled". Press **Enable account** and sign the transaction. If you see "It seems you haven't received the RBNT yet", wait a few minutes and press **RETRY**. [E3]

9 Check it worked

The account shows "Account status: Enabled" and the portal shows "Next steps". This wallet can now send, bridge, stake and vote on Redbelly mainnet. [E3]

Open Redbelly Access

Add another wallet to your verified identity

You do not verify again. Open the portal with a wallet that is already enabled and go to the Accounts section. Up to 10 wallets in total. [E1]

SAME WALLET APP, OTHER ADDRESS

Press **Add another account**. In your wallet, switch this site's connection to the address you want to add, then sign. [E4]

A DIFFERENT WALLET APP

Press **Link another wallet**. Connect the other wallet with the wallet button in the top right corner of the portal, then sign. [E4]

Then press **Enable account** for the new wallet, as in step 8. If the portal says the account "must first be funded with at least" a stated amount of RBNT, send that much from one of your enabled wallets and try again. [E3] After your first account is enabled the portal also offers a Testnet account. [E5]

This guide has no portal screenshots because the flow shows a real ID check and personal data.

PART D

When something goes wrong

The portal splits help in two. Problems with your identity check go to Averer. Connection or account errors go to Redbelly Support. [E5]

Approval is taking too long

1. Make sure you are on access.redbelly.network with the wallet you verified with.
2. Press **Check verification status** once and wait 30 seconds for the re-check.
3. Most checks take a few minutes and rare ones a few days. [E2] Still "Identity verification pending" after a few days: open an Averer ticket.

Verification was rejected or is incomplete

"Incomplete" means resubmit with **Retry identity verification**. "Failed" means contact Averer. The portal's **CONTACT AVERER** link goes to averer.co, and Averer's tickets are handled at the help portal below. [E2] [S19] No official page lists the reasons a check can fail, so do not guess one.

I reached the wallet limit

At 10 linked accounts the portal shows "Account allocation exhausted." and the add option goes away. [E1] No official page describes a way past 10, so use one of the 10 you have. If you see "The address you're trying to add is attached to another account.", that address is already linked to another identity and cannot join yours. [E4]

The wallet will not connect or the account will not enable

Add the network by hand as in Part C step 2. If you see "It seems you haven't received the RBNT yet", wait a few minutes and press **RETRY**. [E3] If it still fails, go to Redbelly Support, which points to the Redbelly Discord for help. [S16]

How to open a support ticket with Averer

1 **Open the ticket form**

Go straight to averer-help.freshdesk.com/support/tickets/new, or open the Averer help portal and press **Submit a ticket**. [S18] [S17]

2 **Fill in every field**

The form has **Full Name**, **Email Address**, **Subject**, **What is your issue?** and **Redbelly Wallet Address (Required)**. All five are mandatory. **Attach files** is optional. S18

3 **Say exactly what the screen shows**

Use the public address you verified with in Redbelly Access, and copy the screen title, for example "Identity verification failed", and when you started.

4 **Press Submit**

Check the wallet address first. A wrong address makes your ticket hard to match to your check.

Never put your seed phrase, private key or ID photos in a ticket, a direct message or a form. The ticket only needs your public wallet address. Anyone asking for more is not support.

Open the Averer ticket form

SHORT VERSION

Pin version for Discord or Telegram

Post this text with decision-guide.png. It uses the same wording as questions 2, 3 and 4. The text is also in pin.txt.

```
Do I need KYC on Redbelly? (decision guide image attached)

NOT NEEDED: buying, holding or trading RBNT on an exchange, or holding
bridged RBNT on another chain.
NEEDED: anything on Redbelly mainnet. Send, swap, use apps, bridge in or
out, stake, vote in the DAO.

Get verified at https://access.redbelly.network
Connect wallet, Begin identity verification, I understand, Continue with
Averer. After approval press Enable account.
You need MetaMask or Coinbase Wallet and a passport. No fee: the issuer
covers it.

Approval: usually a few minutes, in rare cases a few days. That is the
portal's own wording while you wait. Press Check verification status once,
it re-checks after 30 seconds. Still pending after a few days, or "Identity
```

```
verification failed": open an Averer ticket at https://averer-
help.freshdesk.com/support/tickets/new

Wallets: up to 10 wallets per verified identity. At 10 the portal shows
"Account allocation exhausted." and stops you adding more.

Regions: two separate rules. The DAO is open to general members from every
region (Snapshot vote closed 5 July 2026:
https://snapshot.box/#/s:rbnt.eth/proposal/0xa57ccc9a6d554c9e5a1b1ca429ad2a
ffc2e9058f12ea50bce999460f2aea4e02). Redbelly Network still does not offer
services in the 18 jurisdictions in clause 15.1 of its terms.

Never share your seed phrase, private key or ID photos.
Full guide and sources: https://pykyc.vercel.app/
Last verified 22 October 2026
```

SOURCES

Where every fact comes from

All checked on 22 October 2026. S numbers are pages. E numbers are the Redbelly Access portal's own text, with file names, SHA-256 hashes and search strings on the evidence page. Saved copies of the other sources are listed at the end of that page.

S1 vine.redbelly.network/identity/user-access/ OFFICIAL
Each user claims an access credential from an accredited issuer, then self enables the account. Needs a passport verified with biometric checks.

S2 vine.redbelly.network/identity/ OFFICIAL
All network participants must prove who they are before gaining access.

S3 vine.redbelly.network/identity/accredited-issuers/ OFFICIAL
Accredited issuers onboard users. Minimum requirement is a valid photo ID with biometric verification.

S4 docs.redbelly.network, IndividualOnboardingSDK overview OFFICIAL
Onboarding covers wallet authentication, KYC verification and on-chain permission setup.

S5 access.redbelly.network PORTAL
The official verification portal. Its on-screen text is quoted as E1 to E5.

S6 vine.redbelly.network/native-currency/ OFFICIAL
RBNT is the native coin. Lists Gate and MEXC, and Lucid Labs for bringing RBNT to Redbelly.

S7 vine.redbelly.network/bridged-tokens/layerzero/ OFFICIAL
Bridged RBNT addresses on Polygon, Ethereum, BSC, Arbitrum, Base, Avalanche and other chains.

S8 vine.redbelly.network/bridged-tokens/celer/ OFFICIAL
wRBNT on Ethereum and BNB Chain. RBNT bridges out from Redbelly, not back.

S9 vine.redbelly.network/bridged-tokens/lucidlabs/ OFFICIAL
Lucid Labs bridges tokens between Redbelly and other chains in both directions.

S10 Snapshot, rbnt.eth: DAO Proposal: Increase Governance Accessibility and Protect Contributor Privacy DAO VOTE
Closed 5 July 2026, 10:42 UTC. For 8,514,893, Against 5,983,785, Abstain 1,340,338. Removes regional restrictions for General DAO Members, keeps them for High Council Members and General DAO Leadership. Mirror: DAO governance site. Saved result: snapshot-proposal.json.

S11 redbelly.network/terms-and-conditions OFFICIAL
Clause 15.1: the 18 jurisdictions. Clause 15.2: tax residents of, or people located in, them may not use the website, platform or tools. Saved: terms-clause-15.txt.

S12 vine.redbelly.network/nodes/staking/ OFFICIAL
Nodes stake 100,000 RBNT by calling deposit on the StakingEscrowUpgradable contract.

S13 vine.redbelly.network/nodes/become-operator/ OFFICIAL
"Node operators MUST have network access for 2 accounts."

S14 vine.redbelly.network/environments/ OFFICIAL
Mainnet network name, RPC URL, chain ID 151, RBNT and block explorer.

S15 redbelly-governance.vercel.app DAO
"Complete KYC to participate in DAO voting." Eligibility is set at each proposal's snapshot. Saved: governance-kyc-notice.md.

S16	vine.redbelly.network/support/ OFFICIAL	Redbelly Support, linked from the portal for connection and account errors. Points to the Redbelly Discord.
S17	averer-help.freshdesk.com/support/home OFFICIAL	Averer help portal with the "Submit a ticket" button. Its knowledge base had no articles on 22 October 2026.
S18	averer-help.freshdesk.com/support/tickets/new OFFICIAL	Averer ticket form. Fields: Full Name, Email Address, Subject, What is your issue?, Redbelly Wallet Address (Required), Attach files. Saved: averer-ticket-form.json.
S19	averer.co OFFICIAL	Averer's website. The portal's "contact Averer" and CONTACT AVERER links go here.
E1	Accounts screen: wallet limit PORTAL	`L.length ⩾ Number("10")` then "Account allocation exhausted."
E2	Verification status messages PORTAL	Pending, incomplete and failed wording, the buttons on each screen, and the 30 second re-check behind Check verification status.
E3	Screens and buttons, start to "Enabled" PORTAL	Connect wallet, Begin identity verification, Continue with Averer, Enable account, RETRY.
E4	Adding wallets PORTAL	Add another account, Link another wallet, the accountability notice and the "attached to another account" error.
E5	"Having trouble?" FAQ PORTAL	No fee, MetaMask and Coinbase Wallet, more accounts, Testnet account, Averer as issuer, and the Averer or Redbelly Support split.

this guide, follow the live page.