Please upload your solution to Problem 3 to canvas for marking after the workshop.

Problem 1

A 0.150 kg particle moves along an x axis according to $x(t) = 13.00 + 2.00t + 4.00t^2 - 3.00t^3$, with x in meters and t in seconds. In unit-vector notation, what is the net force acting on the particle at t = 3.40 s?

Problem 2

In a laboratory simulation, a standard wood toothpick was shot by pneumatic gun into an oak branch. The toothpick's mass was 0.13 g, its speed before entering the branch was 220 ms^{-1}, and its penetration depth was 15 mm. If its speed was decreased at a uniform rate, what was the magnitude of the force of the branch on the toothpick?

Problem 3

A 200-m-wide river flows due east at a uniform speed of 2.0 ms^{-1}. A boat with a speed of 8.0 ms^{-1} relative to the water leaves the south bank pointed in a direction 30° west of north.
(a) What is the magnitude of the boat's velocity relative to the ground?
(b) What is the direction of the boat's velocity relative to the ground?
(c) How long does the boat take to cross the river?

Problem 4

In the figure below, a crate of mass $m = 100$ kg is pushed at constant speed up a frictionless ramp ($\theta = 30.0°$) by a horizontal force.
(a) What is the magnitude of $\underline{\mathbf{F}}$?
(b) What is the magnitude of the force on the crate from the ramp?



Want more practice?

Further problems on relative motion: Chapter 4.6, 4.7
Further problems on Newton's Laws: Chapter 5.1
Further problems on Forces: Chapter 5.2, 5.3

Problem 1

A 0.150 kg particle moves along an x axis according to $x(t) = 13.00 + 2.00t + 4.00t^2 - 3.00t^3$, with x in meters and t in seconds. In unit-vector notation, what is the net force acting on the particle at t = 3.40 s?

$x(t) = 13 + 2t + 4t^2 - 3t^3$

$\dot{x}(t) = 2 + 8t - 9t^2$

$\ddot{x}(t) = 8 - 18t$

$m = 0.15$ kg

$\Sigma F = ma = (0.15)(8 - 18t)$

@ $t = 3.4$ s, $\Sigma F = (0.15)(8 - (18)(3.4)) \boxed{= -7.98 \text{ N}}$

Problem 2

Smallest nsf = 2

In a laboratory simulation, a standard wood toothpick was shot by pneumatic gun into an oak branch. The toothpick's mass was 0.13 g, its speed before entering the branch was 220 ms^{-1}, and its penetration depth was 15 mm. If its speed was decreased at a uniform rate, what was the magnitude of the force of the branch on the toothpick?

$m_t = 0.13\,g = 1.3 \times 10^{-1}\,g = 1.3 \times 10^{-4}\,kg$

$u_t = 220\ ms^{-1}$

$s_t = 15\,mm = 15 \times 10^{-3}\,m = 1.5 \times 10^{-2}\,m$

a_t = constant → can use suvat

$v_t = 0$

t is unknown.

(They don't have to show this)

Rearrange suvat 2 : $v = u + at \quad \therefore t = \frac{v-u}{a}$

Sub into suvat 1 : $s = ut + \frac{1}{2}at^2$

$$= u\left(\frac{v-u}{a}\right) + \frac{1}{2}a\left(\frac{v-u}{a}\right)^2$$

$$= \frac{uv-u^2}{a} + \frac{1}{2a}(v^2+u^2-2uv)$$

$$= \frac{1}{a}\left(\cancel{uv} - u^2 + \frac{v^2}{2} + \frac{u^2}{2} - \cancel{uv}\right)$$

$$= \frac{1}{2a}(v^2-u^2)$$

$$a = \frac{1}{2s}(v^2-u^2)$$

$$= \frac{1}{1.5\times10^{-2}}(0-220^2)$$

$$\therefore \boxed{a = -3.2\ldots \times 10^{6}\ ms^{-2}}$$

$$\therefore \boxed{F = ma = -4.2\times10^{2}\ N \text{ to } 2SF}$$

This is the force ON the toothpick.

Problem 3

A 200-m-wide river flows due east at a uniform speed of 2.0 ms^{-1}. A boat with a speed of 8.0 ms^{-1} relative to the water leaves the south bank pointed in a direction 30° west of north.
(a) What is the magnitude of the boat's velocity relative to the ground?
(b) What is the direction of the boat's velocity relative to the ground?
(c) How long does the boat take to cross the river?

$BG = BW + WG$

200m : y-displacement , BW and BG ($S_{y,WG} = 0$)

$2.0\,ms^{-1}$: x-velocity , WG

$8\,ms^{-1}$: mag velocity , BW

30° west of North = angle , BG

BG



$S_y = 200m$

$\theta = 30°$ W. of N.

$S = \frac{S_y}{\cos 30} \sim 231m$

$S_x = S \sin\theta \sim 115m$

BW

$S_y = 200m$

$V = 8\,ms^{-1}$

$S = (8\,ms^{-1})\,t$

$S_x^2 = S^2 - S_y^2$

WG

$V_x = 2\,ms^{-1}$

$V_y = 0$

$S_y = 0$

$S_x = (2\,ms^{-1})t$

$V_{x,BG} = V_{x,BW} + \overset{2ms^{-1}}{V_{x,WG}}$

$V_{y,BG} = V_{y,BW} + \overset{0}{V_{y,WG}}$

$S_{x,BG} = S_{x,BW} + S_{x,WG}$

$115m = \sqrt{(8ms^{-1})^2 t^2 - 200^2 m}$ → solve for t

$t = \sqrt{(115^2 + 200^2)/8^2}$ $\boxed{= 118s}$ b

Then

$V_{BG} = S_{BG}/t = 231/118 = \boxed{1.96\,ms^{-1}}$ a

And $\boxed{\theta_{BG} \text{ is } 30°}$ (given) c

Problem 4

In the figure below, a crate of mass $m = 100$ kg is pushed at constant speed up a frictionless ramp ($\theta = 30.0°$) by a horizontal force.

(a) What is the magnitude of $\underline{\mathbf{F}}$?

(b) What is the magnitude of the force on the crate from the ramp?

$\Sigma F = 0$ in direction $\parallel$ to ramp.





NEED FBD!

$$\vec{F}_g = F_g \cos\theta\, \hat{p} - F_g \sin\theta\, \hat{n}$$

$$\vec{F}_{app} = F_{app} \sin\theta\, \hat{p} - F_{app} \cos\theta\, \hat{n}$$



$$\Sigma \vec{F}_p = F_g \cos\theta + F_{app} \sin\theta = 0$$

ANGLES SKETCH HELPS.

$$\Sigma \vec{F}_n = -F_g \sin\theta - F_{app} \cos\theta = 0$$

$$\therefore F_{app,p} = -F_g \frac{\cos\theta}{\sin\theta} \simeq -1700\text{ N}$$

and

$$F_{app,n} = -F_g \frac{\sin\theta}{\cos\theta} \sim -566\text{ N}$$

$$\therefore \boxed{F_{app} = \sqrt{1700^2 + 566^2} \sim 1792\text{ N}}$$

Ramp provides NORMAL FORCE $N = -F_g \sin\theta - F_{app} \cos\theta$

$N \simeq -2042$ N magnitude $\boxed{N = 2042\text{N}}$