AI Usage Log: Entry #02 (Doryan Gonin)

Task #53: Set Up CI workflow

Purpose of AI Use: Teaching, explanations, guiding

Chat Link: https://share.gemini.google/O4Eib6Om9Sv8

AI-Suggested Content: YAML starter code for CI pipeline

Validation: The results were validated against typical CI setup templates.

Decision: Output was used as a starting point to develop the CI pipeline.

Reflection: AI gave useful starter code and was efficient in explaining CI setup.

Responsible Person: Doryan Gonin

AI Usage Log: Entry #03 (Doryan Gonin)

Task #71: Set up testing workflow

Purpose of AI Use: Brainstorming, explanation, guiding

Chat Link: https://share.gemini.google/O4Eib6Om9Sv8

AI-Suggested Content: Pytest setup code, test code, fixture code templates

Validation: The results were verified against official PyTest documentation

Decision: Output was used as a starting point to develop the unit test library.

Reflection: AI gave useful starter code and was efficient in explaining the subtleties of PyTest, as well as teaching me how to use it.

Responsible Person: Doryan Gonin

AI Usage Log: Entry #04 (Doryan Gonin)

Task #85: US-04.03: Testing

Purpose of AI Use: Saving time and understanding modifications done by teammates

Chat Link: Not available, see transcript below

AI-Suggested Content: N/A

Validation: Verified the endpoints corresponded to what the AI returned.

Decision: The output guided my implementation of unit tests for this feature.

Reflection: AI allowed me to streamline writing my unit tests by providing a clear list of features to test, HTTP codes to assert and edge cases to test.

Responsible Person: Doryan Gonin

Chat transcript:

I'm writing the tests for the newly implemented job search/filtering feature. I'll handle job creation in another test suite, related to recruiter access, for now I'll just take the fake jobs to test.
Can you get me up to speed on what has been done for this feature, how it works and which endpoints do I need to test ?

5:48 PM

GitHub Copilot

Completed 8 steps in 27s
`Auto routed task to GPT-5.6 Luna`

I'll trace the jobs router into its models, route registration, and existing test fixtures so I can give you the exact behavior and endpoint checklist, including edge cases worth covering.

- searchTrace job featureCopilot Agent A (Preview)0

The implementation is concentrated in the jobs router, with seeded data available separately and a small existing test surface. I'm checking the exact schemas, fixture setup, and route prefix now so the test advice matches the actual API rather than just the router signature.

`Finished with 5 steps`

Read `models.py`

Read `main.py`

Read `test_jobs.py`

Read `seedjobs.py`, lines 1 to 45

Read `conftest.py`

The API is mounted at `/api/jobs`; listing and detail retrieval are public, while create/update/delete are authenticated recruiter operations. The test file is currently only a placeholder, so I'm doing one final pass over authentication and seed values to show how to construct fake jobs and, importantly, which filtering expectations are exact versus ambiguous.

`Finished with 5 steps`

Read `seedjobs.py`, lines 45 to 180

Read `dependencies.py`

Read `auth.py`, lines 1 to 130

Read `test_auth.py`

Read `FIXES.md`, lines 420 to 435

What's implemented

The feature is in `jobs.py` and registered under `/api/jobs` in `main.py`.

`GET /api/jobs`

Public endpoint for active job search, filtering, and pagination.

Supported query parameters:

- `keyword`: case-insensitive search across `title`, `company_name`, and `description`
- `location`: partial, case-insensitive match
- `category`: partial, case-insensitive match
- `job_type`: `Permanent`, `Temporary`, `Contract`, `Seasonal`, or `Internship`
- `job_schedule`: `Full-time` or `Part-time`
- `min_salary`: must be at least `0`
- `min_hours`: must be at least `0`
- `max_hours`: must be at least `0`
- `page`: starts at `1`
- `limit`: between `1` and `100`, default `20`

Response shape:

```
{
  "jobs": [],
  "total": 0,
```

```
  "page": 1,
  "limit": 20,
  "total_pages": 0
}
```

Only jobs where `is_active == true` are returned. Results are ordered newest first by `posted_at`.

`GET /api/jobs/{job_id}`

Public endpoint returning one active job.

Expected behavior:

- Existing active job: `200`
- Missing job: `404`
- Inactive job: `404`
- Invalid non-integer ID: `422`

The response contains the full job object defined by `JobResponse` in `models.py`.

Tests to write

For `GET /api/jobs`:

1. Returns active jobs with the expected response structure.
2. Excludes inactive jobs.
3. Keyword matches title, company, and description.
4. Keyword matching is case-insensitive.
5. Location filtering supports partial matches.
6. Category filtering supports partial matches.
7. `job_type` filtering works for each enum value.
8. `job_schedule` filtering works for full-time and part-time jobs.
9. Salary filtering works with `min_salary`.
10. Hour filtering works with `min_hours` and `max_hours`.
11. Multiple filters combine with AND behavior.
12. Pagination returns the correct `page`, `limit`, `total`, and `total_pages`.
13. Results are ordered by newest `posted_at`.
14. Empty results return `200` with `jobs: []` and `total_pages: 0`.
15. Invalid enum, pagination, salary, and hours values return `422`.

For `GET /api/jobs/{job_id}`:

1. Returns the complete active job.
2. Returns `404` for a nonexistent ID.
3. Returns `404` for an inactive job.
4. Returns `422` for an invalid ID format.

You do not need authentication for either search endpoint.

The seeded jobs in `seedjobs.py` are not automatically available in the pytest in-memory database. For tests, create fake `Job` objects directly in a fixture or helper, using fields such as `title`, `company_name`, `description`, `location`, `category`, `job_type`, `job_schedule`, salary, hours, and `is_active`.

One behavior worth making explicit in your tests: `min_salary`, `min_hours`, and `max_hours` currently use range-overlap-style `OR` conditions, so the implementation may include jobs whose minimum or maximum bound satisfies the filter. Your tests should reflect the intended product meaning and may expose whether those comparisons need adjustment.

5:49 PM • GPT-5.6 Luna • 1.0 credits