Data exploration using the palmerpenguins dataset

Olivier Gimenez

10/25/2020

Data exploration

Motivation

In this section, we **explore** the data from package **palmerpenguins**. A recent publication from the researcher, Dr Kristen Gorman, who shared the data is Connors et al. (2020).

Data

The data are displayed below (first 10 rows):

```
penguins %>%
  slice(1:10) %>%
  knitr::kable()
```

species	island	$bill_length_mm bill_$	$_{ m depth_mmflipper}$	$_{ m length_mm\ body_}$	_mass	g sex	year
Adelie	Torgersen	39.1	18.7	181	3750	male	2007
Adelie	Torgersen	39.5	17.4	186	3800	female	2007
Adelie	Torgersen	40.3	18.0	195	3250	female	2007
Adelie	Torgersen	NA	NA	NA	NA	NA	2007
Adelie	Torgersen	36.7	19.3	193	3450	female	2007
Adelie	Torgersen	39.3	20.6	190	3650	male	2007
Adelie	Torgersen	38.9	17.8	181	3625	female	2007
Adelie	Torgersen	39.2	19.6	195	4675	$_{\mathrm{male}}$	2007
Adelie	Torgersen	34.1	18.1	193	3475	NA	2007
Adelie	Torgersen	42.0	20.2	190	4250	NA	2007

Numerical exploration

There are 344 penguins in the dataset, and 3 different species. The data were collected in 3 islands of the Palmer archipelago in Antarctica.


The mean of all traits that were measured on the penguins are:

## 1 Adelie	38.8	18.3	190.	3701. 2008.
## 2 Chinstrap	48.8	18.4	196.	3733. 2008.
## 3 Gentoo	47.5	15.0	217.	5076. 2008.

Graphical exploration


A histogram of body mass per species:

Warning: Removed 2 rows containing non-finite values (stat_bin).



The end

The 3 species of penguins:



References

Connors, Brendan, Michael J. Malick, Gregory T. Ruggerone, Pete Rand, Milo Adkison, James R. Irvine, Robert Campbell, and Kristen Gorman. 2020. "Climate and Competition Influence Sockeye Salmon Population Dynamics Across the Northeast Pacific Ocean." Canadian Journal of Fisheries and Aquatic Sciences 77 (6): 943–49. https://doi.org/10.1139/cjfas-2019-0422.