





MODEL: 433TB-24 (24" TOWEL BAR) MODEL: 433TB-18 (18" TOWEL BAR)







#### NOTES:

POLISHED CHROME WITH CONCEALED HARDWARE.

1 @ BATHTUB - 610 mm (2'-0") - 24" TOWEL BAR

2 @ VANITY - 460 mm (1'-8") -18" TOWEL BAR

1 @ BIDET - 460 mm (1'-8") - 18" **TOWEL BAR** 

MOUNTING HEIGHT: 1 370 mm (4'-6") AFFL AT BATHTUB, 810 mm (2'-8") AFFL AT BIDET

2009

# **NARU**

MODEL: 413TB-24 (24" TOWEL BAR) MODEL: 413TB-18 (18" TOWEL BAR)









SCALE:

NTS

DWG. NO .:

E-38






# **CANTERBURY**

MODEL: 453RH






# **SERENO**

MODEL: 433RH





#### NOTES:

CONCEALED HARDWARE, POLISHED CHROME FINISH.

2 IN BATHROOM, 1 IN WATER CLOSET ROOM

MOUNTING HEIGHT: 1675 mm (5'-6") AFFL, 1 220 mm (4'-0") AFFL IN HANDICAP BATHROOMS

### **NARU**

MODEL: 413RH





ROBE HOOKS
MANUFACTURER: SYMMONS


SCALE:


NTS


DWG. NO.:

E-40 ARCH

CONTRACT DOCUMENTY
JEDDAH ECONOMIC COMPANY









# **TOILET PAPER HOLDERS**

**MANUFACTURER: SYMMONS** 

SCALE:

NTS

DWG. NO.:


E-42<sub>ARCH</sub>




#### **CANTERBURY**

MODEL: 4-166








#### NOTES:


6" SINGLE MODE RAIN SHOWER HEAD POLISHED CHROME FINISH


PROVIDE 13 mm (1/2") WATER SUPPLY TO SHOWER HEAD AND 13 mm (1/2") WATER SUPPLY TO SHOWER VALVE. WHERE POSSIBLE, MOUNT IN CENTRE OF SHOWER STALL CEILING.

# SERENO / NARU

MODEL: 432SH







#### NOTES:

7-7/8"" SINGLE MODE RAIN SHOWER HEAD POLISHED CHROME FINISH OR SATIN NICKEL FINISH

PROVIDE 13 mm (1/2") WATER SUPPLY TO SHOWER HEAD AND 13 mm (1/2") WATER SUPPLY TO SHOWER VALVE. WHERE POSSIBLE, MOUNT IN CENTRE OF SHOWER STALL CEILING.

### **SHOWER ARMS**

WHERE POSSIBLE, MOUNT SHOWERHEAD IN CENTRE OF SHOWER STALL CEILING. WHRE THIS IS NOT POSSIBLE, THE FOLLOWING SHOWER ARMS MAY BE USED: 300 / 300-STN / 300-PNL; 300M; 300S. CEILING MOUNT SPECIFICATIONS: A6RF / A6SF / A8RF / A8SF / A3RF / A3SF









#### SHOWER HEADS + SHOWER ARMS

**MANUFACTURER: SYMMONS** 


SCALE:

NTS

DWG. NO .:

E-45arch







#### HAND HELD SHOWER HEAD WANDS

MODEL: 462W - SINGLE MODE MODEL: 412W - THREE MODE

MODEL: EF101 - EURO FLOW, THREE MODE








#### NOTES:

THREE MODE HAND HELD SHOWER HEAD WAND (INSTALLED IN ADDITION TO RAIN SHOWER HEAD).

FINISHES: POLISHED CHROME SATIN NICKEL

HOSE LENGTH TO BE SIZED TO PREVENT HAND SHOWER CONTACTING SHOWER FLOOR IF DROPPED (TYPICALLY 60").





# HAND HELD SHOWER HEAD WANDS + SHOWER SLIDE BAR

MANUFACTURER: SYMMONS


SCALE:

NTS

DWG. NO.:

E-46arch







#### **GENERAL NOTE:**


PRESSURE BALANCING SHOWER VALVE WITH INTEGRAL CHECK STOPS. LEVER HANDLE AND ADJUSTABLE STOP SCREW TO LIMIT HANDLE TURN.

POLISHED CHROME FINISH.

NO VISIBLE SCREWS.









# SHOWER VALVE SYSTEM

MANUFACTURER: SYMMONS

SCALE:

NTS

DWG. NO .:




#### **GENERAL NOTE:**


WIDESPREAD LAVATORY SETS WITH LEVER HANDLES.


IN RESORTS, PROVIDE 2 LAVATORY BOWLS PER BATHROOM.


IN URBAN HOTELS, PROVIDE 1 LAVATORY BOWL PER BATHROOM.

POLISHED CHROME FINISH. INCLUDING POLISHED CHROME DRAIN POP-UP.













LAVATORY SETS

SCALE: DWG-NOWMENT DWG-NOWMENT JEDDAH ECONOMIC COMPANDED ZARCH





#### NOTES:


TWO HANDLE FAUCET WITH QUARTER TURN CERAMIC CONTROL COMPONENTS.

HAND SPRAY AND LIFT-ROD DIVERTER.

DECK MOUNT INSTALLATION.

TUB FILLER SPOUT MUST HAVE AERATOR.

POLISHED CHROME FINISH WTH LEVER HANDLES.





### **BATHTUB SETS**

**MANUFACTURER: SYMMONS** 

SCALE:

NTS

DWG. NO.:

CONTRACT DOCUMENTS COMPA