



# Software Service Engineering

**Prof. Dr.-Ing. Martin Gaedke**

Technische Universität Chemnitz

Fakultät für Informatik

Professur Verteilte und selbstorganisierende  
Rechnersysteme

<http://vsr.informatik.tu-chemnitz.de>



## Part V

# SERVICES / BUSINESS PROCESS





# Chapter 1

# **MODELLING TECHNIQUES**



# Business Process Deployed

## ■ Business Process:




Communication &  
Contract Negotiation  
(Might be distributed)

Endpoint: Logical  
Entity to access  
functionality on the  
Server

From EVS lecture  
for preparation


# Process and the Web



edke : Profe



# Process Model in Detail



# Tasks to be addressed

---

- Modelling Techniques (Basics)
  - BPMN – The core of BPMN (especially the graphic Notation - BPD)
    - <http://www.bpmn.org/>
    - <http://www.omg.org/spec/BPMN/1.2/PDF/>
    - Not BPMN 2.0
  - WAM
    - Cf. Lecture PVS/SVS





## Chapter 2

# **BUSINESS PROCESS MODEL AND NOTATION (BPMN)**



# What is a Business Process?

---

- ...a structured, measured set of activities designed to produce a specific output for a particular customer or market... A process is thus a specific ordering of work activities across time and space, with a beginning and an end, and clearly defined inputs and outputs

*Thomas Davenport (1993). Process Innovation: Reengineering work through information technology*



# BPMN: Goals and differentiators

---

- Provides an understandable notation for all business users
- Bridges the gap between business process design and implementation
- Visualizes XML languages designed for execution of business processes (particularly BPEL) with a business-oriented notation

Business Process Model and Notation 1.2

<http://www.omg.org/spec/BPMN/1.2/>



# Private Business Processes

- Workflows internal to a specific organization




Image: Business Process Model and Notation (BPMN) 1.2. Specification. <http://www.omg.org/spec/BPMN/1.2/> (Last Access 09.01.2011)

# Abstract (Public) Processes

- „Internal“ activities of the process are not shown
- Focus on interactions between several participants




Image: Business Process Model and Notation (BPMN) 1.2. Specification. <http://www.omg.org/spec/BPMN/1.2/> (Last Access 26.01.2011)

# Collaboration Processes

- Interaction between one or more business entities





Image: Business Process Model and Notation (BPMN) 1.2. Specification. <http://www.omg.org/spec/BPMN/1.2/> (Last Access 26.01.2011)

# Business Process Diagram - Overview

## ■ Flow Objects

- Events
- Activities
- Gateways




## ■ Connecting Objects

- Sequence Flow
- Message Flow
- Association




## ■ Swimlanes

- Pools
- Lanes



## ■ Artifacts

- Data Object
- Group
- Annotation





























Images: Business Process Model and Notation (BPMN) 1.2. Specification. <http://www.omg.org/spec/BPMN/1.2/> (Last Access 26.01.2011)



# Flow Objects: Events


- „Triggers“ define the cause of the event (Message, Signal, Timer, Exception)
- Start Events can only „catch“ a trigger
- End Events can only „throw“ results
- Intermediate Events can do both

	“Catching”		“Throwing”	
Message				
Timer				
Error				
Cancel				
Compensation				
Conditional				
Link				
Signal				
Terminate				
Multiple				




# Flow Objects: Gateways

- An **Exclusive Gateway (XOR-split)** restricts the flow such that only one of a set of alternatives may be chosen during runtime
- An **Inclusive Gateway (OR-split)** represents a branching point where Alternatives are based on conditional expressions contained within outgoing Sequence Flow. All Sequence Flow with a True evaluation will be traversed by a Token
- A **Parallel Gateway (AND-split)** divides a path into two or more parallel paths, which enables activities to be performed concurrently



# Swimlanes


---



- A **Pool** represents a Participant in a Process
- A **Lane** is a sub-partition within a Pool. Lanes are used to organize and categorize activities within a Pool . The meaning of the Lanes is up to the modeler


# Token Passing

- Control object traversing the sequence flow
- Positions of tokens define process state
- Start event generates a token, which is consumed by end event
- Gateways may divide or merge tokens
- Intermediate events may delay the token



# A simple BPMN workflow... simple?


## Token Passing Semantics




BPMN Self-Test by HU Berlin (no longer exists)

# A simple BPMN workflow... simple?

## Token Passing Semantics




# Could you answer this one?



If A is executed for a case, then O and BB must also be executed for this case.

☐ True ☐ False ☒ Don't know

# Could you answer this one?



If X is executed for a case, then both BB and V can be executed for the same case.  
**Wahr oder Falsch?**

# BPMN Editor: ARIS Express

- Free download at <http://www.ariscommunity.com/aris-express/download>

