

Location Plugin Class Mapping Cheat Sheet

Quick reference showing which theme components each location section uses.

Quick Mixin Reference

All mixins are defined in `_components.less`:

Section Title Mixins

- `.section-title-base()` - Font size, color, weight, margin
- `.section-title-centered()` - Text align center
- `.section-title-underline()` - Creates `::after` accent bar (left-aligned)
- `.section-title-underline-centered()` - Centered version of underline

Component Mixins

- `.card-base()` - Card background, border-radius, padding, hover effect
- `.badge-base()` - Badge background, padding, text styling
- `.button-base()` - Button styling (from `_components.less`)
- `.meta-info-base()` - Flex layout for meta information

Typography Mixins (from `_typography.less`)

- `.text-small` - Small text styling
- `.text-meta` - Meta info text styling
- `.text-subtitle` - Subtitle text styling
- `.text-eyebrow` - Uppercase eyebrow text
- `.badge-text` - Badge text styling

Hero Section

File: `_locations.less`

.ds-location-hero

— __title	→ Inherits h1 from Jane base theme
— __city	→ Uses .text-subtitle mixin (_typography.less)
— __description	→ Custom (font-size-large, text-light)
— __logo	→ Custom sizing + drop-shadow
— __image	→ Uses border-radius & box-shadow variables

To customize: Adjust h1 styles in Jane or override in `_typography.less`

News Section

File: `_locations.less`

.ds-location-news

— __header	→ .section-title-base() (_components.less)
	.section-title-centered() (_components.less)
	.section-title-underline-centered() (_components.less)
— __item	→ .card-base() (_components.less)
— __item--sticky	→ Adds accent border to card
— __sticky-badge	→ .badge-base() (_components.less)
— __thumbnail	→ Custom with scale hover
— __title	→ Custom (font-size-xl, primary color)
— __excerpt	→ Custom (text-light)
— __meta	→ .meta-info-base() (_components.less)

To customize:

- Card look: Edit `.card-base()` in `_components.less`
 - Badge style: Edit `.badge-base()` in `_components.less`
 - Section title: Edit `.section-title-base()` mixins in `_components.less`
-

Program Section

File: `_locations.less`

```
.ds-location-program
├── __header      → .section-title-base() (_components.less)
|               .section-title-underline() (_components.less)
└── __description → Uses content-max-width variable
```

To customize: Same as News section header (edit mixins in `_components.less`)

Details Section

File: `_locations.less`

```
.ds-location-details
├── __header      → .section-title-base() (_components.less)
|               .section-title-centered() (_components.less)
|               .section-title-underline-centered() (_components.less)
├── __contact     → Flex column layout (custom in _locations.less)
├── __contact-item → Custom spacing (custom in _locations.less)
└── __map-container → Uses border-radius & box-shadow variables
```

To customize: Contact styling is mostly custom in `_locations.less`

Content Section

File: `_locations.less`

```
.ds-location-content
└── __inner      → Uses content-max-width variable
                Standard block editor styles (custom in _locations.less)
```

To customize: Adjust in `_locations.less` or let block editor handle

Quick Edit Guide

Want to change...

Card appearance everywhere? → Edit `.card-base()` in `_components.less`

Badge appearance everywhere? → Edit `.badge-base()` in `_components.less`


Section headings everywhere? → Edit `.section-title-base()` in `_components.less`

Colors globally? → Edit `_variables.less` CSS custom properties

Spacing globally? → Edit spacing variables in `_variables.less`

Just location pages? → Edit `_locations.less` directly

Component Inheritance Chain



Files to Edit By Task

Task	File	What to Change
Colors	<code>_variables.less</code>	<code>:root</code> CSS custom properties
Typography	<code>_variables.less</code>	Font sizes, line-heights
Spacing	<code>_variables.less</code>	<code>--spacing-*</code> values
Card style	<code>_components.less</code>	<code>.card-base()</code> mixin
Badge style	<code>_components.less</code>	<code>.badge-base()</code> mixin
Section titles	<code>_components.less</code>	<code>.section-title-*</code> mixins
Location-specific	<code>_locations.less</code>	Override individual classes

Most Common Customizations

Make cards more rounded

```
less
```

```
// _variables.less
@border-radius: 12px; // was 8px
```

Increase section spacing

```
less

// _locations.less
.ds-location-news {
  padding: var(--spacing-2xl) 0; // increase this
}
```

Change news card hover effect

```
less

// _components.less
.card-base() {
  &:hover {
    transform: translateY(-8px); // was -4px
  }
}
```

Adjust section title underline

```
less

// _components.less
.section-title-underline() {
  &::after {
    width: 80px; // was 60px
    height: 3px; // was 4px
  }
}
```