September 1, 2025

CERTIFICATE OF ANALYSIS

NANO BUBBLE GINGER EXTRACT H

INCI NAME: ZINGIBER OFFICINALE (GINGER) ROOT EXTRACT

Date of delivery ; September 16, 2025

under the condition described in the Product Specification

Lot No.GNB25F17H

PROPERTIES		SPECIFICATIONS	RESULTS
APPEARANCE		Light yellow to brown liquid, characteristic odor	Pass
IDENTIFICATION	1)	Light red to light red brown color	Pass
	2)	The interface of liquid indicates red brown color	Pass
NONVOLATILE RESIDUE		0.8～1.2%	1.1
pH		4.5～6.5	6.0
PURITY	1)Heavy metals	Not more than 20ppm	Pass
	2)Arsenic	Not more than 2ppm	Pass

*You may occasionally find precipitations from raw materials.

*You have to check the guaranty of this product before using the product. Where any loss or damage is caused by or arising out of this our product, the maximum amount of compensation that KATAKURA CO-OP AGRI CORP. is responsible for is limited to the cost of our this product in question.

*Please be careful opening seal. Internal pressure might increase due to the carbon dioxide gas contained in the bottle.

KATAKURA &CO-OP AGRI CORP.

Tsukuba Factory

M. Ikeda.

Date May 7, 2020

PRODUCT SPECIFICATIONS

Trade Name	NANO BUBBLE GINGER EXTRACT H
INCI Name	ZINGIBER OFFICINALE(GINGER)ROOT EXTRACT
Composition Statement	INCI : ZINGIBER OFFICINALE(GINGER)ROOT EXTRACT 1.0% INCI : PHENOXYETHANOL 0.5% INCI : BUTYLENE GLYCOL 20.0% INCI : WATER, AQUA 78.5%

Manufacturer's Name	KATAKURA & CO-OP AGRI CORP.
Address	8-10 Kudan-kita 1-chome, Chiyoda-ku, Tokyo 102-0073, JAPAN
Person in Charge	Mr. Michihiro Tajima, Chemical Products Division
Phone	81-3-5216-6615
Fax	81-3-5216-6626

Trading Company Name	
Address	
Person in Charge	
Phone	
Fax	

Product : NANO BUBBLE GINGER EXTRACT H

PROPERTIES	SPECIFICATIONS	TEST METHOD
APPEARANCE	Light yellow to brown liquid, characteristic odor.	
IDENTIFICATION		
1)	Light red to light red brown color.	Add 4mL of ethanol to 1mL of the sample solution. After mixing, add 0.1g of ribbon of magnesium and 1mL of hydrochloric acid to 1mL of the solution.
2)	The interface of liquid indicates red brown color.	After heating 1.0g of sample at 105 ° C for 24 hours, add 10 ml of distilled water. Add two or three drops of α-naphthol · ethanol solution (1→20) to the 1ml of supernatant and stir it and then 1mL of sulfuric acid gently to the solution.
pH	4.5～6.5	JSQI
PURITY		
1) Heavy metals	Not more than 20ppm	JSQI, Method 2, 1.0g
2) Arsenic	Not more than 2ppm	JSQI, Method 3, 1.0g
NONVOLATILE RESIDUE	0.8～1.2%	105℃, 6hr, 1g

PACKING	1) Packing: 1kg net in polyethylene bottle 2) Indication on Label: Product name, Lot number, Net weight, Storage condition, Manufacturer's name and its address
STORAGE CONDITION	To be stored in dark and cool place.
GUARANTEED PERIOD FOR QUALITY	18 months after delivery under condition of being sealed and stored in dark and cool place. No guarantee after opening seal. ※You may occasionally find precipitations from raw materials.
CAUTION FOR HANDLING	After opening seal, try to consume whole product as soon as possible in order to avoid contamination with bacteria and impurities. <CAUTION> Please be careful opening seal. Internal pressure might increase due to the carbon dioxide gas contained in the bottle.

※You have to check the guaranty of this product before using the product.

Where any loss or damage is caused by or arising out of this our product, the maximum amount of compensation that KATAKURA CO-OP AGRI CORP. is responsible for is limite d to the cost of our this product in question.