We create chemistry

Certificate of Analysis

BASF SE

Attention! Please note that the certificates of analysis are also conveniently available on your BASF online portal.

BASF VIETNAM CO., LTD.

33 LE DUAN, BEN NGHE WARD, DIST. 1

710225 HO CHI MINH CITY

Vietnam

2025-01-17 Certificate No 4486

christophe.dupuis@basf.com
CPPU
+33 3-83299796

Inspection Certificate 3.1 according to EN 10204

Vegeles® AHA-LS 9955

10KG Plastic jerricans
Purchase order/Customer material
PO357004273
000000000050277573

Material	50277573	
Order	6012585484	000010
Delivery	3198680183	000010
Batch	0028235374	
Batch/Qty	400.000	KG
Total	400.000	KG
Transport	OALF423	

Manufacturing Location: FR, 54425 Pulnoy, 3 rue de Seichamps

Characteristic Method	Unit	Value	Lower Limit	Upper Limit
ORGANOLEPTIC CHARACTERISTICS PR.47		PASS		
TOTAL GERMS; <= 50 CFU/G Ph. Eur. 2.6.12		PASS		
PATHOGENS; ABSENT Ph. Eur. 2.6.13		PASS		
GRAM NEGATIVE BACTERIA; ABSENT Ph. Eur. 2.6.13		PASS		
PH; 100% PR.14		4.4	3.0	7.0
TOTAL NITROGEN PR.19	%	1.55	1.40	1.80
SACCHAROSE, FREE/HPLC PR.111	%	4.0	3.0	6.0
GLYCOLIC ACID PR.153	%	9.4	7.0	11.0
LACTIC ACID PR.153	%	9.1	7.0	11.0
MALIC ACID PR.153	%	0.51	0.40	0.80
TARTARIC ACID PR.153	%	0.49	0.40	0.80

Released by Chr. Dupuis

Production date 18.04.2024

The above-mentioned data describes the relevant parameters of the product at the time of issuing this certificate of analysis (CoA). The data is controlled at regular intervals as part of our quality assurance program and is provided for reference only. The contractually agreed quality of the product at the time of passing of risk is exclusively determined by our product specification. Unless specifically agreed by the Parties in writing signed by authorized representatives, no suitability for a particular use shall be presumed or implied based on the CoA and the customer is solely responsible for determining and verifying the suitability of the use of the product for any purpose.

This is a computer-generated document. No signature is required.

We create chemistry

Certificate of Analysis

BASF SE

Attention! Please note that the certificates of analysis are also conveniently available on your BASF online portal.

BASF VIETNAM CO., LTD.

33 LE DUAN, BEN NGHE WARD, DIST. 1

710225 HO CHI MINH CITY

Vietnam

2025-01-17 Certificate No 4486

christophe.dupuis@basf.com
CPPU
+33 3-83299796

Inspection Certificate 3.1 according to EN 10204

Vegeles® AHA-LS 9955

10KG Plastic jerricans
Purchase order/Customer material
PO357004273
000000000050277573

Material	50277573	
Order	6012585484	000010
Delivery	3198680183	000010
Batch	0028235374	
Batch/Qty	400.000	KG
Total	400.000	KG
Transport	OALF423	

Manufacturing Location: FR, 54425 Pulnoy, 3 rue de Seichamps

Characteristic Method	Unit	Value	Lower Limit	Upper Limit
Retest date	18.04.2026			

The above-mentioned data describes the relevant parameters of the product at the time of issuing this certificate of analysis (CoA). The data is controlled at regular intervals as part of our quality assurance program and is provided for reference only. The contractually agreed quality of the product at the time of passing of risk is exclusively determined by our product specification. Unless specifically agreed by the Parties in writing signed by authorized representatives, no suitability for a particular use shall be presumed or implied based on the CoA and the customer is solely responsible for determining and verifying the suitability of the use of the product for any purpose.

This is a computer-generated document. No signature is required.