Block bots with iptables

Debian TS-WXL

Reject rejected addresses registered in .htaccess using iptables

.htaccess

deny from 188.124.19.114

And extract only the last field from the format

iptables -A INPUT -p tcp --dport 80 -s 188.124.19.114 -j DROP

Needs to be converted to

This kind of the, always in sed regular expressions use the

 $tswxl:/home/httpd/cgi-bin/BBS\# \ sed \ -n \ -e \ 's/^deny \ from \ '(.*\)\$/iptables \ -A \ INPUT \ -p \ tcp \ --dport \ 80 \ -s \ '1 \ -j \ DROP/p' \ .htaccess \ \ > /tmp/block$ tswxl:/home/httpd/cgi-bin/BBS# sh /tmp/block iptables v1.4.2: host/network `182-226.leased.cust.tie.cl' not found Try `iptables -h' or 'iptables --help' for more information.

tswxl:/home/httpd/cgi-bin/BBS#

Zama Miro



Rakuten Ichiba <u>Amazon</u> Yahoo Shopping <u>Livedoor Department Store</u>

TS-WXL

<u>←</u> <u>iptables</u>

Hack of record LinkStation / KuroBox trying to hack

Change layout

Copyright (C) 2003-2010 Yasunari Yamashita. All Rights Reserved. Yasunari yama yamasita.jp <u>Yasunari Yamashita</u>何 Mukoichi, Kyoto