

JITStats

- [Process 57372: dotnet aspencli.dll -template Controller.txt -compiled true -consoleLog -q -sam...](#)

JIT Stats for Process 57372: dotnet

- CommandLine: "dotnet" aspencli.dll -template "D:\git\LivingAgile\bin\Aspen\SampleTemplates_Controller.txt" -compiled true -consoleLog -q -samples 10
- Process CPU Time: 701 msec
- Total Number of JIT compiled methods : 310
- Total MSec JIT compiling : 117
- JIT compilation time as a percentage of total process CPU time : 16.6%
- [Individual JIT Events](#)
 - [View in Excel](#)
- No JIT Inlining data available. Consider enabling the JITInlining option.
- [JIT Perf Users Guide](#)

Background JIT compilation events are not being collected. If you are interested in seeing the operation of Background JIT Enabled the 'Background JIT' checkbox in the 'Advanced' section of the collection dialog when collecting the data. See [Guide to Background JIT](#) for more.

Below is a table of the time taken to JIT compile the methods used in the program, broken down by module. If this time is significant you can eliminate it by [NGening](#) your application. This will improve the startup time for your app.

The list below is also useful for tuning the startup performance of your application in general. In general you want as little to be run during startup as possible. If you have 1000s of methods being compiled on startup you should try to defer some of that computation until absolutely necessary.

Name	JitTime msec	Num Methods	IL Size	Native Size
TOTAL	116.6	310	25,207	78,130
D:\git\LivingAgile\bin\Aspen\CoreFx\1.1\AnyCPU.Release\netcoreapp1.1\LivingAgile.Aspen.Core.dll	76.0	201	18,559	54,342
D:\git\LivingAgile\bin\Aspen\CoreFx\1.1\AnyCPU.Release\netcoreapp1.1\aspencli.dll	14.5	20	1,607	5,721
C:\Program Files\dotnet\shared\Microsoft.NETCore.App\1.1\System.Linq.dll	10.9	28	1,830	6,077
C:\Program Files\dotnet\shared\Microsoft.NETCore.App\1.1\System.Private.CoreLib.ni.dll	7.4	32	2,134	4,247
C:\Program Files\dotnet\shared\Microsoft.NETCore.App\1.1\System.Runtime.Extensions.dll	4.1	16	0	5,537
C:\Program Files\dotnet\shared\Microsoft.NETCore.App\1.1\System.Collections.dll	3.7	13	1,077	2,206

Individual JIT Events for Process 57372: dotnet

Start (msec)	JitTime msec	IL Size	Native Size	Method Name	BG	Mod
421.199	2.0	42	115	LivingAgile.Aspen.Runner.Program.Main(class System.String[])	JIT	aspenc
423.233	6.8	726	2,432	LivingAgile.Aspen.Runner.Program.Run(class System.String[])	JIT	aspenc
430.110	1.1	95	415	LivingAgile.Core.CoreUtil.GetArguments(value class System.ArraySegment`1,bool,int32&,class System.Collections.Generic.IEqualityComparer`1,bool)	JIT	aspenc
431.226	1.1	317	729	LivingAgile.Core.CoreUtil.ParseCommandLineArguments(value class System.ArraySegment`1,bool,int32&,bool)	JIT	aspenc
432.338	0.1	25	49	LivingAgile.Core.CoreUtil.IsArgument(class System.String)	JIT	aspenc
432.471	0.1	32	76	LivingAgile.Core.CoreUtil.RemoveQuotes(class System.String&)	JIT	aspenc
432.633	0.1	11	70	LivingAgile.Core.CoreUtil+<C>.cctor()	JIT	aspenc
432.715	0.0	7	1	LivingAgile.Core.CoreUtil+<C>.ctor()	JIT	aspenc
432.797	0.6	52	288	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.l
433.492	0.9	71	460	System.Linq.Lookup`2[System.__Canon,System.__Canon].Create(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.l
434.541	0.1	8	4	LivingAgile.Core.CoreUtil+<C>.b_18_0(value class System.Collections.Generic.KeyValuePair`2)	JIT	aspenc
434.681	0.1	8	5	LivingAgile.Core.CoreUtil+<C>.b_18_1(value class System.Collections.Generic.KeyValuePair`2)	JIT	aspenc
434.804	1.0	69	526	LivingAgile.Core.CoreUtil.ToDictionary(class System.Linq.ILookup`2)	JIT	aspenc
435.846	0.1	11	74	LivingAgile.Core.CoreUtil+<C>.16_2[System.__Canon,System.__Canon]..cctor()	JIT	aspenc
435.963	0.0	7	1	LivingAgile.Core.CoreUtil+<C>.16_2[System.__Canon,System.__Canon]..ctor()	JIT	aspenc
436.229	0.2	7	71	LivingAgile.Core.CoreUtil+<C>.16_2[System.__Canon,System.__Canon].b_16_0(class System.Linq.IGrouping`2)	JIT	aspenc
436.460	0.2	7	76	LivingAgile.Core.CoreUtil+<C>.16_2[System.__Canon,System.__Canon].b_16_1(class System.Linq.IGrouping`2)	JIT	aspenc
436.736	0.9	89	512	LivingAgile.Core.CoreUtil.SafeGet(class System.Collections.Generic.IDictionary`2,!0,int32,!1)	JIT	aspenc
438.050	0.1	11	74	LivingAgile.Core.CoreUtil+<C>.11_3[System.__Canon,System.__Canon,System.__Canon]..cctor()	JIT	aspenc
438.161	0.0	7	1	LivingAgile.Core.CoreUtil+<C>.11_3[System.__Canon,System.__Canon,System.__Canon]..ctor()	JIT	aspenc
438.732	0.2	7	86	LivingAgile.Core.CoreUtil+<C>.11_3[System.__Canon,System.__Canon,System.__Canon].b_11_0(!1)	JIT	aspenc
439.336	0.2	0	335	dynamicClass.IL_STUB_PInvoke(wchar*,unsigned int32,class System.Runtime.InteropServices.SafeHandle,int)	JIT	System.Runtime

439.857	0.1	0	157	dynamicClass.IL_STUB_PInvoke(unsigned int32)	JIT	System.Runtime
440.085	0.2	0	234	dynamicClass.IL_STUB_PInvoke(class System.String,pMT: 00007FFB98C02650,pMT: 00007FFB98C03A18&)	JIT	System.Runtime
440.386	0.4	0	602	dynamicClass.IL_STUB_PInvoke(int32,pMT: 00007FFBE7E997B8)	JIT	System.Runtime
441.092	0.2	24	88	LivingAgile.Aspen.Core.RegexCompiler.set_Enabled(bool)	JIT	LivingAgile.A
441.364	0.5	121	404	LivingAgile.Aspen.Runner.Program.RunSample(class System.String,class System.String,class System.Collections.Generic.Dictionary`2,bool,class LivingAgile.Aspen.Core.Manager&,bool&,class System.String&)	JIT	aspen
441.860	3.1	381	1,102	LivingAgile.Aspen.Core.Manager..ctor(class System.String,class System.String,class System.Text.StringBuilder)	JIT	LivingAgile.A
447.359	0.3	38	227	LivingAgile.Aspen.Core.Manager.GetAbsoluteFilename(class System.String)	JIT	LivingAgile.A
447.647	1.3	436	992	LivingAgile.Aspen.Core.Manager.FixFilePathCasing(class System.String)	JIT	LivingAgile.A
448.963	0.4	136	346	LivingAgile.Aspen.Core.Manager.GetDirectoryNameWithSeperator(class System.String,int32,bool&,class System.String&)	JIT	LivingAgile.A
449.441	1.0	137	472	LivingAgile.Aspen.Core.Manager..cctor()	JIT	LivingAgile.A
450.457	0.2	44	112	LivingAgile.Aspen.Core.RegexCompiler.get_CompilationOption()	JIT	LivingAgile.A
452.122	0.1	18	54	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions]..ctor()	JIT	System.Private.
452.260	0.1	12	52	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions]..cctor()	JIT	System.Private.
452.420	0.1	7	4	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].get_Count()	JIT	System.Private.
453.010	0.2	46	121	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange]..ctor(int32)	JIT	System.Private.
453.232	0.2	74	83	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].Add(!0)	JIT	System.Private.
453.488	0.1	7	4	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].get_Count()	JIT	System.Private.
453.586	0.1	27	50	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].get_Item(int32)	JIT	System.Private.
453.790	0.1	15	22	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].Sort(class System.Collections.Generic.IComparer`1)	JIT	System.Private.
453.946	0.2	71	106	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].Sort(int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.
454.176	0.4	91	209	System.Array.Sort(!0[],int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.
454.835	0.1	7	40	LivingAgile.Aspen.Core.Manager.FixDriveCasing(class System.String)	JIT	LivingAgile.A
454.967	0.1	24	77	LivingAgile.Aspen.Core.Manager.GetFixedPathCasing(class System.String,class System.String)	JIT	LivingAgile.A
455.686	0.5	0	602	dynamicClass.IL_STUB_PInvoke(int32,class System.Text.StringBuilder)	JIT	System.Runtime
457.876	0.3	0	374	dynamicClass.IL_STUB_PInvoke(class System.String,int32,pMT: 00007FFB98C22B50,pMT: 00007FFB98C25B20&,pMT: 00007FFB98C228B0,int32,int)	JIT	System.Runtime
458.738	0.3	0	326	dynamicClass.IL_STUB_PInvoke(pMT: 00007FFBE7EA53B0)	JIT	System.Runtime
459.175	0.1	0	193	dynamicClass.IL_STUB_PInvoke(int)	JIT	System.Runtime
459.628	0.5	0	731	dynamicClass.IL_STUB_PInvoke(class System.String,pMT: 00007FFB98C027A0,pMT: 00007FFB98C260E0&,pMT: 00007FFB98C028F0,int,int32)	JIT	System.Runtime
460.340	0.4	0	637	dynamicClass.IL_STUB_PInvoke(pMT: 00007FFB98C25EA8,pMT: 00007FFB98C260E0&)	JIT	System.Runtime
461.217	0.1	0	193	dynamicClass.IL_STUB_PInvoke(int)	JIT	System.Runtime
462.636	0.3	45	134	LivingAgile.Aspen.Core.Manager.GetAbsoluteOutputFilename(class System.String)	JIT	LivingAgile.A
463.395	0.2	47	137	LivingAgile.Aspen.Core.Manager.GetTemplateUnchecked(class System.String)	JIT	LivingAgile.A
464.251	0.3	0	373	dynamicClass.IL_STUB_PInvoke(pMT: 00007FFBE7EA53B0,unsigned int8*,int32,int32&,int)	JIT	System.Runtime
464.626	0.6	151	283	LivingAgile.Aspen.Core.Template..ctor(class LivingAgile.Aspen.Core.Manager,class System.String,class System.String)	JIT	LivingAgile.A
465.252	0.1	31	71	LivingAgile.Aspen.Core.Manager.EscapeOperators(class System.String)	JIT	LivingAgile.A
465.583	0.2	33	105	LivingAgile.Aspen.Core.Template.GetTrimmedText(class System.String)	JIT	LivingAgile.A
465.818	0.2	50	186	LivingAgile.Aspen.Core.Manager.GetRelativeInputPath(class System.String,class System.String)	JIT	LivingAgile.A
466.039	0.3	45	137	LivingAgile.Aspen.Core.Manager.GetAbsoluteInputFilename(class System.String)	JIT	LivingAgile.A
466.468	1.0	264	717	LivingAgile.Aspen.Core.Manager.GetRelativePathFromAbsolute(class System.String,class System.String)	JIT	LivingAgile.A
467.523	0.2	48	184	LivingAgile.Aspen.Core.Elements.DocumentElement.ParseInput(class System.String,class System.String,int32,int32)	JIT	LivingAgile.A
467.801	2.2	2,127	6,179	LivingAgile.Aspen.Core.Parser..cctor()	JIT	LivingAgile.A
470.131	0.2	74	78	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].Add(!0)	JIT	System.Private.
470.375	0.2	62	58	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].EnsureCapacity(int32)	JIT	System.Private.
470.597	0.2	89	151	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].set_Capacity(int32)	JIT	System.Private.
471.139	0.1	27	50	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].get_Item(int32)	JIT	System.Private.
471.302	0.3	107	114	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].RemoveAt(int32)	JIT	System.Private.
471.816	0.1	11	40	System.Collections.Generic.Comparer`1[System.Text.RegularExpressions.RegexCharClass+SingleRange]..cctor()	JIT	System.Private.
471.920	0.7	370	604	System.Collections.Generic.Comparer`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].CreateComparer()	JIT	System.Private.
472.680	0.1	19	33	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].get_Default()	JIT	System.Private.
472.822	0.2	108	266	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].CreateArraySortHelper()	JIT	System.Private.
473.109	0.3	52	244	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].Sort(!0[],int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.
473.438	0.4	142	335	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].IntroSort(!0[],int32,int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.

473.851	0.3	58	127	System.Collections.Generic.ArraySortHelper`1 [System.Text.RegularExpressions.RegexCharClass+SingleRange].SwapIfGreater(!0[],class System.Collections.Generic.IComparer`1,int32,int32)	JIT	System.Private.
474.203	0.2	42	63	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].set_Item(int32,! 0)	JIT	System.Private.
474.404	0.3	138	158	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].RemoveRange (int32,int32)	JIT	System.Private.
474.740	0.4	78	258	System.Collections.Generic.ArraySortHelper`1 [System.Text.RegularExpressions.RegexCharClass+SingleRange].InsertionSort(!0[],int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.
475.385	0.2	62	58	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].EnsureCapacity (int32)	JIT	System.Private.
475.613	0.3	89	171	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].set_Capacity (int32)	JIT	System.Private.
475.915	0.9	131	504	System.Collections.Generic.ArraySortHelper`1 [System.Text.RegularExpressions.RegexCharClass+SingleRange].PickPivotAndPartition(!0[],int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.
477.112	0.1	9	54	LivingAgile.Aspen.Core.Parser.Operator(class System.String)	JIT	LivingAgile.A
477.236	0.2	59	166	LivingAgile.Aspen.Core.Parser.Operator(class System.String,int32,int32)	JIT	LivingAgile.A
477.479	0.2	71	205	LivingAgile.Aspen.Core.Parser.EndOperator(class System.String,int32,int32,int32)	JIT	LivingAgile.A
477.706	0.1	10	61	LivingAgile.Aspen.Core.Parser.EndOperator(class System.String,int32)	JIT	LivingAgile.A
477.832	0.2	71	206	LivingAgile.Aspen.Core.Parser.OperatorWithSharedEnd(class System.String,int32,int32,int32)	JIT	LivingAgile.A
478.108	0.1	11	70	LivingAgile.Aspen.Core.Parser+<c>.ctor()	JIT	LivingAgile.A
478.195	0.0	7	1	LivingAgile.Aspen.Core.Parser+<c>.ctor()	JIT	LivingAgile.A
478.281	0.1	10	16	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2)	JIT	System.I
478.406	0.3	52	214	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.I
478.736	0.5	71	364	System.Linq.Lookup`2[System.Int32,System.Int32].Create(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.I
479.236	0.2	35	74	System.Linq.Lookup`2[System.Int32,System.Int32].ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	System.I
479.507	0.1	8	10	LivingAgile.Aspen.Core.Parser+<c>.ctor>b 70_0(value class System.Collections.Generic.KeyValuePair`2)	JIT	LivingAgile.A
479.607	0.6	234	393	System.Linq.Lookup`2[System.Int32,System.Int32].GetGrouping(!0,bool)	JIT	System.I
480.266	0.1	29	33	System.Linq.Lookup`2[System.Int32,System.Int32].InternalGetHashCode(!0)	JIT	System.I
480.385	0.1	8	10	LivingAgile.Aspen.Core.Parser+<c>.ctor>b 70_1(value class System.Collections.Generic.KeyValuePair`2)	JIT	LivingAgile.A
480.479	0.2	68	83	System.Linq.Grouping`2[System.Int32,System.Int32].Add(!1)	JIT	System.I
480.742	0.2	71	149	System.Linq.Lookup`2[System.Int32,System.Int32].Resize()	JIT	System.I
481.031	0.3	65	169	System.Array.Resize(!!0[]&,int32)	JIT	System.Private.
481.354	0.1	10	82	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2)	JIT	System.I
481.532	1.4	188	974	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.I
483.002	0.2	14	54	System.Linq.Lookup`2[System.Int32,System.Int32].GetEnumerator()	JIT	System.I
483.223	0.4	114	127	System.Linq.Lookup`2+d_13[System.Int32,System.Int32].MoveNext()	JIT	System.I
483.644	0.1	7	5	System.Linq.Lookup`2+d_13[System.Int32,System.Int32].System.Collections.Generic.IEnumerator>.get_Current()	JIT	System.I
483.730	0.1	7	21	LivingAgile.Aspen.Core.Parser+<c>.ctor>b 70_2(class System.Linq.IGrouping`2)	JIT	LivingAgile.A
483.827	0.1	7	4	System.Linq.Grouping`2[System.Int32,System.Int32].get_Key()	JIT	System.I
483.917	0.2	7	61	LivingAgile.Aspen.Core.Parser+<c>.ctor>b 70_3(class System.Linq.IGrouping`2)	JIT	LivingAgile.A
484.111	0.4	116	277	System.Collections.Generic.HashSet`1[System.Int32].ctor(class System.Collections.Generic.IEnumerable`1,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Col
484.516	0.1	52	51	System.Collections.Generic.HashSet`1[System.Int32].ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Col
484.693	0.1	7	4	System.Linq.Grouping`2[System.Int32,System.Int32].System.Collections.Generic.ICollection.get_Count()	JIT	System.I
484.783	0.2	32	84	System.Collections.Generic.HashSet`1[System.Int32].Initialize(int32)	JIT	System.Col
485.008	0.3	59	249	System.Collections.Generic.HashSet`1[System.Int32].UnionWith(class System.Collections.Generic.IEnumerable`1)	JIT	System.Col
485.322	0.2	14	54	System.Linq.Grouping`2[System.Int32,System.Int32].GetEnumerator()	JIT	System.I
485.569	0.4	113	127	System.Linq.Grouping`2+d_9[System.Int32,System.Int32].MoveNext()	JIT	System.I
485.983	0.1	7	4	System.Linq.Grouping`2+d_9[System.Int32,System.Int32].System.Collections.Generic.IEnumerator.get_Current()	JIT	System.I
486.067	0.8	321	402	System.Collections.Generic.HashSet`1[System.Int32].AddIfNotPresent(!0)	JIT	System.Col
486.920	0.1	29	33	System.Collections.Generic.HashSet`1[System.Int32].InternalGetHashCode(!0)	JIT	System.Col
487.057	0.0	1	1	System.Linq.Grouping`2+d_9[System.Int32,System.Int32].System.IDisposable.Dispose()	JIT	System.I
487.170	0.0	1	1	System.Linq.Lookup`2+d_13[System.Int32,System.Int32].System.IDisposable.Dispose()	JIT	System.I
487.241	0.3	38	187	System.Linq.Enumerable.ToArray(class System.Collections.Generic.IEnumerable`1)	JIT	System.I
487.547	0.7	201	562	System.Collections.Generic.EnumerableHelpers.ToArray(class System.Collections.Generic.IEnumerable`1,int32&)	JIT	System.I
488.293	1.2	90	431	System.Linq.Enumerable.Where(class System.Collections.Generic.IEnumerable`1,class System.Func`2)	JIT	System.I
489.484	0.1	13	26	System.Collections.Generic.HashSet`1[System.Int32].ctor(class System.Collections.Generic.IEnumerable`1)	JIT	System.Col
489.613	0.6	99	169	System.Linq.Enumerable+WhereListIterator`1[System.Int32].MoveNext()	JIT	System.I
490.224	0.2	30	97	LivingAgile.Aspen.Core.Parser+<c>.ctor>b 70_4(int32)	JIT	LivingAgile.A
490.445	0.2	41	115	System.Collections.Generic.HashSet`1[System.Int32].IncreaseCapacity()	JIT	System.Col

490.682	0.4	112	210	System.Collections.Generic.HashSet`1[System.Int32].SetCapacity(int32,bool)	JIT	System.Col
491.154	0.1	7	4	System.Collections.Generic.HashSet`1[System.Int32].get_Count()	JIT	System.Col
491.248	0.1	15	17	System.Collections.Generic.HashSet`1[System.Int32].CopyTo(10[],int32)	JIT	System.Col
491.360	0.6	165	535	System.Collections.Generic.HashSet`1[System.Int32].CopyTo(10[],int32,int32)	JIT	System.Col
492.012	0.4	38	161	System.Linq.Enumerable.ToList(class System.Collections.Generic.IEnumerable`1)	JIT	System.I
492.428	0.1	11	4	System.SZArrayHelper.get_Count()	JIT	System.Private.
492.569	0.1	20	40	System.SZArrayHelper.CopyTo(!0[],int32)	JIT	System.Private.
492.790	1.1	313	668	LivingAgile.Aspen.Core.Elements.DocumentElement.ParseInput(class System.String,class System.String,int32,int32,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.A
493.971	0.3	38	203	LivingAgile.Aspen.Core.Elements.BaseOperator..ctor(int32,int32)	JIT	LivingAgile.A
494.353	0.1	38	74	LivingAgile.Aspen.Core.Elements.DocumentElement.set_AbsoluteFilePath(class System.String)	JIT	LivingAgile.A
494.523	0.4	101	157	LivingAgile.Aspen.Core.Manager.GetOperatorGroupIndex(class System.Text.RegularExpressions.Match)	JIT	LivingAgile.A
494.951	0.2	47	104	LivingAgile.Aspen.Core.Manager.OptimizeOperatorOrder(int32[],int32,int32,int32[],int32)	JIT	LivingAgile.A
495.220	0.2	26	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseChildElement(int32,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
495.476	0.7	685	2,867	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants..cctor()	JIT	LivingAgile.A
496.230	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseImport(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
496.324	0.2	16	64	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseImport(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
496.506	0.7	178	414	LivingAgile.Aspen.Core.Elements.ImportOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.A
497.205	0.2	42	170	LivingAgile.Aspen.Core.Elements.BaseOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,value class LivingAgile.Aspen.Core.ElementKinds,int32,int32,int32)	JIT	LivingAgile.A
497.461	0.2	71	133	LivingAgile.Aspen.Core.Manager.GetClampedRemovePriorIndentRequest(class System.String,class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.A
497.699	0.3	67	155	LivingAgile.Aspen.Core.Manager.GetRemovePriorIndentRequest(class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.A
498.050	0.3	90	144	LivingAgile.Aspen.Core.Manager.GetClampedRemoveNextLineBreaksRequest(class System.String,class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.A
498.328	0.3	67	155	LivingAgile.Aspen.Core.Manager.GetRemoveNextLineBreaksRequest(class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.A
498.658	0.3	85	197	LivingAgile.Aspen.Core.Manager.QueryNextLineBreaksToRemove(int32,class System.String,int32,int32,int32&,int32&)	JIT	LivingAgile.A
498.961	0.3	71	162	LivingAgile.Aspen.Core.Manager.IsEmptyLine(class System.String,int32,int32&)	JIT	LivingAgile.A
499.293	0.6	239	674	LivingAgile.Aspen.Core.Elements.BaseOperator.Add(class LivingAgile.Aspen.Core.Elements.BaseElement)	JIT	LivingAgile.A
499.944	0.1	29	73	LivingAgile.Aspen.Core.Elements.BaseElement.SetParent(class LivingAgile.Aspen.Core.Elements.BaseOperator,int32)	JIT	LivingAgile.A
500.120	0.1	5	11	LivingAgile.Aspen.Core.Elements.BaseElement.Validate(class System.String&)	JIT	LivingAgile.A
500.195	0.0	5	11	LivingAgile.Aspen.Core.Elements.DocumentElement.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.A
500.286	0.2	20	86	LivingAgile.Aspen.Core.Elements.BaseOperator.AddPlainText(int32,int32)	JIT	LivingAgile.A
500.514	1.3	221	1,038	LivingAgile.Aspen.Core.Template.Execute(class System.Collections.Generic.IEnumerable`1>,bool)	JIT	LivingAgile.A
501.835	0.2	50	101	LivingAgile.Aspen.Core.Manager.AppendLineToLog(class System.String)	JIT	LivingAgile.A
502.031	0.1	11	70	LivingAgile.Aspen.Core.Template+<c>..cctor()	JIT	LivingAgile.A
502.115	0.0	7	1	LivingAgile.Aspen.Core.Template+<c>..ctor()	JIT	LivingAgile.A
502.192	1.0	188	1,056	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.I
503.270	0.1	11	17	System.SZArrayHelper.get_Count()	JIT	System.Private.
503.417	0.2	23	137	LivingAgile.Aspen.Core.Elements.BaseElement.AppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
503.617	0.3	44	108	LivingAgile.Aspen.Core.Elements.DocumentElement.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
503.923	1.3	392	935	LivingAgile.Aspen.Core.Elements.ImportOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
505.259	0.4	101	196	LivingAgile.Aspen.Core.Elements.ExecutionState.ResolvePath(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,value class LivingAgile.Aspen.Core.PathType)	JIT	LivingAgile.A
506.295	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginSet(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
506.396	0.3	45	120	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginSet(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
506.722	0.3	108	204	LivingAgile.Aspen.Core.Elements.BeginSetOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match,bool)	JIT	LivingAgile.A
507.071	0.6	184	394	LivingAgile.Aspen.Core.Elements.BaseBeginSetOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ElementKinds,int32)	JIT	LivingAgile.A

507.696	0.3	82	122	LivingAgile.Aspen.Core.Elements.ExecutionState.GetTokenHandlingMode(class System.Text.RegularExpressions.GroupCollection)	JIT	LivingAgile.A
507.998	0.2	53	97	LivingAgile.Aspen.Core.Manager.GetCount(class System.String,int32)	JIT	LivingAgile.A
508.244	0.2	9	80	LivingAgile.Aspen.Core.Elements.BeginSetOperator.AddPlainText(int32,int32)	JIT	LivingAgile.A
508.433	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginSetOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.A
508.526	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginSetIndex(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
508.618	0.4	65	214	LivingAgile.Aspen.Core.Elements.BeginSetOperator.ParseBeginSetIndex(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
509.005	0.2	47	133	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator..ctor(class LivingAgile.Aspen.Core.Elements.BeginSetOperator,class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.A
509.256	0.5	172	267	LivingAgile.Aspen.Core.Manager.QueryPriorIndentsToRemove(int32,class System.String,int32,int32&,int32&)	JIT	LivingAgile.A
509.784	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.Validate(class System.String&)	JIT	LivingAgile.A
509.912	0.1	9	24	LivingAgile.Aspen.Core.Elements.BaseOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.A
509.997	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndSet(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
510.087	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndSet(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
510.370	0.4	115	203	System.Collections.Generic.HashSet`1[System.Int32].Contains(!0)	JIT	System.Col
510.887	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginForEach(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
510.983	0.1	16	62	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginForEach(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
511.136	0.4	107	303	LivingAgile.Aspen.Core.Elements.BeginForEachOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.A
511.627	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.A
511.737	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseGetToken(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
511.833	0.1	16	64	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseGetToken(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
512.000	0.6	126	387	LivingAgile.Aspen.Core.Elements.GetTokenOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.A
512.685	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginFile(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
512.784	0.2	16	62	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginFile(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
512.978	0.4	58	227	LivingAgile.Aspen.Core.Elements.BeginFileOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.A
513.417	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginFileOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.A
513.501	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseRemoveOuterWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
513.593	0.1	16	64	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseRemoveOuterWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
513.759	0.3	86	160	LivingAgile.Aspen.Core.Elements.RemoveOuterWhitespaceOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.A
514.116	0.2	64	101	LivingAgile.Aspen.Core.Manager.IsOperator(class System.String,int32,int32&)	JIT	LivingAgile.A
514.393	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndFile(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
514.487	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndFile(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
514.778	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndForEach(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
514.889	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndForEach(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
515.178	0.8	180	740	LivingAgile.Aspen.Core.Template.Execute(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class LivingAgile.Aspen.Core.Elements.DocumentElement)	JIT	LivingAgile.A
516.054	1.3	349	1,114	LivingAgile.Aspen.Core.Elements.BeginSetOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
517.406	0.3	106	244		JIT	LivingAgile.A

				LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveBindableTokenName(class System.String,class System.String&,bool&)		
517.761	0.7	139	573	LivingAgile.Aspen.Core.Elements.BaseBeginSetOperator.GetSetExecutionState(class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
518.452	1.7	1,137	5,213	LivingAgile.Aspen.Core.DataTypes..cctor()	JIT	LivingAgile.A
520.173	0.1	11	70	LivingAgile.Aspen.Core.DataTypes+<>c..cctor()	JIT	LivingAgile.A
520.269	0.1	7	1	LivingAgile.Aspen.Core.DataTypes+<>c..cctor()	JIT	LivingAgile.A
520.444	0.4	84	250	LivingAgile.Aspen.Core.Elements.BaseOperator.GetChildOutput(class LivingAgile.Aspen.Core.Elements.ExecutionState,int32,class LivingAgile.Aspen.Core.Elements.BaseOperator,bool)	JIT	LivingAgile.A
520.892	0.4	108	240	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32)	JIT	LivingAgile.A
521.367	0.2	35	143	LivingAgile.Aspen.Core.Elements.PlainTextElement.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
521.588	0.1	25	26	LivingAgile.Aspen.Core.TextCollector.Add(class LivingAgile.Aspen.Core.TextSegment)	JIT	LivingAgile.A
521.719	0.2	42	137	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32,class System.Text.StringBuilder)	JIT	LivingAgile.A
521.962	0.4	122	292	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
522.420	1.3	428	914	LivingAgile.Aspen.Core.TextCollector.Compress(bool)	JIT	LivingAgile.A
523.763	0.1	26	36	LivingAgile.Aspen.Core.TextSegment.TextToString()	JIT	LivingAgile.A
523.902	0.2	67	159	LivingAgile.Aspen.Core.TextCollector.RemovePriorIndents(int32,class System.Text.StringBuilder)	JIT	LivingAgile.A
524.136	0.4	172	205	LivingAgile.Aspen.Core.Manager.QueryPriorIndentsToRemove(int32,class System.Text.StringBuilder,int32,int32&,int32&)	JIT	LivingAgile.A
524.553	0.2	67	149	LivingAgile.Aspen.Core.TextCollector.RemoveNextLineBreaks(int32,class System.Text.StringBuilder)	JIT	LivingAgile.A
524.812	0.1	29	29	LivingAgile.Aspen.Core.TextSegment.Clamp(int32,int32&)	JIT	LivingAgile.A
524.934	0.1	31	71	LivingAgile.Aspen.Core.Manager.UnescapeOperators(class System.String)	JIT	LivingAgile.A
525.083	0.2	40	63	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.GetIndexToSet(class LivingAgile.Aspen.Core.Elements.SetExecutionState)	JIT	LivingAgile.A
525.286	0.5	125	408	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.GetValueToSet(int32,class LivingAgile.Aspen.Core.Elements.SetExecutionState,class System.String,class System.String&)	JIT	LivingAgile.A
525.773	0.2	69	142	LivingAgile.Aspen.Core.Elements.ExecutionState.GetValue(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class System.String,value class System.Nullable`1,value class LivingAgile.Aspen.Core.TokenHandlingMode,bool)	JIT	LivingAgile.A
526.050	0.6	210	472	LivingAgile.Aspen.Core.DataTypes.GetRawValue(class System.String,class System.String,value class System.Nullable`1,bool)	JIT	LivingAgile.A
526.671	0.5	134	410	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.AddValueToList(class LivingAgile.Aspen.Core.Elements.SetExecutionState,int32,class System.String,class System.Object)	JIT	LivingAgile.A
527.262	0.3	34	189	LivingAgile.Aspen.Core.DataTypes.ContainsAnyNonWhiteSpace(class System.String,int32,int32)	JIT	LivingAgile.A
527.641	0.2	29	79	LivingAgile.Aspen.Core.Elements.ExecutionState.GetTokens(int32,int32)	JIT	LivingAgile.A
527.896	0.2	79	103	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.System.Collections.Generic.IEnumerable>.GetEnumerator()	JIT	LivingAgile.A
528.149	0.4	236	235	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.MoveNext()	JIT	LivingAgile.A
528.576	0.1	7	5	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.System.Collections.Generic.IEnumerable>.get_Current()	JIT	LivingAgile.A
528.669	0.0	1	1	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.System.IDisposable.Dispose()	JIT	LivingAgile.A
528.738	1.7	474	1,681	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
530.472	0.5	219	447	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.TryGetOptions(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class LivingAgile.Aspen.Core.Elements.BaseOperator,value class LivingAgile.Aspen.Core.ForEachMode&,class System.Collections.IEnumerable&,class System.String&)	JIT	LivingAgile.A
530.992	0.6	221	567	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveTokenWithOptionalIndexer(class System.String,class System.String,class System.Object&)	JIT	LivingAgile.A
531.670	0.2	67	113	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveToken(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class System.Object&)	JIT	LivingAgile.A
531.955	0.4	123	301	LivingAgile.Aspen.Core.Elements.GetTokenOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
532.355	1.4	404	1,315	LivingAgile.Aspen.Core.Elements.ExecutionState.GetReplacementValue(class System.Object&,value class LivingAgile.Aspen.Core.TokenHandlingMode,class System.String,class System.String,class System.String,int32)	JIT	LivingAgile.A
533.779	0.1	26	50	LivingAgile.Aspen.Core.TextCollector.Add(class System.String)	JIT	LivingAgile.A
533.921	0.5	114	321	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32,class System.String,int32,int32)	JIT	LivingAgile.A
534.417	0.1	9	23	LivingAgile.Aspen.Core.Elements.SetExecutionState.LivingAgile.Aspen.Core.IValueTarget.set_Value(value class System.Nullable`1)	JIT	LivingAgile.A
534.512	0.4	118	319	LivingAgile.Aspen.Core.Elements.SetExecutionState.Set(value class LivingAgile.Aspen.Core.SetValueState,value class System.Nullable`1)	JIT	LivingAgile.A
535.170	0.5	132	317	LivingAgile.Aspen.Core.Elements.BeginFileOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
535.725	0.1	8	35	LivingAgile.Aspen.Core.Elements.RemoveOuterWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
537.312	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginComment(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
537.417	0.3	16	136		JIT	LivingAgile.A

				LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginComment(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)		
537.733	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.A
537.824	0.2	69	56	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.ParseChildElement(int32,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
538.043	0.1	9	13	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndComment(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
538.136	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndComment(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
540.404	0.1	9	13	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginRemoveWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
540.512	0.3	16	129	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginRemoveWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
540.809	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.A
541.209	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndRemoveWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
541.309	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndRemoveWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
541.590	0.6	105	333	LivingAgile.Aspen.Core.Template.StaticExecute(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
542.183	0.2	59	115	LivingAgile.Aspen.Core.Template.GetStaticOutput(class LivingAgile.Aspen.Core.Elements.ExecutionState,class LivingAgile.Aspen.Core.Elements.DocumentElement&,class System.Collections.Generic.Dictionary`2&)	JIT	LivingAgile.A
542.403	0.8	185	838	LivingAgile.Aspen.Core.Template.CreateStaticOutput(int32,class LivingAgile.Aspen.Core.Elements.DocumentElement&,class System.Collections.Generic.Dictionary`2&)	JIT	LivingAgile.A
543.294	1.3	292	904	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
544.677	0.3	47	134	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
546.322	0.5	126	272	LivingAgile.Aspen.Core.Elements.BaseOperator.AppendAsText(class LivingAgile.Aspen.Core.TextCollector)	JIT	LivingAgile.A
546.904	0.2	44	125	LivingAgile.Aspen.Core.TextCollector.ContainsAnyOperator(class System.String)	JIT	LivingAgile.A
547.233	0.6	100	306	LivingAgile.Aspen.Core.TextCollector.Add(class LivingAgile.Aspen.Core.TextCollector)	JIT	LivingAgile.A
555.915	0.1	44	162	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.cctor()	JIT	LivingAgile.A
556.541	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDate(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
556.660	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDate(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
557.002	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseTime(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
557.102	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseTime(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
557.386	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDateUtc(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
557.486	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDateUtc(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
557.763	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseTimeUtc(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
557.869	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseTimeUtc(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
558.151	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDomain(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
558.258	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDomain(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
558.552	0.1	9	13	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseUserName(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
558.648	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseUserName(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
558.939	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseMachineName(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
559.036	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseMachineName(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.A
559.305	0.4	97	393		JIT	LivingAgile.A

				LivingAgile.Aspen.Core.Template.ExecuteInline(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class LivingAgile.Aspen.Core.Elements.DocumentElement)		
559.722	0.4	83	273	LivingAgile.Aspen.Core.Elements.DateOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
560.358	0.3	75	251	LivingAgile.Aspen.Core.Elements.TimeOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
560.723	0.4	83	273	LivingAgile.Aspen.Core.Elements.DateUtcOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
561.111	8.1	75	251	LivingAgile.Aspen.Core.Elements.TimeUtcOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
569.443	0.4	30	71	LivingAgile.Aspen.Core.Elements.DomainOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
569.847	0.1	11	26	LivingAgile.Aspen.Core.Manager.get_Domain()	JIT	LivingAgile.A
570.084	0.2	30	71	LivingAgile.Aspen.Core.Elements.UserNameOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
570.272	0.1	11	26	LivingAgile.Aspen.Core.Manager.get_UserName()	JIT	LivingAgile.A
570.397	0.2	30	71	LivingAgile.Aspen.Core.Elements.MachineNameOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.A
570.625	0.1	11	26	LivingAgile.Aspen.Core.Manager.get_MachineName()	JIT	LivingAgile.A
571.186	0.5	98	234	LivingAgile.Aspen.Core.Manager.DetectPadding(class System.String,int32)	JIT	LivingAgile.A
571.698	0.1	31	145	LivingAgile.Aspen.Core.Manager.AdjustPadding(class System.String,class System.String,int32,class System.String,int32,int32)	JIT	LivingAgile.A
571.884	0.3	58	198	LivingAgile.Aspen.Core.Manager.AdjustPadding(class System.String,class System.Text.StringBuilder,class System.String,int32,class System.String,int32,int32)	JIT	LivingAgile.A
572.212	0.2	31	85	LivingAgile.Aspen.Core.Manager.EndsWithNewline(class System.String,int32)	JIT	LivingAgile.A
572.434	0.5	140	350	LivingAgile.Aspen.Core.Manager.AdjustPaddingIgnoreFirstLine(class System.String,class System.Text.StringBuilder,class System.String,int32,int32)	JIT	LivingAgile.A
573.293	0.3	55	174	LivingAgile.Aspen.Core.Manager.CompareOrdinal(class System.Text.StringBuilder,int32,class System.String,int32,int32)	JIT	LivingAgile.A
573.642	0.2	85	188	LivingAgile.Aspen.Core.Manager.QueryNextLineBreaksToRemove(int32,class System.Text.StringBuilder,int32,int32,int32&,int32&)	JIT	LivingAgile.A
573.924	0.2	71	124	LivingAgile.Aspen.Core.Manager.IsEmptyLine(class System.Text.StringBuilder,int32,int32&)	JIT	LivingAgile.A
574.738	0.5	111	330	LivingAgile.Aspen.Core.Manager.StartFile(class System.String,class System.Text.Encoding)	JIT	LivingAgile.A
575.467	0.2	43	75	LivingAgile.Aspen.Core.Manager.SetCurrentBlock(class LivingAgile.Aspen.Core.Block,bool)	JIT	LivingAgile.A
575.734	0.2	42	87	LivingAgile.Aspen.Core.Manager.ResumePreviousBlock(bool)	JIT	LivingAgile.A
575.932	0.3	92	146	LivingAgile.Aspen.Core.Manager.EndBlock(bool)	JIT	LivingAgile.A
1,037.447	1.9	472	1,028	LivingAgile.Aspen.Core.Manager.Process()	JIT	LivingAgile.A
1,039.399	0.9	307	687	LivingAgile.Aspen.Core.Block.GetContents()	JIT	LivingAgile.A
1,040.532	0.3	42	105	LivingAgile.Aspen.Core.Manager.WriteFile(class System.String,class System.String,class System.Text.Encoding)	JIT	LivingAgile.A
1,040.904	0.2	37	103	LivingAgile.Aspen.Core.Manager.IsFileContentDifferent(class System.String,class System.String,class System.Text.Encoding)	JIT	LivingAgile.A
1,159.185	0.2	23	35	LivingAgile.Aspen.Core.Segment.CompareTo(class LivingAgile.Aspen.Core.Segment)	JIT	LivingAgile.A
1,164.100	0.2	0	188	dynamicClass.IL_STUB_PInvoke(int32)	JIT	System.Runtime
1,164.373	0.2	0	230	dynamicClass.IL_STUB_PInvoke(int,unsigned int8*,int32,int32&,int)	JIT	System.Runtime
1,164.598	0.1	0	178	dynamicClass.IL_STUB_PInvoke()	JIT	System.Runtime
1,164.879	0.1	0	184	dynamicClass.IL_STUB_PInvoke(int)	JIT	System.Runtime