

## JITStats

- [Process 42888: dotnet aspencli.dll -template Controller.txt -compiled true -consoleLog -q -sam...](#)

### JIT Stats for Process 42888: dotnet

- CommandLine: "dotnet" aspencli.dll -template "D:\git\LivingAgile\bin\Aspen\SampleTemplates\\_Controller.txt" -compiled true -consoleLog -q -samples 0
- Process CPU Time: 288 msec
- Total Number of JIT compiled methods : 310
- Total MSec JIT compiling : 111
- JIT compilation time as a percentage of total process CPU time : 38.5%
- [Individual JIT Events](#)
  - [View in Excel](#)
- No JIT Inlining data available. Consider enabling the JITInlining option.
- [JIT Perf Users Guide](#)

**Background JIT compilation events are not being collected.** If you are interested in seeing the operation of Background JIT Enabled the 'Background JIT' checkbox in the 'Advanced' section of the collection dialog when collecting the data. See [Guide to Background JIT](#) for more.

Below is a table of the time taken to JIT compile the methods used in the program, broken down by module. If this time is significant you can eliminate it by [NGening](#) your application. This will improve the startup time for your app.

The list below is also useful for tuning the startup performance of your application in general. In general you want as little to be run during startup as possible. If you have 1000s of methods being compiled on startup you should try to defer some of that computation until absolutely necessary.

Name	JitTime msec	Num Methods	IL Size	Native Size
TOTAL	110.9	310	25,207	78,130
D:\git\LivingAgile\bin\Aspen\CoreFx\1.1\AnyCPU.Release\netcoreapp1.1\LivingAgile.Aspen.Core.dll	69.2	201	18,559	54,342
D:\git\LivingAgile\bin\Aspen\CoreFx\1.1\AnyCPU.Release\netcoreapp1.1\aspencli.dll	14.4	20	1,607	5,721
C:\Program Files\dotnet\shared\Microsoft.NETCore.App\1.1\System.Linq.dll	11.4	28	1,830	6,077
C:\Program Files\dotnet\shared\Microsoft.NETCore.App\1.1\System.Private.CoreLib.ni.dll	7.9	32	2,134	4,247
C:\Program Files\dotnet\shared\Microsoft.NETCore.App\1.1\System.Runtime.Extensions.dll	4.1	16	0	5,537
C:\Program Files\dotnet\shared\Microsoft.NETCore.App\1.1\System.Collections.dll	3.9	13	1,077	2,206

### Individual JIT Events for Process 42888: dotnet

Start (msec)	JitTime msec	IL Size	Native Size	Method Name	BG	Modu
447.554	1.9	42	115	LivingAgile.Aspen.Runner.Program.Main(class System.String[])	JIT	aspencli
449.531	6.6	726	2,432	LivingAgile.Aspen.Runner.Program.Run(class System.String[])	JIT	aspencli
456.285	1.1	95	415	LivingAgile.Core.CoreUtil.GetArguments(value class System.ArraySegment`1,bool,int32&,class System.Collections.Generic.IEqualityComparer`1,bool)	JIT	aspencli
457.431	1.1	317	729	LivingAgile.Core.CoreUtil.ParseCommandLineArguments(value class System.ArraySegment`1,bool,int32&,bool)	JIT	aspencli
458.560	0.1	25	49	LivingAgile.Core.CoreUtil.IsArgument(class System.String)	JIT	aspencli
458.696	0.1	32	76	LivingAgile.Core.CoreUtil.RemoveQuotes(class System.String&)	JIT	aspencli
458.860	0.1	11	70	LivingAgile.Core.CoreUtil+<c..cctor()	JIT	aspencli
458.944	0.0	7	1	LivingAgile.Core.CoreUtil+<c..ctor()	JIT	aspencli
459.027	0.6	52	288	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Li
459.719	0.9	71	460	System.Linq.Lookup`2[System.__Canon,System.__Canon].Create(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Li
460.800	0.1	8	4	LivingAgile.Core.CoreUtil+<c..b_18_0(value class System.Collections.Generic.KeyValuePair`2)	JIT	aspencli
460.950	0.1	8	5	LivingAgile.Core.CoreUtil+<c..b_18_1(value class System.Collections.Generic.KeyValuePair`2)	JIT	aspencli
461.074	1.0	69	526	LivingAgile.Core.CoreUtil.ToDictionary(class System.Linq.ILookup`2)	JIT	aspencli
462.150	0.1	11	74	LivingAgile.Core.CoreUtil+<c..16_2[System.__Canon,System.__Canon]..cctor()	JIT	aspencli
462.257	0.0	7	1	LivingAgile.Core.CoreUtil+<c..16_2[System.__Canon,System.__Canon]..ctor()	JIT	aspencli
462.537	0.2	7	71	LivingAgile.Core.CoreUtil+<c..16_2[System.__Canon,System.__Canon].b__16_0(class System.Linq.IGrouping`2)	JIT	aspencli
462.771	0.2	7	76	LivingAgile.Core.CoreUtil+<c..16_2[System.__Canon,System.__Canon].b__16_1(class System.Linq.IGrouping`2)	JIT	aspencli
463.050	0.9	89	512	LivingAgile.Core.CoreUtil.SafeGet(class System.Collections.Generic.IDictionary`2,!0,int32,!1)	JIT	aspencli
464.374	0.1	11	74	LivingAgile.Core.CoreUtil+<c..11_3[System.__Canon,System.__Canon,System.__Canon]..cctor()	JIT	aspencli
464.491	0.0	7	1	LivingAgile.Core.CoreUtil+<c..11_3[System.__Canon,System.__Canon,System.__Canon]..ctor()	JIT	aspencli
465.062	0.2	7	86	LivingAgile.Core.CoreUtil+<c..11_3[System.__Canon,System.__Canon,System.__Canon].b__11_0(!1)	JIT	aspencli
465.675	0.2	0	335	dynamicClass_IL_STUB_PInvoke(wchar*,unsigned int32,class System.Runtime.InteropServices.SafeHandle,int)	JIT	System.Runtime.I

466.201	0.1	0	157	dynamicClass.IL_STUB_PInvoke(unsigned int32)	JIT	System.Runtime.I
466.433	0.2	0	234	dynamicClass.IL_STUB_PInvoke(class System.String,pMT: 00007FFB98C22650,pMT: 00007FFB98C23A18&)	JIT	System.Runtime.I
466.733	0.4	0	602	dynamicClass.IL_STUB_PInvoke(int32,pMT: 00007FFBE7E997B8)	JIT	System.Runtime.I
467.428	0.2	24	88	LivingAgile.Aspen.Core.RegexCompiler.set_Enabled(bool)	JIT	LivingAgile.Asp
467.695	0.5	121	404	LivingAgile.Aspen.Runner.Program.RunSample(class System.String,class System.String,class System.Collections.Generic.Dictionary`2,bool,class LivingAgile.Aspen.Core.Manager&,bool&,class System.String&)	JIT	aspencli
468.190	3.1	381	1,102	LivingAgile.Aspen.Core.Manager..ctor(class System.String,class System.String,class System.Text.StringBuilder)	JIT	LivingAgile.Asp
473.753	0.2	38	227	LivingAgile.Aspen.Core.Manager.GetAbsoluteFilename(class System.String)	JIT	LivingAgile.Asp
474.036	1.3	436	992	LivingAgile.Aspen.Core.Manager.FixFilePathCasing(class System.String)	JIT	LivingAgile.Asp
475.337	0.4	136	346	LivingAgile.Aspen.Core.Manager.GetDirectoryNameWithSeperator(class System.String,int32,bool&,class System.String&)	JIT	LivingAgile.Asp
475.807	1.0	137	472	LivingAgile.Aspen.Core.Manager..ctor()	JIT	LivingAgile.Asp
476.804	0.3	44	112	LivingAgile.Aspen.Core.RegexCompiler.get_CompilationOption()	JIT	LivingAgile.Asp
478.520	0.1	18	54	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions]..ctor()	JIT	System.Private.C
478.659	0.1	12	52	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions]..cctor()	JIT	System.Private.C
478.820	0.1	7	4	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].get_Count()	JIT	System.Private.C
479.412	0.2	46	121	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange]..ctor(int32)	JIT	System.Private.C
479.632	0.2	74	83	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].Add(!0)	JIT	System.Private.C
479.890	0.1	7	4	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].get_Count()	JIT	System.Private.C
479.983	0.1	27	50	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].get_Item(int32)	JIT	System.Private.C
480.187	0.1	15	22	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].Sort(class System.Collections.Generic.IComparer`1)	JIT	System.Private.C
480.330	0.2	71	106	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].Sort(int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.C
480.575	0.4	91	209	System.Array.Sort(!0[],int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.C
481.235	0.1	7	40	LivingAgile.Aspen.Core.Manager.FixDriveCasing(class System.String)	JIT	LivingAgile.Asp
481.356	0.1	24	77	LivingAgile.Aspen.Core.Manager.GetFixedPathCasing(class System.String,class System.String)	JIT	LivingAgile.Asp
482.092	0.5	0	602	dynamicClass.IL_STUB_PInvoke(int32,class System.Text.StringBuilder)	JIT	System.Runtime.I
484.303	0.4	0	374	dynamicClass.IL_STUB_PInvoke(class System.String,int32,pMT: 00007FFB98C42B50,pMT: 00007FFB98C45B20&,pMT: 00007FFB98C428B0,int32,int)	JIT	System.Runtime.I
485.039	0.3	0	326	dynamicClass.IL_STUB_PInvoke(pMT: 00007FFBE7EA53B0)	JIT	System.Runtime.I
485.479	0.1	0	193	dynamicClass.IL_STUB_PInvoke(int)	JIT	System.Runtime.I
485.918	0.5	0	731	dynamicClass.IL_STUB_PInvoke(class System.String,pMT: 00007FFB98C227A0,pMT: 00007FFB98C460E0&,pMT: 00007FFB98C228F0,int,int32)	JIT	System.Runtime.I
486.616	0.4	0	637	dynamicClass.IL_STUB_PInvoke(pMT: 00007FFB98C45EA8,pMT: 00007FFB98C460E0&)	JIT	System.Runtime.I
487.478	0.1	0	193	dynamicClass.IL_STUB_PInvoke(int)	JIT	System.Runtime.I
488.902	0.3	45	134	LivingAgile.Aspen.Core.Manager.GetAbsoluteOutputFilename(class System.String)	JIT	LivingAgile.Asp
489.659	0.2	47	137	LivingAgile.Aspen.Core.Manager.GetTemplateUnchecked(class System.String)	JIT	LivingAgile.Asp
490.524	0.3	0	373	dynamicClass.IL_STUB_PInvoke(pMT: 00007FFBE7EA53B0,unsigned int8*,int32,int32&,int)	JIT	System.Runtime.I
490.904	0.6	151	283	LivingAgile.Aspen.Core.Template..ctor(class LivingAgile.Aspen.Core.Manager,class System.String,class System.String)	JIT	LivingAgile.Asp
491.533	0.1	31	71	LivingAgile.Aspen.Core.Manager.EscapeOperators(class System.String)	JIT	LivingAgile.Asp
491.862	0.2	33	105	LivingAgile.Aspen.Core.Template.GetTrimmedText(class System.String)	JIT	LivingAgile.Asp
492.099	0.2	50	186	LivingAgile.Aspen.Core.Manager.GetRelativeInputPath(class System.String,class System.String)	JIT	LivingAgile.Asp
492.317	0.3	45	137	LivingAgile.Aspen.Core.Manager.GetAbsoluteInputFilename(class System.String)	JIT	LivingAgile.Asp
492.766	1.2	264	717	LivingAgile.Aspen.Core.Manager.GetRelativePathFromAbsolute(class System.String,class System.String)	JIT	LivingAgile.Asp
493.980	0.2	48	184	LivingAgile.Aspen.Core.Elements.DocumentElement.ParseInput(class System.String,class System.String,int32,int32)	JIT	LivingAgile.Asp
494.261	2.2	2,127	6,179	LivingAgile.Aspen.Core.Parser..ctor()	JIT	LivingAgile.Asp
496.598	0.2	74	78	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].Add(!0)	JIT	System.Private.C
496.841	0.2	62	58	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].EnsureCapacity(int32)	JIT	System.Private.C
497.068	0.2	89	151	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].set_Capacity(int32)	JIT	System.Private.C
497.609	0.1	27	50	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].get_Item(int32)	JIT	System.Private.C
497.772	0.3	107	114	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].RemoveAt(int32)	JIT	System.Private.C
498.290	0.1	11	40	System.Collections.Generic.Comparer`1[System.Text.RegularExpressions.RegexCharClass+SingleRange]..ctor()	JIT	System.Private.C
498.390	0.7	370	604	System.Collections.Generic.Comparer`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].CreateComparer()	JIT	System.Private.C
499.159	0.1	19	33	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].get_Default()	JIT	System.Private.C
499.302	0.2	108	266	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].CreateArraySortHelper()	JIT	System.Private.C
499.588	0.3	52	244	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].Sort(!0[],int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.C
499.915	0.4	142	335	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].IntroSort(!0[],int32,int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.C

500.333	0.3	58	127	System.Collections.Generic.ArraySortHelper`1 [System.Text.RegularExpressions.RegexCharClass+SingleRange].SwapIfGreater(!0[],class System.Collections.Generic.IComparer`1,int32,int32)	JIT	System.Private.C
500.692	0.2	42	63	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].set_Item(int32,!0)	JIT	System.Private.C
500.894	0.3	138	158	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].RemoveRange(int32,int32)	JIT	System.Private.C
501.235	0.7	78	258	System.Collections.Generic.ArraySortHelper`1 [System.Text.RegularExpressions.RegexCharClass+SingleRange].InsertionSort(!0[],int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.C
502.287	0.3	62	58	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].EnsureCapacity(int32)	JIT	System.Private.C
502.594	0.3	89	171	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].set_Capacity(int32)	JIT	System.Private.C
502.905	1.0	131	504	System.Collections.Generic.ArraySortHelper`1 [System.Text.RegularExpressions.RegexCharClass+SingleRange].PickPivotAndPartition(!0[],int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Private.C
504.236	0.1	9	54	LivingAgile.Aspen.Core.Parser.Operator(class System.String)	JIT	LivingAgile.Asp
504.376	0.2	59	166	LivingAgile.Aspen.Core.Parser.Operator(class System.String,int32,int32)	JIT	LivingAgile.Asp
504.647	0.2	71	205	LivingAgile.Aspen.Core.Parser.EndOperator(class System.String,int32,int32,int32)	JIT	LivingAgile.Asp
504.881	0.1	10	61	LivingAgile.Aspen.Core.Parser.EndOperator(class System.String,int32)	JIT	LivingAgile.Asp
505.009	0.2	71	206	LivingAgile.Aspen.Core.Parser.OperatorWithSharedEnd(class System.String,int32,int32,int32)	JIT	LivingAgile.Asp
505.298	0.1	11	70	LivingAgile.Aspen.Core.Parser+<>c..cctor()	JIT	LivingAgile.Asp
505.389	0.0	7	1	LivingAgile.Aspen.Core.Parser+<>c..ctor()	JIT	LivingAgile.Asp
505.480	0.1	10	16	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2)	JIT	System.Li
505.615	0.3	52	214	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Li
505.978	0.5	71	364	System.Linq.Lookup`2[System.Int32,System.Int32].Create(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Li
506.512	0.2	35	74	System.Linq.Lookup`2[System.Int32,System.Int32]..ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Li
506.810	0.1	8	10	LivingAgile.Aspen.Core.Parser+<>c.<.cctor>b_70_0(value class System.Collections.Generic.KeyValuePair`2)	JIT	LivingAgile.Asp
506.914	0.6	234	393	System.Linq.Lookup`2[System.Int32,System.Int32].GetGrouping(!0,bool)	JIT	System.Li
507.558	0.1	29	33	System.Linq.Lookup`2[System.Int32,System.Int32].InternalGetHashCode(!0)	JIT	System.Li
507.685	0.1	8	10	LivingAgile.Aspen.Core.Parser+<>c.<.cctor>b_70_1(value class System.Collections.Generic.KeyValuePair`2)	JIT	LivingAgile.Asp
507.785	0.2	68	83	System.Linq.Grouping`2[System.Int32,System.Int32].Add(!1)	JIT	System.Li
508.062	0.3	71	149	System.Linq.Lookup`2[System.Int32,System.Int32].Resize()	JIT	System.Li
508.367	0.3	65	169	System.Array.Resize(!!0[]&,int32)	JIT	System.Private.C
508.706	0.1	10	82	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2)	JIT	System.Li
508.891	1.5	188	974	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Li
510.443	0.2	14	54	System.Linq.Lookup`2[System.Int32,System.Int32].GetEnumerator()	JIT	System.Li
510.692	0.4	114	127	System.Linq.Lookup`2+d_13[System.Int32,System.Int32].MoveNext()	JIT	System.Li
511.152	0.1	7	5	System.Linq.Lookup`2+d_13[System.Int32,System.Int32].System.Collections.Generic.IEnumerator>.get_Current()	JIT	System.Li
511.242	0.1	7	21	LivingAgile.Aspen.Core.Parser+<>c.<.cctor>b_70_2(class System.Linq.IGrouping`2)	JIT	LivingAgile.Asp
511.341	0.1	7	4	System.Linq.Grouping`2[System.Int32,System.Int32].get_Key()	JIT	System.Li
511.421	0.2	7	61	LivingAgile.Aspen.Core.Parser+<>c.<.cctor>b_70_3(class System.Linq.IGrouping`2)	JIT	LivingAgile.Asp
511.631	0.4	116	277	System.Collections.Generic.HashSet`1[System.Int32]..ctor(class System.Collections.Generic.IEnumerable`1,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Colle
512.048	0.2	52	51	System.Collections.Generic.HashSet`1[System.Int32]..ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Colle
512.241	0.1	7	4	System.Linq.Grouping`2[System.Int32,System.Int32].System.Collections.Generic.ICollection.get_Count()	JIT	System.Li
512.332	0.1	32	84	System.Collections.Generic.HashSet`1[System.Int32].Initialize(int32)	JIT	System.Colle
512.549	0.3	59	249	System.Collections.Generic.HashSet`1[System.Int32].UnionWith(class System.Collections.Generic.IEnumerable`1)	JIT	System.Colle
512.875	0.2	14	54	System.Linq.Grouping`2[System.Int32,System.Int32].GetEnumerator()	JIT	System.Li
513.134	0.4	113	127	System.Linq.Grouping`2+d_9[System.Int32,System.Int32].MoveNext()	JIT	System.Li
513.549	0.1	7	4	System.Linq.Grouping`2+d_9[System.Int32,System.Int32].System.Collections.Generic.IEnumerator.get_Current()	JIT	System.Li
513.635	0.8	321	402	System.Collections.Generic.HashSet`1[System.Int32].AddIfNotPresent(!0)	JIT	System.Colle
514.505	0.1	29	33	System.Collections.Generic.HashSet`1[System.Int32].InternalGetHashCode(!0)	JIT	System.Colle
514.650	0.0	1	1	System.Linq.Grouping`2+d_9[System.Int32,System.Int32].System.IDisposable.Dispose()	JIT	System.Li
514.769	0.0	1	1	System.Linq.Lookup`2+d_13[System.Int32,System.Int32].System.IDisposable.Dispose()	JIT	System.Li
514.843	0.3	38	187	System.Linq.Enumerable.ToArray(class System.Collections.Generic.IEnumerable`1)	JIT	System.Li
515.175	0.7	201	562	System.Collections.Generic.EnumerableHelpers.ToArray(class System.Collections.Generic.IEnumerable`1,int32&)	JIT	System.Li
515.998	1.3	90	431	System.Linq.Enumerable.Where(class System.Collections.Generic.IEnumerable`1,class System.Func`2)	JIT	System.Li
517.311	0.1	13	26	System.Collections.Generic.HashSet`1[System.Int32]..ctor(class System.Collections.Generic.IEnumerable`1)	JIT	System.Colle
517.450	0.6	99	169	System.Linq.Enumerable+WhereListIterator`1[System.Int32].MoveNext()	JIT	System.Li
518.066	0.2	30	97	LivingAgile.Aspen.Core.Parser+<>c.<.cctor>b_70_4(int32)	JIT	LivingAgile.Asp
518.314	0.2	41	115	System.Collections.Generic.HashSet`1[System.Int32].IncreaseCapacity()	JIT	System.Colle

518.560	0.4	112	210	System.Collections.Generic.HashSet`1[System.Int32].SetCapacity(int32,bool)	JIT	System.Colle
519.034	0.1	7	4	System.Collections.Generic.HashSet`1[System.Int32].get_Count()	JIT	System.Colle
519.542	0.1	15	17	System.Collections.Generic.HashSet`1[System.Int32].CopyTo(!0[],int32)	JIT	System.Colle
519.684	0.7	165	535	System.Collections.Generic.HashSet`1[System.Int32].CopyTo(!0[],int32,int32)	JIT	System.Colle
520.378	0.4	38	161	System.Linq.Enumerable.ToList(class System.Collections.Generic.IEnumerable`1)	JIT	System.Li
520.834	0.1	11	4	System.SZArrayHelper.get_Count()	JIT	System.Private.C
520.980	0.1	20	40	System.SZArrayHelper.CopyTo(!0[],int32)	JIT	System.Private.C
521.216	1.2	313	668	LivingAgile.Aspen.Core.Elements.DocumentElement.ParseInput(class System.String,class System.String,int32,int32,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
522.438	0.4	38	203	LivingAgile.Aspen.Core.Elements.BaseOperator..ctor(int32,int32)	JIT	LivingAgile.Asp
522.832	0.1	38	74	LivingAgile.Aspen.Core.Elements.DocumentElement.set_AbsoluteFilePath(class System.String)	JIT	LivingAgile.Asp
523.004	0.4	101	157	LivingAgile.Aspen.Core.Manager.GetOperatorGroupIndex(class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
523.428	0.2	47	104	LivingAgile.Aspen.Core.Manager.OptimizeOperatorOrder(int32[],int32,int32,int32[],int32)	JIT	LivingAgile.Asp
523.701	0.2	26	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseChildElement(int32,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
523.957	0.8	685	2,867	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants..cctor()	JIT	LivingAgile.Asp
524.753	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseImport(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
524.846	0.2	16	64	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseImport(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
525.029	0.7	178	414	LivingAgile.Aspen.Core.Elements.ImportOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
525.764	0.2	42	170	LivingAgile.Aspen.Core.Elements.BaseOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,value class LivingAgile.Aspen.Core.ElementKinds,int32,int32,int32)	JIT	LivingAgile.Asp
526.023	0.2	71	133	LivingAgile.Aspen.Core.Manager.GetClampedRemovePriorIndentRequest(class System.String,class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Asp
526.278	0.3	67	155	LivingAgile.Aspen.Core.Manager.GetRemovePriorIndentRequest(class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Asp
526.644	0.3	90	144	LivingAgile.Aspen.Core.Manager.GetClampedRemoveNextLineBreaksRequest(class System.String,class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Asp
526.931	0.3	67	155	LivingAgile.Aspen.Core.Manager.GetRemoveNextLineBreaksRequest(class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Asp
527.271	0.3	85	197	LivingAgile.Aspen.Core.Manager.QueryNextLineBreaksToRemove(int32,class System.String,int32,int32,int32&,int32&)	JIT	LivingAgile.Asp
527.574	0.3	71	162	LivingAgile.Aspen.Core.Manager.IsEmptyLine(class System.String,int32,int32&)	JIT	LivingAgile.Asp
527.911	0.6	239	674	LivingAgile.Aspen.Core.Elements.BaseOperator.Add(class LivingAgile.Aspen.Core.Elements.BaseElement)	JIT	LivingAgile.Asp
528.577	0.2	29	73	LivingAgile.Aspen.Core.Elements.BaseElement.SetParent(class LivingAgile.Aspen.Core.Elements.BaseOperator,int32)	JIT	LivingAgile.Asp
528.759	0.1	5	11	LivingAgile.Aspen.Core.Elements.BaseElement.Validate(class System.String&)	JIT	LivingAgile.Asp
528.838	0.1	5	11	LivingAgile.Aspen.Core.Elements.DocumentElement.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
528.935	0.2	20	86	LivingAgile.Aspen.Core.Elements.BaseOperator.AddPlainText(int32,int32)	JIT	LivingAgile.Asp
529.177	1.3	221	1,038	LivingAgile.Aspen.Core.Template.Execute(class System.Collections.Generic.IEnumerable`1>,bool)	JIT	LivingAgile.Asp
530.556	0.2	50	101	LivingAgile.Aspen.Core.Manager.AppendLineToLog(class System.String)	JIT	LivingAgile.Asp
530.739	0.1	11	70	LivingAgile.Aspen.Core.Template+<c..cctor()	JIT	LivingAgile.Asp
530.822	0.0	7	1	LivingAgile.Aspen.Core.Template+<c..ctor()	JIT	LivingAgile.Asp
530.900	1.1	188	1,056	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Li
532.034	0.1	11	17	System.SZArrayHelper.get_Count()	JIT	System.Private.C
532.187	0.2	23	137	LivingAgile.Aspen.Core.Elements.BaseElement.AppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
532.390	0.3	44	108	LivingAgile.Aspen.Core.Elements.DocumentElement.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
532.696	1.3	392	935	LivingAgile.Aspen.Core.Elements.ImportOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
534.078	0.4	101	196	LivingAgile.Aspen.Core.Elements.ExecutionState.ResolvePath(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,value class LivingAgile.Aspen.Core.PathType)	JIT	LivingAgile.Asp
535.175	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginSet(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
535.278	0.3	45	120	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginSet(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
535.637	0.3	108	204	LivingAgile.Aspen.Core.Elements.BeginSetOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match,bool)	JIT	LivingAgile.Asp
535.984	0.6	184	394	LivingAgile.Aspen.Core.Elements.BaseBeginSetOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ElementKinds,int32)	JIT	LivingAgile.Asp

536.635	0.2	82	122	LivingAgile.Aspen.Core.Elements.ExecutionState.GetTokenHandlingMode(class System.Text.RegularExpressions.GroupCollection)	JIT	LivingAgile.Asp
536.913	0.2	53	97	LivingAgile.Aspen.Core.Manager.GetCount(class System.String,int32)	JIT	LivingAgile.Asp
537.162	0.2	9	80	LivingAgile.Aspen.Core.Elements.BeginSetOperator.AddPlainText(int32,int32)	JIT	LivingAgile.Asp
537.356	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginSetOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
537.460	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginSetIndex(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
537.550	0.4	65	214	LivingAgile.Aspen.Core.Elements.BeginSetOperator.ParseBeginSetIndex(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
537.957	0.2	47	133	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator..ctor(class LivingAgile.Aspen.Core.Elements.BeginSetOperator,class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
538.211	0.5	172	267	LivingAgile.Aspen.Core.Manager.QueryPriorIndentsToRemove(int32,class System.String,int32,int32&,int32&)	JIT	LivingAgile.Asp
538.757	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.Validate(class System.String&)	JIT	LivingAgile.Asp
538.851	0.1	9	24	LivingAgile.Aspen.Core.Elements.BaseOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
538.938	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndSet(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
539.030	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndSet(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
539.314	0.4	115	203	System.Collections.Generic.HashSet`1[System.Int32].Contains(!0)	JIT	System.Colle
539.843	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginForEach(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
539.941	0.1	16	62	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginForEach(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
540.096	0.5	107	303	LivingAgile.Aspen.Core.Elements.BeginForEachOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
540.599	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
540.709	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseGetToken(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
540.803	0.1	16	64	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseGetToken(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
540.952	0.6	126	387	LivingAgile.Aspen.Core.Elements.GetTokenOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
541.672	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginFile(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
541.771	0.1	16	62	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginFile(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
541.956	0.4	58	227	LivingAgile.Aspen.Core.Elements.BeginFileOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
542.404	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginFileOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
542.499	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseRemoveOuterWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
542.589	0.1	16	64	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseRemoveOuterWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
542.753	0.3	86	160	LivingAgile.Aspen.Core.Elements.RemoveOuterWhitespaceOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
543.104	0.2	64	101	LivingAgile.Aspen.Core.Manager.IsOperator(class System.String,int32,int32&)	JIT	LivingAgile.Asp
543.389	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndFile(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
543.495	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndFile(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
543.791	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndForEach(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
543.886	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndForEach(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
544.184	0.9	180	740	LivingAgile.Aspen.Core.Template.Execute(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class LivingAgile.Aspen.Core.Elements.DocumentElement)	JIT	LivingAgile.Asp
545.096	1.4	349	1,114	LivingAgile.Aspen.Core.Elements.BeginSetOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
546.520	0.3	106	244		JIT	LivingAgile.Asp

				LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveBindableTokenName(class System.String,class System.String&,bool&)		
546.886	0.7	139	573	LivingAgile.Aspen.Core.Elements.BaseBeginSetOperator.GetSetExecutionState(class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
547.585	1.7	1,137	5,213	LivingAgile.Aspen.Core.DataTypes.cctor()	JIT	LivingAgile.Asp
549.325	0.1	11	70	LivingAgile.Aspen.Core.DataTypes+<C>.cctor()	JIT	LivingAgile.Asp
549.420	0.1	7	1	LivingAgile.Aspen.Core.DataTypes+<C>.cctor()	JIT	LivingAgile.Asp
549.608	0.4	84	250	LivingAgile.Aspen.Core.Elements.BaseOperator.GetChildOutput(class LivingAgile.Aspen.Core.Elements.ExecutionState,int32,class LivingAgile.Aspen.Core.Elements.BaseOperator,bool)	JIT	LivingAgile.Asp
550.061	0.5	108	240	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32)	JIT	LivingAgile.Asp
550.561	0.2	35	143	LivingAgile.Aspen.Core.Elements.PlainTextElement.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
550.790	0.1	25	26	LivingAgile.Aspen.Core.TextCollector.Add(class LivingAgile.Aspen.Core.TextSegment)	JIT	LivingAgile.Asp
550.924	0.2	42	137	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32,class System.Text.StringBuilder)	JIT	LivingAgile.Asp
551.159	0.5	122	292	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
551.649	1.4	428	914	LivingAgile.Aspen.Core.TextCollector.Compress(bool)	JIT	LivingAgile.Asp
553.045	0.1	26	36	LivingAgile.Aspen.Core.TextSegment.TextToString()	JIT	LivingAgile.Asp
553.173	0.2	67	159	LivingAgile.Aspen.Core.TextCollector.RemovePriorIndents(int32,class System.Text.StringBuilder)	JIT	LivingAgile.Asp
553.406	0.4	172	205	LivingAgile.Aspen.Core.Manager.QueryPriorIndentsToRemove(int32,class System.Text.StringBuilder,int32,int32&,int32&)	JIT	LivingAgile.Asp
553.837	0.2	67	149	LivingAgile.Aspen.Core.TextCollector.RemoveNextLineBreaks(int32,class System.Text.StringBuilder)	JIT	LivingAgile.Asp
554.096	0.1	29	29	LivingAgile.Aspen.Core.TextSegment.Clamp(int32,int32&)	JIT	LivingAgile.Asp
554.209	0.1	31	71	LivingAgile.Aspen.Core.Manager.UnescapeOperators(class System.String)	JIT	LivingAgile.Asp
554.360	0.2	40	63	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.GetIndexToSet(class LivingAgile.Aspen.Core.Elements.SetExecutionState)	JIT	LivingAgile.Asp
554.579	0.5	125	408	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.GetValueToSet(int32,class LivingAgile.Aspen.Core.Elements.SetExecutionState,class System.String,class System.String&)	JIT	LivingAgile.Asp
555.084	0.2	69	142	LivingAgile.Aspen.Core.Elements.ExecutionState.GetValue(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class System.String,value class System.Nullable'1,value class LivingAgile.Aspen.Core.TokenHandlingMode,bool)	JIT	LivingAgile.Asp
555.352	0.6	210	472	LivingAgile.Aspen.Core.DataTypes.GetRawValue(class System.String,class System.String,value class System.Nullable'1,bool)	JIT	LivingAgile.Asp
556.014	0.5	134	410	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.AddValueToList(class LivingAgile.Aspen.Core.Elements.SetExecutionState,int32,class System.String,class System.Object)	JIT	LivingAgile.Asp
556.616	0.3	34	189	LivingAgile.Aspen.Core.DataTypes.ContainsAnyNonWhiteSpace(class System.String,int32,int32)	JIT	LivingAgile.Asp
557.005	0.2	29	79	LivingAgile.Aspen.Core.Elements.ExecutionState.GetTokens(int32,int32)	JIT	LivingAgile.Asp
557.250	0.2	79	103	LivingAgile.Aspen.Core.Elements.ExecutionState+d_13.System.Collections.Generic.IEnumerable>.GetEnumerator()	JIT	LivingAgile.Asp
557.520	0.4	236	235	LivingAgile.Aspen.Core.Elements.ExecutionState+d_13.MoveNext()	JIT	LivingAgile.Asp
557.961	0.1	7	5	LivingAgile.Aspen.Core.Elements.ExecutionState+d_13.System.Collections.Generic.IEnumerator>.get_Current()	JIT	LivingAgile.Asp
558.058	0.0	1	1	LivingAgile.Aspen.Core.Elements.ExecutionState+d_13.System.IDisposable.Dispose()	JIT	LivingAgile.Asp
558.126	1.8	474	1,681	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
559.947	0.5	219	447	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.TryGetOptions(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class LivingAgile.Aspen.Core.Elements.BaseOperator,value class LivingAgile.Aspen.Core.ForEachMode&,class System.Collections.IEnumerable&,class System.String&)	JIT	LivingAgile.Asp
560.480	0.7	221	567	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveTokenWithOptionalIndexer(class System.String,class System.String,class System.Object&)	JIT	LivingAgile.Asp
561.189	0.2	67	113	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveToken(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class System.Object&)	JIT	LivingAgile.Asp
561.480	0.4	123	301	LivingAgile.Aspen.Core.Elements.GetTokenOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
561.889	1.4	404	1,315	LivingAgile.Aspen.Core.Elements.ExecutionState.GetReplacementValue(class System.Object&,value class LivingAgile.Aspen.Core.TokenHandlingMode,class System.String,class System.String,class System.String,int32)	JIT	LivingAgile.Asp
563.377	0.1	26	50	LivingAgile.Aspen.Core.TextCollector.Add(class System.String)	JIT	LivingAgile.Asp
563.564	0.5	114	321	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32,class System.String,int32,int32)	JIT	LivingAgile.Asp
564.085	0.1	9	23	LivingAgile.Aspen.Core.Elements.SetExecutionState.LivingAgile.Aspen.Core.IValueTarget.set_Value(value class System.Nullable'1)	JIT	LivingAgile.Asp
564.183	0.4	118	319	LivingAgile.Aspen.Core.Elements.SetExecutionState.Set(value class LivingAgile.Aspen.Core.SetValueState,value class System.Nullable'1)	JIT	LivingAgile.Asp
564.853	0.5	132	317	LivingAgile.Aspen.Core.Elements.BeginFileOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
565.425	0.1	8	35	LivingAgile.Aspen.Core.Elements.RemoveOuterWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
567.094	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginComment(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
567.207	0.3	16	136		JIT	LivingAgile.Asp

				LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginComment(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)		
567.557	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
567.645	0.2	69	56	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.ParseChildElement(int32,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
567.886	0.1	9	13	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndComment(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
567.982	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndComment(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
570.282	0.1	9	13	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginRemoveWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
570.394	0.3	16	129	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginRemoveWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
570.710	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
571.104	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndRemoveWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
571.205	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndRemoveWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
571.500	0.5	105	333	LivingAgile.Aspen.Core.Template.StaticExecute(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
572.080	0.2	59	115	LivingAgile.Aspen.Core.Template.GetStaticOutput(class LivingAgile.Aspen.Core.Elements.ExecutionState,class LivingAgile.Aspen.Core.Elements.DocumentElement&,class System.Collections.Generic.Dictionary`2&)	JIT	LivingAgile.Asp
572.304	0.9	185	838	LivingAgile.Aspen.Core.Template.CreateStaticOutput(int32,class LivingAgile.Aspen.Core.Elements.DocumentElement&,class System.Collections.Generic.Dictionary`2&)	JIT	LivingAgile.Asp
573.208	1.4	292	904	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
574.604	0.3	47	134	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
576.215	0.5	126	272	LivingAgile.Aspen.Core.Elements.BaseOperator.AppendAsText(class LivingAgile.Aspen.Core.TextCollector)	JIT	LivingAgile.Asp
576.792	0.2	44	125	LivingAgile.Aspen.Core.TextCollector.ContainsAnyOperator(class System.String)	JIT	LivingAgile.Asp
577.121	0.6	100	306	LivingAgile.Aspen.Core.TextCollector.Add(class LivingAgile.Aspen.Core.TextCollector)	JIT	LivingAgile.Asp
586.082	0.2	44	162	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator..ctor()	JIT	LivingAgile.Asp
586.765	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDate(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
586.894	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDate(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
587.234	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseTime(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
587.335	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseTime(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
587.638	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDateUtc(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
587.737	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDateUtc(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
588.016	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseTimeUtc(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
588.115	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseTimeUtc(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
588.393	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDomain(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
588.512	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDomain(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
588.805	0.1	9	13	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseUserName(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
588.904	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseUserName(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
589.189	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseMachineName(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
589.286	0.2	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseMachineName(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
589.567	0.4	97	393		JIT	LivingAgile.Asp

				LivingAgile.Aspen.Core.Template.ExecuteInline(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class LivingAgile.Aspen.Core.Elements.DocumentElement)		
589.988	0.4	83	273	LivingAgile.Aspen.Core.Elements.DateOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
591.078	0.3	75	251	LivingAgile.Aspen.Core.Elements.TimeOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
591.459	0.3	83	273	LivingAgile.Aspen.Core.Elements.DateUtcOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
591.842	0.3	75	251	LivingAgile.Aspen.Core.Elements.TimeUtcOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
592.218	0.1	30	71	LivingAgile.Aspen.Core.Elements.DomainOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
592.383	0.1	11	26	LivingAgile.Aspen.Core.Manager.get_Domain()	JIT	LivingAgile.Asp
592.494	0.1	30	71	LivingAgile.Aspen.Core.Elements.UserNameOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
592.656	0.1	11	26	LivingAgile.Aspen.Core.Manager.get_UserName()	JIT	LivingAgile.Asp
592.747	0.1	30	71	LivingAgile.Aspen.Core.Elements.MachineNameOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
592.908	0.1	11	26	LivingAgile.Aspen.Core.Manager.get_MachineName()	JIT	LivingAgile.Asp
593.484	0.6	98	234	LivingAgile.Aspen.Core.Manager.DetectPadding(class System.String,int32)	JIT	LivingAgile.Asp
594.093	0.2	31	145	LivingAgile.Aspen.Core.Manager.AdjustPadding(class System.String,class System.String,int32,class System.String,int32,int32)	JIT	LivingAgile.Asp
594.331	0.4	58	198	LivingAgile.Aspen.Core.Manager.AdjustPadding(class System.String,class System.Text.StringBuilder,class System.String,int32,class System.String,int32,int32)	JIT	LivingAgile.Asp
594.726	0.2	31	85	LivingAgile.Aspen.Core.Manager.EndsWithNewline(class System.String,int32)	JIT	LivingAgile.Asp
594.949	0.5	140	350	LivingAgile.Aspen.Core.Manager.AdjustPaddingIgnoreFirstLine(class System.String,class System.Text.StringBuilder,class System.String,int32,int32)	JIT	LivingAgile.Asp
595.696	0.3	55	174	LivingAgile.Aspen.Core.Manager.CompareOrdinal(class System.Text.StringBuilder,int32,class System.String,int32,int32)	JIT	LivingAgile.Asp
595.996	0.2	85	188	LivingAgile.Aspen.Core.Manager.QueryNextLineBreaksToRemove(int32,class System.Text.StringBuilder,int32,int32,int32&,int32&)	JIT	LivingAgile.Asp
596.268	0.2	71	124	LivingAgile.Aspen.Core.Manager.IsEmptyLine(class System.Text.StringBuilder,int32,int32&)	JIT	LivingAgile.Asp
597.007	0.4	111	330	LivingAgile.Aspen.Core.Manager.StartFile(class System.String,class System.Text.Encoding)	JIT	LivingAgile.Asp
597.574	0.2	43	75	LivingAgile.Aspen.Core.Manager.SetCurrentBlock(class LivingAgile.Aspen.Core.Block,bool)	JIT	LivingAgile.Asp
597.818	0.2	42	87	LivingAgile.Aspen.Core.Manager.ResumePreviousBlock(bool)	JIT	LivingAgile.Asp
598.048	0.2	92	146	LivingAgile.Aspen.Core.Manager.EndBlock(bool)	JIT	LivingAgile.Asp
622.729	1.8	472	1,028	LivingAgile.Aspen.Core.Manager.Process()	JIT	LivingAgile.Asp
624.618	0.9	307	687	LivingAgile.Aspen.Core.Block.GetContents()	JIT	LivingAgile.Asp
625.685	0.3	42	105	LivingAgile.Aspen.Core.Manager.WriteFile(class System.String,class System.String,class System.Text.Encoding)	JIT	LivingAgile.Asp
626.016	0.1	37	103	LivingAgile.Aspen.Core.Manager.IsFileContentDifferent(class System.String,class System.String,class System.Text.Encoding)	JIT	LivingAgile.Asp
735.842	0.2	23	35	LivingAgile.Aspen.Core.Segment.CompareTo(class LivingAgile.Aspen.Core.Segment)	JIT	LivingAgile.Asp
740.448	0.2	0	188	dynamicClass.IL_STUB_PInvoke(int32)	JIT	System.Runtime.I
740.709	0.2	0	230	dynamicClass.IL_STUB_PInvoke(int,unsigned int8*,int32,int32&,int)	JIT	System.Runtime.I
740.935	0.1	0	178	dynamicClass.IL_STUB_PInvoke()	JIT	System.Runtime.I
741.253	0.1	0	184	dynamicClass.IL_STUB_PInvoke(int)	JIT	System.Runtime.I