

JITStats

- [Process 45808: aspencli -template _Controller.txt -compiled true -consoleLog -q -samples 0](#)

JIT Stats for Process 45808: aspencli

- CommandLine: "aspencli.exe" -template "D:\git\LivingAgile\bin\Aspen\SampleTemplates_Controller.txt" -compiled true -consoleLog -q -samples 0
- Process CPU Time: 488 msec
- Total Number of JIT compiled methods : 596
- Total MSec JIT compiling : 356
- JIT compilation time as a percentage of total process CPU time : 73.0%
- [Individual JIT Events](#)
 - [View in Excel](#)
- No JIT Inlining data available. Consider enabling the JITInlining option.*
- [JIT Perf Users Guide](#)

Background JIT compilation events are not being collected. If you are interested in seeing the operation of Background JIT Enabled the 'Background JIT' checkbox in the 'Advanced' section of the collection dialog when collecting the data. See [Guide to Background JIT](#) for more.

Below is a table of the time taken to JIT compile the methods used in the program, broken down by module. If this time is significant you can eliminate it by [NGening](#) your application. This will improve the startup time for your app.

The list below is also useful for tuning the startup performance of your application in general. In general you want as little to be run during startup as possible. If you have 1000s of methods being compiled on startup you should try to defer some of that computation until absolutely necessary.

Name	JitTime msec	Num Methods	IL Size	Native Size
TOTAL	356.1	596	69,266	185,701
D:\git\LivingAgile\bin\Aspen\CoreFx\vNext\AnyCPU.Release\netcoreapp2.0\win7-x64\publish\System.Text.RegularExpressions.dll	115.0	142	33,180	81,887
D:\git\LivingAgile\bin\Aspen\CoreFx\vNext\AnyCPU.Release\netcoreapp2.0\win7-x64\publish\LivingAgile.AspNetCore.dll	85.0	201	18,535	53,221
D:\git\LivingAgile\bin\Aspen\CoreFx\vNext\AnyCPU.Release\netcoreapp2.0\win7-x64\publish\aspencli.dll	60.3	20	1,591	5,704
D:\git\LivingAgile\bin\Aspen\CoreFx\vNext\AnyCPU.Release\netcoreapp2.0\win7-x64\publish\System.Linq.dll	32.9	52	3,078	10,863
D:\git\LivingAgile\bin\Aspen\CoreFx\vNext\AnyCPU.Release\netcoreapp2.0\win7-x64\publish\System.IO.FileSystem.dll	22.3	58	3,327	13,170
D:\git\LivingAgile\bin\Aspen\CoreFx\vNext\AnyCPU.Release\netcoreapp2.0\win7-x64\publish\System.Runtime.Extensions.dll	14.9	41	4,551	8,757
D:\git\LivingAgile\bin\Aspen\CoreFx\vNext\AnyCPU.Release\netcoreapp2.0\win7-x64\publish\System.Collections.dll	9.2	26	2,007	4,049
D:\git\LivingAgile\bin\Aspen\CoreFx\vNext\AnyCPU.Release\netcoreapp2.0\win7-x64\publish\System.Console.dll	8.9	31	1,403	4,608
D:\git\LivingAgile\bin\Aspen\CoreFx\vNext\AnyCPU.Release\netcoreapp2.0\win7-x64\publish\System.Private.CoreLib.ni.dll	7.7	25	1,594	3,442

Individual JIT Events for Process 45808: aspencli

Start (msec)	JitTime msec	IL Size	Native Size	Method Name	BG	M
648.524	16.6	42	115	LivingAgile.AspNetCore.Program.Main(class System.String[])	JIT	asp
672.705	28.8	718	2,106	LivingAgile.AspNetCore.Program.Run(class System.String[])	JIT	asp
701.836	4.0	95	415	LivingAgile.Core.CoreUtil.GetArguments(value class System.ArraySegment`1, bool, int32&, class System.Collections.Generic.IEqualityComparer`1, bool)	JIT	asp
705.954	4.7	309	1,045	LivingAgile.Core.CoreUtil.ParseCommandLineArguments(value class System.ArraySegment`1, bool, int32&, bool)	JIT	asp
710.753	0.3	25	49	LivingAgile.Core.CoreUtil.IsArgument(class System.String)	JIT	asp
711.164	0.4	32	69	LivingAgile.Core.CoreUtil.RemoveQuotes(class System.String&)	JIT	asp
711.672	0.2	11	70	LivingAgile.Core.CoreUtil+<>c..cctor()	JIT	asp
711.902	0.2	7	1	LivingAgile.Core.CoreUtil+<>c..ctor()	JIT	asp
712.149	1.9	52	288	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1, class System.Func`2, class System.Func`2, class System.Collections.Generic.IEqualityComparer`1)	JIT	Syste
714.263	2.3	71	464	System.Linq.Lookup`2[System.__Canon, System.__Canon].Create(class System.Collections.Generic.IEnumerable`1, class System.Func`2, class System.Func`2, class System.Collections.Generic.IEqualityComparer`1)	JIT	Syste
716.648	0.5	35	141	System.Linq.Lookup`2[System.__Canon, System.__Canon].ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	Syste
717.295	0.1	8	4	LivingAgile.Core.CoreUtil+<>c.b_18_0(value class System.Collections.Generic.KeyValuePair`2)	JIT	asp
717.440	1.2	234	494	System.Linq.Lookup`2[System.__Canon, System.__Canon].GetGrouping(!0, bool)	JIT	Syste
718.672	0.3	29	98	System.Linq.Lookup`2[System.__Canon, System.__Canon].InternalGetHashCode(!0)	JIT	Syste
718.999	0.1	8	5	LivingAgile.Core.CoreUtil+<>c.b_18_1(value class System.Collections.Generic.KeyValuePair`2)	JIT	asp
719.146	0.4	68	122	System.Linq.Grouping`2[System.__Canon, System.__Canon].Add(!1)	JIT	Syste
719.636	1.6	69	526	LivingAgile.Core.CoreUtil.ToDictionary(class System.Linq.ILookup`2)	JIT	asp

721.268	0.1	11	74	LivingAgile.Core.CoreUtil+<>c_16'2[System._Canon, System._Canon].cctor()	JIT	asp
721.423	0.1	7	1	LivingAgile.Core.CoreUtil+<>c_16'2[System._Canon, System._Canon].ctor()	JIT	asp
721.593	0.2	10	82	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1, class System.Func`2, class System.Func`2)	JIT	System
721.851	2.2	188	972	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1, class System.Func`2, class System.Func`2, class System.Collections.Generic.IEqualityComparer`1)	JIT	System
724.159	0.5	14	86	System.Linq.Lookup`2[System._Canon, System._Canon].GetEnumerator()	JIT	System
724.720	0.7	114	127	System.Linq.Lookup`2+d_13[System._Canon, System._Canon].MoveNext()	JIT	System
725.446	0.1	7	5	System.Linq.Lookup`2+d_13[System._Canon, System._Canon].System.Collections.Generic.IEnumerator>.get_Current()	JIT	System
725.594	0.2	7	71	LivingAgile.Core.CoreUtil+<>c_16'2[System._Canon, System._Canon].b_16_0(class System.Linq.IGrouping`2)	JIT	asp
725.875	0.1	7	5	System.Linq.Grouping`2[System._Canon, System._Canon].get_Key()	JIT	System
726.000	0.2	7	76	LivingAgile.Core.CoreUtil+<>c_16'2[System._Canon, System._Canon].b_16_1(class System.Linq.IGrouping`2)	JIT	asp
726.285	0.8	38	246	System.Linq.Enumerable.ToList(class System.Collections.Generic.IEnumerable`1)	JIT	System
727.148	0.1	7	4	System.Linq.Grouping`2[System._Canon, System._Canon].System.Collections.Generic.ICollection.get_Count()	JIT	System
727.292	0.2	21	43	System.Linq.Grouping`2[System._Canon, System._Canon].System.Collections.Generic.ICollection.CopyTo(!1[], int32)	JIT	System
727.592	0.1	1	1	System.Linq.Lookup`2+d_13[System._Canon, System._Canon].System.IDisposable.Dispose()	JIT	System
727.688	1.5	89	512	LivingAgile.Core.CoreUtil.SafeGet(class System.Collections.Generic.IDictionary`2, !0, int32, !1)	JIT	asp
729.219	2.6	91	498	System.Linq.Enumerable.Skip(class System.Collections.Generic.IEnumerable`1, int32)	JIT	System
731.917	0.1	11	74	LivingAgile.Core.CoreUtil+<>c_11'3[System._Canon, System._Canon, System._Canon].cctor()	JIT	asp
732.071	0.1	7	1	LivingAgile.Core.CoreUtil+<>c_11'3[System._Canon, System._Canon, System._Canon].ctor()	JIT	asp
732.228	4.3	143	857	System.Linq.Enumerable.Select(class System.Collections.Generic.IEnumerable`1, class System.Func`2)	JIT	System
736.648	0.9	25	125	System.Linq.Enumerable+ListPartition`1[System._Canon].Select(class System.Func`2)	JIT	System
737.711	0.2	9	71	System.Linq.Enumerable.FirstOrDefault(class System.Collections.Generic.IEnumerable`1)	JIT	System
737.975	1.1	117	577	System.Linq.Enumerable.TryGetFirst(class System.Collections.Generic.IEnumerable`1, bool&)	JIT	System
739.090	0.6	64	170	System.Linq.Enumerable+SelectListPartitionIterator`2[System._Canon, System._Canon, System._Canon].TryGetFirst(bool&)	JIT	System
739.745	0.3	7	86	LivingAgile.Core.CoreUtil+<>c_11'3[System._Canon, System._Canon, System._Canon].b_11_0(!1)	JIT	asp
740.108	0.6	89	336	System.IO.File.Exists(class System.String)	JIT	System.IO
740.801	0.2	11	70	System.IO.FileSystem..cctor()	JIT	System.IO
741.048	0.1	7	1	System.IO.Win32FileSystem..ctor()	JIT	System.IO
741.169	0.3	46	112	System.IO.Win32FileSystem.FileExists(class System.String)	JIT	System.IO
741.504	2.5	222	1,141	System.IO.Win32FileSystem.FillAttributeInfo(class System.String, value class WIN32_FILE_ATTRIBUTE_DATA&, bool, bool)	JIT	System.IO
744.144	0.3	0	234	dynamicClass.IL_STUB_PInvoke(class System.String, value class GET_FILEEX_INFO_LEVELS, value class WIN32_FILE_ATTRIBUTE_DATA&)	JIT	System.IO
744.528	0.2	0	157	dynamicClass.IL_STUB_PInvoke(unsigned int32)	JIT	System.IO
744.750	0.7	132	290	System.IO.Win32FileSystem.GetCurrentDirectory()	JIT	System.IO
745.515	0.3	48	127	System.IO.StringBuilderCache.Acquire(int32)	JIT	System.IO
745.866	0.5	0	548	dynamicClass.IL_STUB_PInvoke(int32, class System.Text.StringBuilder)	JIT	System.IO
746.495	0.3	59	235	System.IO.Directory.Exists(class System.String)	JIT	System.IO
746.791	0.1	12	35	System.IO.Win32FileSystem.DirectoryExists(class System.String)	JIT	System.IO
746.917	0.1	48	118	System.IO.Win32FileSystem.DirectoryExists(class System.String, int32&)	JIT	System.IO
747.112	0.2	24	72	LivingAgile.Aspen.Core.RegexCompiler.set_Enabled(bool)	JIT	LivingAgile
748.135	0.6	121	404	LivingAgile.Aspen.Runner.Program.RunSample(class System.String, class System.String, class System.String, class System.Collections.Generic.Dictionary`2<bool, class LivingAgile.Aspen.Core.Manager>, bool&, class System.String&)	JIT	asp
748.764	2.7	381	1,106	LivingAgile.Aspen.Core.Manager..ctor(class System.String, class System.String, class System.Text.StringBuilder)	JIT	LivingAgile
754.074	0.3	52	96	System.Collections.Generic.HashSet`1[System._Canon].ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	System.C
754.463	0.3	38	146	LivingAgile.Aspen.Core.Manager.GetAbsoluteFilename(class System.String)	JIT	LivingAgile
754.751	1.6	436	992	LivingAgile.Aspen.Core.Manager.FixFilePathCasing(class System.String)	JIT	LivingAgile
756.351	0.5	136	346	LivingAgile.Aspen.Core.Manager.GetDirectoryNameWithSeparator(class System.String, int32, bool&, class System.String&)	JIT	LivingAgile
756.915	1.2	137	460	LivingAgile.Aspen.Core.Manager..cctor()	JIT	LivingAgile
758.149	0.1	6	14	System.Environment.get_NewLine()	JIT	System.Runti
758.240	0.3	44	91	LivingAgile.Aspen.Core.RegexCompiler.get_CompilationOption()	JIT	LivingAgile
758.595	0.1	15	82	System.Text.RegularExpressions.Regex..ctor(class System.String, value class System.Text.RegularExpressions.RegexOptions)	JIT	System.Text.Re
758.758	0.5	57	199	System.Text.RegularExpressions.Regex..ctor()	JIT	System.Text.Re
759.314	0.1	7	1	System.Collections.Generic.LinkedList`1[System._Canon].ctor()	JIT	System.C
759.406	1.1	350	673	System.Text.RegularExpressions.Regex..ctor(class System.String, value class System.Text.RegularExpressions.RegexOptions, value class System.TimeSpan, bool)	JIT	System.Text.Re
761.322	0.3	52	141	System.Text.RegularExpressions.Regex.ValidateMatchTimeout(value class System.TimeSpan)	JIT	System.Text.Re
761.661	1.6	105	391	System.Text.RegularExpressions.Regex.LookupCachedAndUpdate(value class System.Text.RegularExpressions.CachedCodeEntryKey)	JIT	System.Text.Re

763.258	0.5	118	295	System.Text.RegularExpressions.RegexParser.Parse(class System.String,value class System.Text.RegularExpressions.RegexOptions)	JIT	System.Text.Re
763.812	0.5	36	143	System.Text.RegularExpressions.RegexParser..ctor(class System.Globalization.CultureInfo)	JIT	System.Text.Re
764.372	0.1	12	52	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions]..cctor()	JIT	System.Priva
764.472	0.7	204	539	System.Collections.Hashtable..ctor(int32,float32)	JIT	System.Runti
765.236	1.8	468	782	System.Text.RegularExpressions.RegexParser.CountCaptures()	JIT	System.Text.Re
767.061	0.3	91	162	System.Text.RegularExpressions.RegexParser.NoteCaptureSlot(int32,int32)	JIT	System.Text.Re
767.416	0.5	146	368	System.Collections.Hashtable.ContainsKey(class System.Object)	JIT	System.Runti
767.977	0.1	33	58	System.Collections.Hashtable.InitHash(class System.Object,int32,unsigned int32&,unsigned int32&)	JIT	System.Runti
768.136	0.2	28	44	System.Collections.Hashtable.GetHash(class System.Object)	JIT	System.Runti
768.336	0.1	10	19	System.Collections.Hashtable.Add(class System.Object,class System.Object)	JIT	System.Runti
768.448	1.8	708	1,060	System.Collections.Hashtable.Insert(class System.Object,class System.Object,bool)	JIT	System.Runti
770.327	2.3	517	1,179	System.Text.RegularExpressions.RegexParser.AssignNameSlots()	JIT	System.Text.Re
772.698	0.3	75	80	System.Text.RegularExpressions.RegexParser.Reset(value class System.Text.RegularExpressions.RegexOptions)	JIT	System.Text.Re
773.004	4.0	1,075	2,093	System.Text.RegularExpressions.RegexParser.ScanRegex()	JIT	System.Text.Re
777.046	0.2	46	105	System.Text.RegularExpressions.RegexParser.StartGroup(class System.Text.RegularExpressions.RegexNode)	JIT	System.Text.Re
777.319	1.3	298	611	System.Text.RegularExpressions.RegexParser.ScanBlank()	JIT	System.Text.Re
778.667	0.2	21	85	System.Text.RegularExpressions.RegexParser.IsSpecial(wchar)	JIT	System.Text.Re
778.863	0.1	27	102	System.Text.RegularExpressions.RegexParser..ctor()	JIT	System.Text.Re
779.034	0.8	190	395	System.Text.RegularExpressions.RegexParser.AddConcatenate(int32,int32,bool)	JIT	System.Text.Re
779.920	0.4	47	149	System.Text.RegularExpressions.RegexNode.AddChild(class System.Text.RegularExpressions.RegexNode)	JIT	System.Text.Re
780.399	0.2	100	94	System.Text.RegularExpressions.RegexNode.Reduce()	JIT	System.Text.Re
780.662	0.6	159	235	System.Text.RegularExpressions.RegexParser.AddGroup()	JIT	System.Text.Re
781.259	0.2	51	54	System.Text.RegularExpressions.RegexNode.ReverseLeft()	JIT	System.Text.Re
781.505	1.5	524	704	System.Text.RegularExpressions.RegexNode.ReduceConcatenation()	JIT	System.Text.Re
783.073	0.4	39	125	System.Text.RegularExpressions.RegexNode.StripEnation(int32)	JIT	System.Text.Re
783.509	1.8	527	886	System.Text.RegularExpressions.RegexNode.ReduceAlternation()	JIT	System.Text.Re
785.361	0.3	55	176	System.Text.RegularExpressions.RegexWriter..ctor()	JIT	System.Text.Re
785.669	1.8	486	914	System.Text.RegularExpressions.RegexWriter.RegexCodeFromRegexTree(class System.Text.RegularExpressions.RegexTree)	JIT	System.Text.Re
787.490	0.1	164	44	System.Text.RegularExpressions.RegexCode.OpcodesBacktracks(int32)	JIT	System.Text.Re
787.628	3.7	1,579	2,141	System.Text.RegularExpressions.RegexWriter.EmitFragment(int32,class System.Text.RegularExpressions.RegexNode,int32)	JIT	System.Text.Re
791.333	0.2	71	76	System.Text.RegularExpressions.RegexWriter.Emit(int32)	JIT	System.Text.Re
791.596	0.3	83	128	System.Text.RegularExpressions.RegexWriter.PushInt(int32)	JIT	System.Text.Re
791.925	0.4	75	174	System.Text.RegularExpressions.RegexWriter.StringCode(class System.String)	JIT	System.Text.Re
792.405	0.3	96	109	System.Text.RegularExpressions.RegexWriter.Emit(int32,int32)	JIT	System.Text.Re
792.709	0.2	39	123	System.Text.RegularExpressions.RegexWriter.MapCapnum(int32)	JIT	System.Text.Re
792.969	0.3	121	137	System.Text.RegularExpressions.RegexWriter.Emit(int32,int32,int32)	JIT	System.Text.Re
793.364	0.4	73	184	System.Text.RegularExpressions.RegexFC.FirstChars(class System.Text.RegularExpressions.RegexTree)	JIT	System.Text.Re
793.747	0.1	33	79	System.Text.RegularExpressions.RegexFC..ctor()	JIT	System.Text.Re
793.918	0.7	202	284	System.Text.RegularExpressions.RegexFC.RegexFCFromRegexTree(class System.Text.RegularExpressions.RegexTree)	JIT	System.Text.Re
794.688	2.0	815	1,544	System.Text.RegularExpressions.RegexFC.CalculateFC(int32,class System.Text.RegularExpressions.RegexNode,int32)	JIT	System.Text.Re
796.775	0.3	83	128	System.Text.RegularExpressions.RegexFC.PushInt(int32)	JIT	System.Text.Re
797.097	0.3	99	174	System.Text.RegularExpressions.RegexFC..ctor(wchar,bool,bool,bool)	JIT	System.Text.Re
797.456	0.5	37	152	System.Text.RegularExpressions.RegexCharClass..ctor()	JIT	System.Text.Re
798.031	0.6	80	171	System.Text.RegularExpressions.RegexCharClass.AddRange(wchar,wchar)	JIT	System.Text.Re
798.680	0.3	83	122	System.Text.RegularExpressions.RegexFC.PushFC(class System.Text.RegularExpressions.RegexFC)	JIT	System.Text.Re
798.985	0.9	243	398	System.Text.RegularExpressions.RegexCharClass.ToStringClass()	JIT	System.Text.Re
799.894	1.4	244	504	System.Text.RegularExpressions.RegexCharClass.Canonicalize()	JIT	System.Text.Re
801.334	0.1	11	70	System.Text.RegularExpressions.RegexCharClass+SingleRangeComparer..ctor()	JIT	System.Text.Re
801.442	0.1	7	1	System.Text.RegularExpressions.RegexCharClass+SingleRangeComparer..ctor()	JIT	System.Text.Re
801.535	0.3	72	82	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].Sort(int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Priva
801.835	0.3	48	127	System.IO.StringBuilderCache.Acquire(int32)	JIT	System.Text.Re
802.133	1.1	345	549	System.Text.RegularExpressions.RegexFC.Prefix(class System.Text.RegularExpressions.RegexTree)	JIT	System.Text.Re
803.318	1.8	650	1,090	System.Text.RegularExpressions.RegexBoyerMoore..ctor(class System.String,bool,bool,class System.Globalization.CultureInfo)	JIT	System.Text.Re
805.187	0.8	192	226	System.Text.RegularExpressions.RegexFC.Ancors(class System.Text.RegularExpressions.RegexTree)	JIT	System.Text.Re
805.985	0.3	49	197	System.Text.RegularExpressions.Regex.InitializeReferences()	JIT	System.Text.Re
806.447	0.4	45	206	System.Collections.Generic.Stack`1[System._Canon]..ctor(int32)	JIT	System.C
806.835	0.4	93	141	System.Collections.Generic.Stack`1[System._Canon].Push(!0)	JIT	System.C
807.240	0.1	7	38	LivingAgile.Aspen.Core.Manager.FixDriveCasing(class System.String)	JIT	LivingAgile
807.384	0.2	24	77	LivingAgile.Aspen.Core.Manager.GetFixedPathCasing(class System.String,class System.String)	JIT	LivingAgile

807.573	0.3	37	177	System.IO.Directory.GetFileSystemEntries(class System.String.class System.String)	JIT	System.IO
807.880	0.5	38	134	System.IO.Directory.InternalGetFileDirectoryNames(class System.String.class System.String.class System.String,bool,bool,value class System.IO.SearchOption)	JIT	System.IO
808.455	0.2	24	57	System.IO.Win32FileSystem.EnumeratePaths(class System.String.class System.String,value class System.IO.SearchOption,value class System.IO.SearchTarget)	JIT	System.IO
808.659	0.5	43	141	System.IO.Win32FileSystemEnumerableFactory.CreateFileNameIterator(class System.String.class System.String.class System.String.bool,bool,value class System.IO.SearchOption)	JIT	System.IO
809.246	0.2	23	76	System.IO.SearchResultHandler.get_FileSystemPath()	JIT	System.IO
809.493	0.7	173	516	System.IO.Win32FileSystemEnumerableIterator`1[System._Canon].ctor(class System.String.class System.String.class System.String,value class System.IO.SearchOption,class System.IO.SearchResultHandler`1)	JIT	System.IO
810.271	0.2	39	111	System.IO.PathHelpers.NormalizeSearchPattern(class System.String)	JIT	System.IO
810.492	0.2	84	301	System.IO.PathHelpers..cctor()	JIT	System.IO
810.768	0.6	94	364	System.IO.PathHelpers.CheckSearchPattern(class System.String)	JIT	System.IO
811.438	0.1	43	123	System.IO.PathInternal..cctor()	JIT	System.IO
811.572	0.4	99	343	System.IO.PathInternal.GetIsCaseSensitive()	JIT	System.IO
812.831	0.3	59	107	System.IO.PathHelpers.GetFullSearchString(class System.String.class System.String)	JIT	System.IO
813.186	0.3	63	281	System.IO.PathHelpers.ThrowIfEmptyOrRootedPath(class System.String)	JIT	System.IO
813.542	0.3	57	101	System.IO.Win32FileSystemEnumerableIterator`1[System._Canon].GetNormalizedSearchCriteria(class System.String.class System.String)	JIT	System.IO
813.885	1.2	207	512	System.IO.Win32FileSystemEnumerableIterator`1[System._Canon].CommonInit()	JIT	System.IO
815.167	0.1	25	31	System.IO.PathInternal.EnsureExtendedPrefixOverMaxPath(class System.String)	JIT	System.IO
815.374	0.6	0	722	dynamicClass.IL_STUB_PInvoke(class System.String,value class FINDEX_INFO_LEVELS,value class WIN32_FIND_DATA&,value class FINDEX_SEARCH OPS,int,int32)	JIT	System.IO
816.132	0.2	38	30	Microsoft.Win32.SafeHandles.SafeFindHandle.get_IsInvalid()	JIT	System.IO
816.364	0.2	55	97	System.IO.SearchResultHandler+StringResultHandler.IsResultIncluded(class System.String.class System.String,value class WIN32_FIND_DATA&,class System.String&)	JIT	System.IO
816.632	0.1	51	86	System.IO.Win32FileSystemEnumerableHelpers.IsDir(value class WIN32_FIND_DATA&)	JIT	System.IO
816.805	0.6	67	398	System.Collections.Generic.EnumerableHelpers.ToArray(class System.Collections.Generic.IEnumerable`1)	JIT	System.IO
817.498	0.1	12	28	System.Collections.Generic.LargeArrayBuilder`1[System._Canon].ctor(bool)	JIT	System.IO
817.620	0.2	35	115	System.Collections.Generic.LargeArrayBuilder`1[System._Canon].ctor(int32)	JIT	System.IO
817.889	0.6	143	371	System.Collections.Generic.LargeArrayBuilder`1[System._Canon].AddRange(class System.Collections.Generic.IEnumerable`1)	JIT	System.IO
818.565	0.2	46	71	System.IO.Iterator`1[System._Canon].GetEnumerator()	JIT	System.IO
818.829	1.4	470	804	System.IO.Win32FileSystemEnumerableIterator`1[System._Canon].MoveNext()	JIT	System.IO
820.286	0.6	165	325	System.Collections.Generic.LargeArrayBuilder`1[System._Canon].AllocateBuffer()	JIT	System.IO
820.957	0.1	7	5	System.IO.Iterator`1[System._Canon].get_Current()	JIT	System.IO
821.096	0.5	0	641	dynamicClass.IL_STUB_PInvoke(class Microsoft.Win32.SafeHandles.SafeFindHandle,value class WIN32_FIND_DATA&)	JIT	System.IO
821.620	0.1	12	22	Microsoft.Win32.SafeHandles.SafeFindHandle.ReleaseHandle()	JIT	System.IO
821.750	0.2	0	181	dynamicClass.IL_STUB_PInvoke(int)	JIT	System.IO
821.985	0.3	42	143	System.IO.Win32FileSystemEnumerableIterator`1[System._Canon].Dispose(bool)	JIT	System.IO
822.309	0.1	14	47	System.IO.Iterator`1[System._Canon].Dispose()	JIT	System.IO
822.434	0.3	40	149	System.Collections.Generic.LargeArrayBuilder`1[System._Canon].ToArray()	JIT	System.IO
822.721	0.1	25	32	System.Collections.Generic.LargeArrayBuilder`1[System._Canon].TryMove(!0[],&)	JIT	System.IO
822.854	0.3	51	133	System.Collections.Generic.LargeArrayBuilder`1[System._Canon].CopyTo(!0[],int32,int32)	JIT	System.IO
823.177	0.3	46	74	System.Collections.Generic.LargeArrayBuilder`1[System._Canon].GetBuffer(int32)	JIT	System.IO
823.577	0.4	92	78	System.Collections.Generic.Stack`1[System._Canon].Pop()	JIT	System.C
825.517	0.3	45	137	LivingAgile.Aspen.Core.Manager.GetAbsoluteOutputFilename(class System.String)	JIT	LivingAgile
826.335	0.3	47	140	LivingAgile.Aspen.Core.Manager.GetTemplateUnchecked(class System.String)	JIT	LivingAgile
826.638	0.3	50	200	System.IO.File.ReadAllText(class System.String)	JIT	System.IO
826.929	0.4	30	184	System.IO.File.InternalReadAllText(class System.String,class System.Text.Encoding)	JIT	System.IO
827.334	0.4	107	454	System.IO.StreamReader..ctor(class System.String,class System.Text.Encoding,bool,int32)	JIT	System.Runti
827.909	0.5	185	335	System.IO.StreamReader.Init(class System.IO.Stream,class System.Text.Encoding,bool,int32,bool)	JIT	System.Runti
828.451	0.1	11	70	System.IO.StreamReader..cctor()	JIT	System.Runti
828.598	0.2	18	60	System.IO.StreamReader+NullStreamReader..ctor()	JIT	System.Runti
828.790	0.4	112	204	System.IO.StreamReader.ReadToEnd()	JIT	System.Runti
829.188	0.2	32	99	System.IO.StreamReader.CheckAsyncTaskInProgress()	JIT	System.Runti
829.454	0.6	346	305	System.IO.StreamReader.ReadBuffer()	JIT	System.Runti
830.162	0.5	198	183	System.IO.StreamReader.IsPreamble()	JIT	System.Runti
830.734	0.1	42	47	System.IO.StreamReader.CompressBuffer(int32)	JIT	System.Runti
830.948	0.1	14	47	System.IO.TextReader.Dispose()	JIT	System.Runti
831.069	0.4	108	251	System.IO.StreamReader.Dispose(bool)	JIT	System.Runti
831.501	0.7	151	283	LivingAgile.Aspen.Core.Template..ctor(class LivingAgile.Aspen.Core.Manager,class System.String,class System.String)	JIT	LivingAgile
832.238	0.1	31	71	LivingAgile.Aspen.Core.Manager.EscapeOperators(class System.String)	JIT	LivingAgile
832.409	0.3	41	119	System.Text.RegularExpressions.Regex.Replace(class System.String,class System.String)	JIT	System.Text.Re

832.698	0.5	117	318	System.Text.RegularExpressions.Replace(class System.String.class System.String,int32,int32)	JIT	System.Text.Re
833.192	0.2	37	58	System.Text.RegularExpressions.SharedReference.Get()	JIT	System.Text.Re
833.386	0.3	68	233	System.Text.RegularExpressions.RegexParser.ParseReplacement(class System.String.class System.Collections.Hashtable,int32,class System.Collections.Hashtable,value class System.Text.RegularExpressions.RegexOptions)	JIT	System.Text.Re
833.743	0.6	119	234	System.Text.RegularExpressions.RegexParser.ScanReplacement()	JIT	System.Text.Re
834.364	1.9	314	1,020	System.Text.RegularExpressions.RegexReplacement..ctor(class System.String.class System.Text.RegularExpressions.RegexNode.class System.Collections.Hashtable)	JIT	System.Text.Re
836.341	0.1	34	50	System.Text.RegularExpressions.SharedReference.Cache(class System.Object)	JIT	System.Text.Re
836.524	1.6	371	916	System.Text.RegularExpressions.RegexReplacement.Replace(class System.Text.RegularExpressions.Regex,class System.String,int32,int32)	JIT	System.Text.Re
838.172	0.2	32	113	System.Text.RegularExpressions.Regex.Match(class System.String,int32)	JIT	System.Text.Re
838.387	0.9	182	641	System.Text.RegularExpressions.Regex.Run(bool,int32,class System.String,int32,int32,int32)	JIT	System.Text.Re
839.302	0.1	44	57	System.Text.RegularExpressions.ExclusiveReference.Get()	JIT	System.Text.Re
839.489	1.0	345	595	System.Text.RegularExpressions.RegexRunner.Scan(class System.Text.RegularExpressions.Regex,class System.String,int32,int32,int32,bool,value class System.TimeSpan)	JIT	System.Text.Re
840.493	0.2	39	44	System.Text.RegularExpressions.RegexRunner.StartTimeoutWatch()	JIT	System.Text.Re
840.685	1.4	713	675	System.Text.RegularExpressions.RegexInterpreter.FindFirstChar()	JIT	System.Text.Re
842.147	1.2	430	772	System.Text.RegularExpressions.RegexBoyerMoore.Scan(class System.String,int32,int32,int32)	JIT	System.Text.Re
843.402	0.2	47	40	System.Text.RegularExpressions.RegexRunner.CheckTimeout()	JIT	System.Text.Re
843.600	0.7	349	451	System.Text.RegularExpressions.RegexRunner.InitMatch()	JIT	System.Text.Re
844.350	0.3	99	224	System.Text.RegularExpressions.Match..ctor(class System.Text.RegularExpressions.Regex,int32,class System.String,int32,int32,int32)	JIT	System.Text.Re
844.637	0.3	56	155	System.Text.RegularExpressions.Group..ctor(class System.String,int32[],int32,class System.String)	JIT	System.Text.Re
845.013	0.1	18	11	System.Text.RegularExpressions.RegexInterpreter.InitTrackCount()	JIT	System.Text.Re
845.126	20.6	3,699	13,938	System.Text.RegularExpressions.RegexInterpreter.Go()	JIT	System.Text.Re
865.802	0.2	43	34	System.Text.RegularExpressions.RegexInterpreter.SetOperator(int32)	JIT	System.Text.Re
865.987	0.3	95	127	System.Text.RegularExpressions.RegexInterpreter.Forwardcharnext()	JIT	System.Text.Re
866.353	0.7	137	327	System.Text.RegularExpressions.Match.AddMatch(int32,int32,int32)	JIT	System.Text.Re
867.076	0.8	196	370	System.Text.RegularExpressions.Match.Tidy(int32)	JIT	System.Text.Re
867.954	0.3	89	175	System.Text.RegularExpressions.ExclusiveReference.Release(class System.Object)	JIT	System.Text.Re
868.321	0.8	181	394	System.Text.RegularExpressions.RegexReplacement.ReplacementImpl(class System.Text.StringBuilder,class System.Text.RegularExpressions.Match)	JIT	System.Text.Re
869.116	0.2	45	65	System.Text.RegularExpressions.RegexRunner.EnsureStorage()	JIT	System.Text.Re
869.331	0.1	21	109	System.Text.RegularExpressions.Match..cctor()	JIT	System.Text.Re
869.449	0.2	33	105	LivingAgile.Aspen.Core.Template.GetTrimmedText(class System.String)	JIT	LivingAgile
869.731	0.2	50	186	LivingAgile.Aspen.Core.Manager.GetRelativeInputPath(class System.String,class System.String)	JIT	LivingAgile
869.992	0.3	45	140	LivingAgile.Aspen.Core.Manager.GetAbsoluteInputFilename(class System.String)	JIT	LivingAgile
870.585	1.3	248	782	LivingAgile.Aspen.Core.Manager.GetRelativePathFromAbsolute(class System.String,class System.String)	JIT	LivingAgile
871.986	0.3	48	184	LivingAgile.Aspen.Core.Elements.DocumentElement.ParseInput(class System.String,class System.String,int32,int32)	JIT	LivingAgile
872.346	2.6	2,127	5,772	LivingAgile.Aspen.Core.Parser..cctor()	JIT	LivingAgile
874.961	0.2	21	86	System.Text.RegularExpressions.Regex.Escape(class System.String)	JIT	System.Text.Re
875.148	0.7	199	360	System.Text.RegularExpressions.RegexParser.Escape(class System.String)	JIT	System.Text.Re
875.866	0.1	21	62	System.Text.RegularExpressions.RegexParser.IsMetachar(wchar)	JIT	System.Text.Re
876.065	0.2	39	63	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].AddWithResize(!0)	JIT	System.Priva
876.318	0.2	62	58	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].EnsureCapacity(int32)	JIT	System.Priva
876.589	0.3	89	149	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].set_Capacity(int32)	JIT	System.Priva
876.929	0.2	32	94	System.Text.RegularExpressions.RegexCharClass.IsWordChar(wchar)	JIT	System.Text.Re
877.132	6.7	6,204	23,740	System.Text.RegularExpressions.RegexCharClass..cctor()	JIT	System.Text.Re
883.956	0.1	30	20	System.Text.RegularExpressions.RegexCharClass+LowerCaseMapping..ctor(wchar,wchar,int32,int32)	JIT	System.Text.Re
884.104	0.3	88	192	System.Text.RegularExpressions.RegexCharClass.CharInClassRecursive(wchar,class System.String,int32)	JIT	System.Text.Re
884.484	0.3	66	161	System.Text.RegularExpressions.RegexCharClass.CharInClassInternal(wchar,class System.String,int32,int32,int32)	JIT	System.Text.Re
884.847	0.6	122	342	System.Text.RegularExpressions.RegexCharClass.CharInCategory(wchar,class System.String,int32,int32,int32)	JIT	System.Text.Re
885.506	0.4	96	165	System.Text.RegularExpressions.RegexCharClass.CharInCategoryGroup(wchar,value class System.Globalization.UnicodeCategory,class System.String,int32&)	JIT	System.Text.Re
885.954	3.3	936	2,149	System.Text.RegularExpressions.RegexParser.ScanCharClass(bool,bool)	JIT	System.Text.Re
889.318	0.6	205	345	System.Text.RegularExpressions.RegexParser.ScanCharEscape()	JIT	System.Text.Re
889.958	0.3	55	88	System.Text.RegularExpressions.RegexParser.PopOptions()	JIT	System.Text.Re
890.319	0.3	114	77	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexOptions].RemoveAt(int32)	JIT	System.Priva
890.669	0.5	99	157	System.Text.RegularExpressions.RegexParser.ScanOptions()	JIT	System.Text.Re
891.175	0.2	101	130	System.Text.RegularExpressions.RegexParser.OptionFromCode(wchar)	JIT	System.Text.Re
891.443	0.3	60	124	System.Text.RegularExpressions.RegexParser.ScanCapname()	JIT	System.Text.Re
891.815	0.5	75	259	System.Text.RegularExpressions.RegexParser.NoteCaptureName(class System.String,int32)	JIT	System.Text.Re
892.340	0.1	23	46	System.Collections.Hashtable.expand()	JIT	System.Runti
892.498	0.1	33	41	System.Collections.HashHelpers.ExpandPrime(int32)	JIT	System.Runti

892.648	0.5	85	256	System.Collections.HashHelpers.GetPrime(int32)	JIT	System.Runti
893.153	0.2	24	102	System.Collections.HashHelpers..cctor()	JIT	System.Runti
893.364	0.5	166	244	System.Collections.Hashtable.rehash(int32,bool)	JIT	System.Runti
893.924	0.5	168	179	System.Collections.Hashtable.putEntry(value class System.Object[],class System.Object,int32)	JIT	System.Runti
894.438	0.2	52	95	System.Collections.Hashtable.KeyEquals(class System.Object,class System.Object)	JIT	System.Runti
894.786	0.2	42	91	System.Text.RegularExpressions.RegexParser.IsCaptureSlot(int32)	JIT	System.Text.Re
895.018	0.6	204	423	System.Collections.Hashtable.get_Item(class System.Object)	JIT	System.Runti
895.678	0.1	10	16	System.Collections.Hashtable.set_Item(class System.Object,class System.Object)	JIT	System.Runti
895.830	0.1	18	62	System.Text.RegularExpressions.RegexParser.IsSpace(wchar)	JIT	System.Text.Re
895.994	0.2	21	62	System.Text.RegularExpressions.RegexParser.IsStopperX(wchar)	JIT	System.Text.Re
896.175	0.1	21	62	System.Text.RegularExpressions.RegexParser.IsQuantifier(wchar)	JIT	System.Text.Re
896.330	4.9	1,303	2,862	System.Text.RegularExpressions.RegexParser.ScanGroupOpen()	JIT	System.Text.Re
901.290	0.6	152	290	System.Text.RegularExpressions.RegexParser.IsTrueQuantifier()	JIT	System.Text.Re
901.963	0.3	96	136	System.Text.RegularExpressions.RegexParser.AddAlternate()	JIT	System.Text.Re
902.310	0.3	137	134	System.Text.RegularExpressions.RegexNode.ReduceSet()	JIT	System.Text.Re
902.650	0.2	39	65	System.Text.RegularExpressions.RegexCharClass.IsEmpty(class System.String)	JIT	System.Text.Re
902.870	0.2	72	113	System.Text.RegularExpressions.RegexCharClass.IsSingleton(class System.String)	JIT	System.Text.Re
903.156	0.2	73	113	System.Text.RegularExpressions.RegexCharClass.IsSingletonInverse(class System.String)	JIT	System.Text.Re
903.420	0.1	26	48	System.Text.RegularExpressions.RegexCharClass.IsSubtraction(class System.String)	JIT	System.Text.Re
903.568	0.4	136	184	System.Text.RegularExpressions.RegexParser.PopGroup()	JIT	System.Text.Re
904.026	0.2	24	60	System.Text.RegularExpressions.RegexNode.ReduceGroup()	JIT	System.Text.Re
904.305	1.8	595	1,352	System.Text.RegularExpressions.RegexParser.ScanBackslash()	JIT	System.Text.Re
906.105	2.6	660	1,430	System.Text.RegularExpressions.RegexParser.ScanBasicBackslash()	JIT	System.Text.Re
908.742	0.5	109	223	System.Text.RegularExpressions.RegexNode.MakeQuantifier(bool,int32,int32)	JIT	System.Text.Re
909.241	0.8	263	297	System.Text.RegularExpressions.RegexNode.ReduceRep()	JIT	System.Text.Re
910.069	0.3	48	102	System.Text.RegularExpressions.RegexParser.AddUnitOne(wchar)	JIT	System.Text.Re
910.379	0.5	88	211	System.Array.Sort(!0[],int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Priva
910.958	0.1	26	155	System.Collections.Generic.Comparer`1[System.Text.RegularExpressions.RegexCharClass+SingleRange]..cctor()	JIT	System.Priva
911.196	0.1	7	1	System.Collections.Generic.ObjectComparer`1[System.Text.RegularExpressions.RegexCharClass+SingleRange]..ctor()	JIT	System.Priva
911.316	0.1	19	33	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].get_Default()	JIT	System.Priva
911.475	0.3	108	257	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].CreateArraySortHelper()	JIT	System.Priva
911.842	0.5	64	342	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].Sort(!0[],int32,int32,class System.Collections.Generic.IComparer`1)	JIT	System.Priva
912.389	0.5	142	335	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].IntroSort(!0[],int32,int32,int32,class System.Comparison`1)	JIT	System.Priva
912.898	0.4	58	125	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].SwapIfGreater(!0[],class System.Comparison`1,int32,int32)	JIT	System.Priva
913.286	0.1	21	23	System.Text.RegularExpressions.RegexCharClass+SingleRangeComparer.Compare(value class SingleRange,value class SingleRange)	JIT	System.Text.Re
913.427	0.4	142	128	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].RemoveRange(int32,int32)	JIT	System.Priva
913.863	0.5	78	250	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].InsertionSort(!0[],int32,int32,class System.Comparison`1)	JIT	System.Priva
914.554	0.2	39	68	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].AddWithResize(!0)	JIT	System.Priva
914.816	0.2	62	58	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].EnsureCapacity(int32)	JIT	System.Priva
915.088	0.3	89	173	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].set_Capacity(int32)	JIT	System.Priva
915.455	1.1	131	490	System.Collections.Generic.ArraySortHelper`1[System.Text.RegularExpressions.RegexCharClass+SingleRange].PickPivotAndPartition(!0[],int32,int32,int32,class System.Comparison`1)	JIT	System.Priva
916.650	0.4	78	156	System.Text.RegularExpressions.RegexParser.ScanDecimal()	JIT	System.Text.Re
917.252	0.4	111	138	System.Text.RegularExpressions.RegexFC.AddFC(class System.Text.RegularExpressions.RegexFC,bool)	JIT	System.Text.Re
917.647	1.0	142	345	System.Text.RegularExpressions.RegexCharClass.AddCharClass(class System.Text.RegularExpressions.RegexCharClass)	JIT	System.Text.Re
918.708	0.1	9	54	LivingAgile.Aspen.Core.Parser.Operator(class System.String)	JIT	LivingAgile
918.864	0.6	59	259	LivingAgile.Aspen.Core.Parser.Operator(class System.String,int32,int32)	JIT	LivingAgile
919.500	0.5	112	241	System.Text.RegularExpressions.Regex.GroupNumberFromName(class System.String)	JIT	System.Text.Re
919.999	0.2	38	117	System.Text.RegularExpressions.HashtableExtensions.TryGetValue(class System.Collections.Hashtable,class System.Object,!!0&)	JIT	System.Text.Re
920.267	0.7	71	302	LivingAgile.Aspen.Core.Parser.EndOperator(class System.String,int32,int32,int32)	JIT	LivingAgile

920.993	0.1	10	61	LivingAgile.Aspen.Core.Parser.EndOperator(class System.String,int32)	JIT	LivingAgile
921.148	0.7	71	303	LivingAgile.Aspen.Core.Parser.OperatorWithSharedEnd(class System.String,int32,int32,int32)	JIT	LivingAgile
921.850	0.5	79	368	System.Linq.Enumerable.Max(class System.Collections.Generic.IEnumerable`1)	JIT	System
922.401	0.1	11	70	LivingAgile.Aspen.Core.Parser+<>c..cctor()	JIT	LivingAgile
922.501	0.1	7	1	LivingAgile.Aspen.Core.Parser+<>c..cctor()	JIT	LivingAgile
922.591	0.1	10	16	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2)	JIT	System
922.734	0.4	52	214	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System
923.168	0.6	71	358	System.Linq.Lookup`2[System.Int32,System.Int32].Create(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,ctor(class System.Collections.Generic.IEqualityComparer`1))	JIT	System
923.774	0.2	35	74	System.Linq.Lookup`2[System.Int32,System.Int32].ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	System
924.058	0.1	8	10	LivingAgile.Aspen.Core.Parser+<>c.<cctor>b_70_0(value class System.Collections.Generic.KeyValuePair`2)	JIT	LivingAgile
924.180	0.7	234	392	System.Linq.Lookup`2[System.Int32,System.Int32].GetGrouping(!0,bool)	JIT	System
924.960	0.1	29	33	System.Linq.Lookup`2[System.Int32,System.Int32].InternalGetHashCode(!0)	JIT	System
925.113	0.1	8	10	LivingAgile.Aspen.Core.Parser+<>c.<cctor>b_70_1(value class System.Collections.Generic.KeyValuePair`2)	JIT	LivingAgile
925.227	0.3	68	83	System.Linq.Grouping`2[System.Int32,System.Int32].Add(!1)	JIT	System
925.542	0.3	71	149	System.Linq.Lookup`2[System.Int32,System.Int32].Resize()	JIT	System
925.891	0.4	65	172	System.Array.Resize(!!0[],&,int32)	JIT	System.Private
926.296	0.2	10	82	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2)	JIT	System
926.518	1.1	188	972	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System
927.703	0.2	14	54	System.Linq.Lookup`2[System.Int32,System.Int32].GetEnumerator()	JIT	System
927.970	0.3	114	127	System.Linq.Lookup`2+d_13[System.Int32,System.Int32].MoveNext()	JIT	System
928.310	0.1	7	5	System.Linq.Lookup`2+d_13[System.Int32,System.Int32].System.Collections.Generic.IEnumerator>.get_Current()	JIT	System
928.412	0.1	7	21	LivingAgile.Aspen.Core.Parser+<>c.<cctor>b_70_2(class System.Linq.IGrouping`2)	JIT	LivingAgile
928.522	0.1	7	4	System.Linq.Grouping`2[System.Int32,System.Int32].get_Key()	JIT	System
928.614	0.2	7	61	LivingAgile.Aspen.Core.Parser+<>c.<cctor>b_70_3(class System.Linq.IGrouping`2)	JIT	LivingAgile
928.816	0.5	116	277	System.Collections.Generic.HashSet`1[System.Int32].ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	System.C
929.339	0.2	52	51	System.Collections.Generic.HashSet`1[System.Int32].ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	System.C
929.565	0.1	7	4	System.Linq.Grouping`2[System.Int32,System.Int32].System.Collections.Generic.ICollection.get_Count()	JIT	System
929.660	0.2	32	84	System.Collections.Generic.HashSet`1[System.Int32].Initialize(int32)	JIT	System.C
929.893	0.4	49	170	System.Collections.HashHelpers.GetPrime(int32)	JIT	System.C
930.278	0.1	24	102	System.Collections.HashHelpers..cctor()	JIT	System.C
930.441	0.3	59	264	System.Collections.Generic.HashSet`1[System.Int32].UnionWith(class System.Collections.Generic.IEnumerable`1)	JIT	System.C
930.833	0.3	14	54	System.Linq.Grouping`2[System.Int32,System.Int32].GetEnumerator()	JIT	System
931.170	0.5	113	127	System.Linq.Grouping`2+d_9[System.Int32,System.Int32].MoveNext()	JIT	System
931.681	0.1	7	4	System.Linq.Grouping`2+d_9[System.Int32,System.Int32].System.Collections.Generic.IEnumerator.get_Current()	JIT	System
931.787	1.0	321	381	System.Collections.Generic.HashSet`1[System.Int32].AddIfNotPresent(!0)	JIT	System.C
932.824	0.1	29	33	System.Collections.Generic.HashSet`1[System.Int32].InternalGetHashCode(!0)	JIT	System.C
932.978	0.1	1	1	System.Linq.Grouping`2+d_9[System.Int32,System.Int32].System.IDisposable.Dispose()	JIT	System
933.104	0.1	1	1	System.Linq.Lookup`2+d_13[System.Int32,System.Int32].System.IDisposable.Dispose()	JIT	System
933.182	0.4	38	141	System.Linq.Enumerable.ToArray(class System.Collections.Generic.IEnumerable`1)	JIT	System
933.629	0.4	67	217	System.Collections.Generic.EnumerableHelpers.ToArray(class System.Collections.Generic.IEnumerable`1)	JIT	System
934.098	2.0	104	463	System.Linq.Enumerable.Where(class System.Collections.Generic.IEnumerable`1,class System.Func`2)	JIT	System
936.132	0.1	13	26	System.Collections.Generic.HashSet`1[System.Int32].ctor(class System.Collections.Generic.IEnumerable`1)	JIT	System.C
936.287	0.2	40	59	System.Linq.Enumerable+Iterator`1[System.Int32].GetEnumerator()	JIT	System
936.548	0.8	99	165	System.Linq.Enumerable+WhereListIterator`1[System.Int32].MoveNext()	JIT	System
937.372	0.2	30	97	LivingAgile.Aspen.Core.Parser+<>c.<cctor>b_70_4(int32)	JIT	LivingAgile
937.645	0.1	7	4	System.Linq.Enumerable+Iterator`1[System.Int32].get_Current()	JIT	System
937.758	0.2	41	115	System.Collections.Generic.HashSet`1[System.Int32].IncreaseCapacity()	JIT	System.C
938.018	0.1	33	41	System.Collections.HashHelpers.ExpandPrime(int32)	JIT	System.C
938.161	0.5	112	210	System.Collections.Generic.HashSet`1[System.Int32].SetCapacity(int32,bool)	JIT	System.C
938.714	0.1	20	13	System.Linq.Enumerable+Iterator`1[System.Int32].Dispose()	JIT	System
938.849	0.1	7	4	System.Collections.Generic.HashSet`1[System.Int32].get_Count()	JIT	System.C
938.949	0.1	15	17	System.Collections.Generic.HashSet`1[System.Int32].CopyTo(!0[],int32)	JIT	System.C
939.081	0.7	165	523	System.Collections.Generic.HashSet`1[System.Int32].CopyTo(!0[],int32,int32)	JIT	System.C
939.854	0.2	38	161	System.Linq.Enumerable.ToList(class System.Collections.Generic.IEnumerable`1)	JIT	System
940.131	0.1	11	4	System.SZArrayHelper.get_Count()	JIT	System.Private
940.293	0.1	20	40	System.SZArrayHelper.CopyTo(!!0[],int32)	JIT	System.Private
940.489	0.3	40	138	System.Text.RegularExpressions.Regex.Match(class System.String,int32,int32)	JIT	System.Text.Re
940.855	0.2	42	68	System.Text.RegularExpressions.RegexInterpreter.Goto(int32)	JIT	System.Text.Re
941.087	0.6	198	280	System.Text.RegularExpressions.RegexInterpreter.Stringmatch(class System.String)	JIT	System.Text.Re

941.760	0.4	107	143	System.Text.RegularExpressions.RegexInterpreter.Backtrack()	JIT	System.Text.Re
942.152	0.2	57	78	System.Text.RegularExpressions.RegexInterpreter.TrackPush2(int32)	JIT	System.Text.Re
942.384	0.2	82	107	System.Text.RegularExpressions.RegexInterpreter.TrackPush2(int32,int32)	JIT	System.Text.Re
942.662	0.1	18	34	System.Text.RegularExpressions.Match.RemoveMatch(int32)	JIT	System.Text.Re
942.830	1.5	313	740	LivingAgile.Aspen.Core.Elements.DocumentElement.ParseInput(class System.String,class System.String,int32,int32,class System.Text.RegularExpressions.Match)	JIT	LivingAgile
944.376	0.5	38	203	LivingAgile.Aspen.Core.Elements.BaseOperator..ctor(int32,int32)	JIT	LivingAgile
944.872	0.2	38	74	LivingAgile.Aspen.Core.Elements.DocumentElement.set_AbsoluteFilePath(class System.String)	JIT	LivingAgile
945.073	0.6	101	157	LivingAgile.Aspen.Core.Manager.GetOperatorGroupIndex(class System.Text.RegularExpressions.Match)	JIT	LivingAgile
945.735	0.2	28	75	System.Text.RegularExpressions.Match.get_Groups()	JIT	System.Text.Re
945.950	0.3	71	159	System.Text.RegularExpressions.GroupCollection.GetGroup(int32)	JIT	System.Text.Re
946.250	0.6	149	268	System.Text.RegularExpressions.GroupCollection.GetGroupImpl(int32)	JIT	System.Text.Re
946.842	0.4	105	228	System.Text.RegularExpressions.Regex.GroupNameFromNumber(int32)	JIT	System.Text.Re
947.294	0.3	47	104	LivingAgile.Aspen.Core.Manager.OptimizeOperatorOrder(int32[],int32,int32,int32[],int32)	JIT	LivingAgile
947.607	0.3	26	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseChildElement(int32,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
947.946	0.9	685	2,867	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants..cctor()	JIT	LivingAgile
948.845	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseImport(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
948.955	0.2	16	64	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseImport(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
949.172	0.8	178	414	LivingAgile.Aspen.Core.Elements.ImportOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile
950.033	0.3	42	190	LivingAgile.Aspen.Core.Elements.BaseOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,value class LivingAgile.Aspen.Core.ElementKinds,int32,int32,int32)	JIT	LivingAgile
950.343	0.3	71	133	LivingAgile.Aspen.Core.Manager.GetClampedRemovePriorIndentRequest(class System.String,class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile
950.629	0.4	67	156	LivingAgile.Aspen.Core.Manager.GetRemovePriorIndentRequest(class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile
951.066	0.3	90	144	LivingAgile.Aspen.Core.Manager.GetClampedRemoveNextLineBreaksRequest(class System.String,class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile
951.399	0.4	67	156	LivingAgile.Aspen.Core.Manager.GetRemoveNextLineBreaksRequest(class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile
951.826	0.3	85	196	LivingAgile.Aspen.Core.Manager.QueryNextLineBreaksToRemove(int32,class System.String,int32,int32,int32&,int32&)	JIT	LivingAgile
952.166	0.4	71	161	LivingAgile.Aspen.Core.Manager.IsEmptyLine(class System.String,int32,int32&)	JIT	LivingAgile
952.568	1.3	239	743	LivingAgile.Aspen.Core.Elements.BaseOperator.Add(class LivingAgile.Aspen.Core.Elements.BaseElement)	JIT	LivingAgile
953.899	0.2	29	73	LivingAgile.Aspen.Core.Elements.BaseElement.SetParent(class LivingAgile.Aspen.Core.Elements.BaseOperator,int32)	JIT	LivingAgile
954.121	0.1	5	11	LivingAgile.Aspen.Core.Elements.BaseElement.Validate(class System.String&)	JIT	LivingAgile
954.212	0.1	5	11	LivingAgile.Aspen.Core.Elements.DocumentElement.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile
954.325	0.2	20	86	LivingAgile.Aspen.Core.Elements.BaseOperator.AddPlainText(int32,int32)	JIT	LivingAgile
954.570	1.7	221	963	LivingAgile.Aspen.Core.Template.Execute(class System.Collections.Generic.IEnumerable`1>,bool)	JIT	LivingAgile
956.290	0.2	50	101	LivingAgile.Aspen.Core.Manager.AppendLineToLog(class System.String)	JIT	LivingAgile
956.521	0.1	11	70	LivingAgile.Aspen.Core.Template+<>c..cctor()	JIT	LivingAgile
956.617	0.1	7	1	LivingAgile.Aspen.Core.Template+<>c..ctor()	JIT	LivingAgile
956.704	1.2	188	1,042	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System
957.983	0.1	11	4	System.SZArrayHelper.get_Count()	JIT	System.Priv
958.164	0.2	23	137	LivingAgile.Aspen.Core.Elements.BaseElement.AppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
958.401	0.3	44	105	LivingAgile.Aspen.Core.Elements.DocumentElement.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
958.763	1.6	392	901	LivingAgile.Aspen.Core.Elements.ImportOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
960.364	0.4	101	196	LivingAgile.Aspen.Core.Elements.ExecutionState.ResolvePath(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,value class LivingAgile.Aspen.Core.PathType)	JIT	LivingAgile
961.397	0.9	421	633	System.IO.StreamReader.DetectEncoding()	JIT	System.Runti
962.460	0.3	53	95	System.Text.RegularExpressions.Match.IsMatched(int32)	JIT	System.Text.Re
962.799	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginSet(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
962.921	0.4	45	120	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginSet(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
963.328	0.4	108	204	LivingAgile.Aspen.Core.Elements.BeginSetOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match,bool)	JIT	LivingAgile

963.737	0.7	184	386	LivingAgile.Aspen.Core.Elements.BaseBeginSetOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ElementKinds, int32)	JIT	LivingAgile
964.487	0.3	82	122	LivingAgile.Aspen.Core.Elements.ExecutionState.GetTokenHandlingMode(class System.Text.RegularExpressions.GroupCollection)	JIT	LivingAgile
964.845	0.2	53	103	LivingAgile.Aspen.Core.Manager.GetCount(class System.String, int32)	JIT	LivingAgile
965.132	0.2	9	86	LivingAgile.Aspen.Core.Elements.BeginSetOperator.AddPlainText(int32, int32)	JIT	LivingAgile
965.355	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginSetOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement, class System.String&)	JIT	LivingAgile
965.460	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginSetIndex(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
965.572	0.5	65	214	LivingAgile.Aspen.Core.Elements.BeginSetOperator.ParseBeginSetIndex(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
966.089	0.3	47	133	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator..ctor(class LivingAgile.Aspen.Core.Elements.BeginSetOperator, class LivingAgile.Aspen.Core.DocumentElement, class System.Text.RegularExpressions.Match)	JIT	LivingAgile
966.397	0.6	172	267	LivingAgile.Aspen.Core.Manager.QueryPriorIndentsToRemove(int32, class System.String, int32, int32&, int32&)	JIT	LivingAgile
967.021	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.Validate(class System.String&)	JIT	LivingAgile
967.123	0.1	9	24	LivingAgile.Aspen.Core.Elements.BaseOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement, class System.String&)	JIT	LivingAgile
967.227	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndSet(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
967.337	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndSet(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
967.679	0.5	115	198	System.Collections.Generic.HashSet`1[System.Int32].Contains(10)	JIT	System.C
968.299	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginForEach(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
968.422	0.2	16	62	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginForEach(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
968.611	0.6	107	303	LivingAgile.Aspen.Core.Elements.BeginForEachOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement, class System.Text.RegularExpressions.Match)	JIT	LivingAgile
969.232	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement, class System.String&)	JIT	LivingAgile
969.364	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseGetToken(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
969.474	0.2	16	64	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseGetToken(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
969.666	0.8	126	387	LivingAgile.Aspen.Core.Elements.GetTokenOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement, class System.Text.RegularExpressions.Match)	JIT	LivingAgile
970.514	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginFile(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
970.629	0.2	16	62	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginFile(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
970.848	0.5	58	227	LivingAgile.Aspen.Core.Elements.BeginFileOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement, class System.Text.RegularExpressions.Match)	JIT	LivingAgile
971.387	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginFileOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement, class System.String&)	JIT	LivingAgile
971.489	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseRemoveOuterWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
971.598	0.2	16	64	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseRemoveOuterWhitespace(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
971.801	0.4	86	160	LivingAgile.Aspen.Core.Elements.RemoveOuterWhitespaceOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement, class System.Text.RegularExpressions.Match)	JIT	LivingAgile
972.227	0.3	64	97	LivingAgile.Aspen.Core.Manager.IsOperator(class System.String, int32, int32&)	JIT	LivingAgile
972.555	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndFile(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
972.669	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndFile(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
973.038	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndForEach(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
973.149	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndForEach(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
973.507	1.0	180	626	LivingAgile.Aspen.Core.Template.Execute(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState, class System.String, class LivingAgile.Aspen.Core.DocumentElement)	JIT	LivingAgile

974.598	1.6	349	1,003	LivingAgile.Aspen.Core.Elements.BeginSetOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
976.203	0.4	106	244	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveBindableTokenName(class System.String, class System.String&, bool&)	JIT	LivingAgile
976.625	0.8	139	541	LivingAgile.Aspen.Core.Elements.BaseBeginSetOperator.GetSetExecutionState(class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
977.440	1.8	1,137	5,186	LivingAgile.Aspen.Core.DataTypes..cctor()	JIT	LivingAgile
979.328	0.1	11	70	LivingAgile.Aspen.Core.DataTypes+<>c..cctor()	JIT	LivingAgile
979.431	0.1	7	1	LivingAgile.Aspen.Core.DataTypes+<>c..ctor()	JIT	LivingAgile
979.616	0.5	84	245	LivingAgile.Aspen.Core.Elements.BaseOperator.GetChildOutput(class LivingAgile.Aspen.Core.Elements.ExecutionState, int32, class LivingAgile.Aspen.Core.Elements.BaseOperator, bool)	JIT	LivingAgile
980.171	0.7	108	290	LivingAgile.Aspen.Core.TextCollector.Add(int32, int32)	JIT	LivingAgile
980.887	0.2	35	143	LivingAgile.Aspen.Core.Elements.PlainTextElement.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
981.164	0.1	25	26	LivingAgile.Aspen.Core.TextCollector.Add(class LivingAgile.Aspen.Core.TextSegment)	JIT	LivingAgile
981.327	0.4	42	182	LivingAgile.Aspen.Core.TextCollector.Add(int32, int32, class System.Text.StringBuilder)	JIT	LivingAgile
981.725	0.5	122	294	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
982.303	1.6	428	893	LivingAgile.Aspen.Core.TextCollector.Compress(bool)	JIT	LivingAgile
983.925	0.1	26	38	LivingAgile.Aspen.Core.TextSegment.TextToString()	JIT	LivingAgile
984.078	0.2	67	159	LivingAgile.Aspen.Core.TextCollector.RemovePriorIndents(int32, class System.Text.StringBuilder)	JIT	LivingAgile
984.367	0.5	172	200	LivingAgile.Aspen.Core.Manager.QueryPriorIndentsToRemove(int32, class System.Text.StringBuilder, int32, int32&, int32&)	JIT	LivingAgile
984.861	0.3	67	149	LivingAgile.Aspen.Core.TextCollector.RemoveNextLineBreaks(int32, class System.Text.StringBuilder)	JIT	LivingAgile
985.166	0.1	29	29	LivingAgile.Aspen.Core.TextSegment.Clamp(int32, int32&)	JIT	LivingAgile
985.302	0.1	31	71	LivingAgile.Aspen.Core.Manager.UnescapeOperators(class System.String)	JIT	LivingAgile
985.479	0.2	40	63	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.GetIndexToSet(class LivingAgile.Aspen.Core.Elements.SetExecutionState)	JIT	LivingAgile
985.754	0.5	125	336	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.GetValueToSet(int32, class LivingAgile.Aspen.Core.Elements.SetExecutionState, class System.String, class System.String&)	JIT	LivingAgile
986.334	0.3	69	163	LivingAgile.Aspen.Core.Elements.ExecutionState.GetValue(class LivingAgile.Aspen.Core.Elements.ExecutionState, class System.String, class System.String, value class System.Nullable`1, value class LivingAgile.Aspen.Core.TokenHandlingMode, bool)	JIT	LivingAgile
986.640	0.8	210	481	LivingAgile.Aspen.Core.DataTypes.GetRawValue(class System.String, class System.String, value class System.Nullable`1, bool)	JIT	LivingAgile
987.435	0.7	134	366	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.AddWithValueToList(class LivingAgile.Aspen.Core.Elements.SetExecutionState, int32, class System.String, class System.Object)	JIT	LivingAgile
988.149	0.4	34	185	LivingAgile.Aspen.Core.DataTypes.ContainsAnyNonWhiteSpace(class System.String, int32, int32)	JIT	LivingAgile
988.583	0.3	29	79	LivingAgile.Aspen.Core.Elements.ExecutionState.GetTokens(int32, int32)	JIT	LivingAgile
988.905	0.3	79	103	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.System.Collections.Generic.IEnumerable<T>.GetEnumerator()	JIT	LivingAgile
989.239	0.5	236	235	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.MoveNext()	JIT	LivingAgile
989.750	0.1	7	5	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.System.Collections.Generic.IEnumerator<T>.get_Current()	JIT	LivingAgile
989.869	0.0	1	1	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.System.IDisposable.Dispose()	JIT	LivingAgile
989.946	2.0	474	1,656	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
992.032	0.5	219	447	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.TryGetOptions(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState, class LivingAgile.Aspen.Core.Elements.BaseOperator, value class LivingAgile.Aspen.Core.ForEachMode&, class System.Collections.IEnumerable&, class System.String&)	JIT	LivingAgile
992.623	0.8	221	569	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveTokenWithOptionalIndexer(class System.String, class System.String, class System.Object&)	JIT	LivingAgile
993.439	0.3	67	113	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveToken(class LivingAgile.Aspen.Core.Elements.ExecutionState, class System.String, class System.Object&)	JIT	LivingAgile
993.773	0.5	123	286	LivingAgile.Aspen.Core.Elements.GetTokenOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
994.272	1.5	396	1,188	LivingAgile.Aspen.Core.Elements.ExecutionState.GetReplacementValue(class System.Object&, value class LivingAgile.Aspen.Core.TokenHandlingMode, class System.String, class System.String, class System.String, int32)	JIT	LivingAgile
995.863	0.2	39	114	System.Text.RegularExpressions.Regex.Match(class System.String)	JIT	System.Text.RegularExpressions
996.142	0.1	26	47	LivingAgile.Aspen.Core.TextCollector.Add(class System.String)	JIT	LivingAgile
996.294	0.7	114	395	LivingAgile.Aspen.Core.TextCollector.Add(int32, int32, class System.String, int32, int32)	JIT	LivingAgile
997.030	0.1	9	23	LivingAgile.Aspen.Core.Elements.SetExecutionState.LivingAgile.Aspen.Core.IValueTarget.set_Value(value class System.Nullable`1)	JIT	LivingAgile
997.148	0.4	118	247	LivingAgile.Aspen.Core.Elements.SetExecutionState.Set(value class LivingAgile.Aspen.Core.SetValueState, value class System.Nullable`1)	JIT	LivingAgile
997.855	0.6	132	319	LivingAgile.Aspen.Core.Elements.BeginFileOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
998.539	0.1	8	33	LivingAgile.Aspen.Core.Elements.RemoveOuterWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,000.156	0.1	9	14		JIT	LivingAgile

				LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginComment(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)		
1,000.279	0.3	16	136	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginComment(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,000.653	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement, class System.String&)	JIT	LivingAgile
1,000.760	0.2	69	55	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.ParseChildElement(int32, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,001.020	0.1	9	13	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndComment(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,001.133	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndComment(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,003.533	0.1	9	13	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginRemoveWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,003.664	0.3	16	129	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginRemoveWhitespace(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,004.067	0.1	5	11	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement, class System.String&)	JIT	LivingAgile
1,004.455	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndRemoveWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,004.572	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndRemoveWhitespace(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,004.934	0.7	105	303	LivingAgile.Aspen.Core.Template.StaticExecute(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,005.624	0.3	59	115	LivingAgile.Aspen.Core.Template.GetStaticOutput(class LivingAgile.Aspen.Core.Elements.ExecutionState, class LivingAgile.Aspen.Core.Elements.DocumentElement&, class System.Collections.Generic.Dictionary`2&)	JIT	LivingAgile
1,005.917	1.1	185	737	LivingAgile.Aspen.Core.Template.CreateStaticOutput(int32, class LivingAgile.Aspen.Core.Elements.DocumentElement&, class System.Collections.Generic.Dictionary`2&)	JIT	LivingAgile
1,007.072	1.6	292	884	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,008.763	0.4	47	136	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,010.602	0.6	126	268	LivingAgile.Aspen.Core.Elements.BaseOperator.AppendAsText(class LivingAgile.Aspen.Core.TextCollector)	JIT	LivingAgile
1,011.296	0.3	44	125	LivingAgile.Aspen.Core.TextCollector.ContainsAnyOperator(class System.String)	JIT	LivingAgile
1,011.712	0.9	100	349	LivingAgile.Aspen.Core.TextCollector.Add(class LivingAgile.Aspen.Core.TextCollector)	JIT	LivingAgile
1,021.236	0.2	44	162	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator..ctor()	JIT	LivingAgile
1,021.508	1.1	173	459	System.Text.RegularExpressions.RegexCharClass.ParseRecursive(class System.String, int32)	JIT	System.Text.Re
1,022.625	0.2	46	115	System.Collections.Generic.List`1[System.Text.RegularExpressions.RegexCharClass+SingleRange]..ctor(int32)	JIT	System.Priva
1,022.923	0.1	17	86	System.Text.RegularExpressions.RegexPrefix..ctor()	JIT	System.Text.Re
1,023.050	0.1	21	24	System.Text.RegularExpressions.RegexPrefix..ctor(class System.String, bool)	JIT	System.Text.Re
1,023.223	0.2	74	100	System.Text.RegularExpressions.RegexRunner.DoubleTrack()	JIT	System.Text.Re
1,023.497	0.2	74	100	System.Text.RegularExpressions.RegexRunner.DoubleCrawl()	JIT	System.Text.Re
1,024.304	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDate(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,024.443	0.4	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDate(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,024.855	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseTime(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,024.972	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseTime(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,025.320	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDateUtc(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,025.438	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDateUtc(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,025.785	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseTimeUtc(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,025.911	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseTimeUtc(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,026.253	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDomain(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,026.368	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDomain(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,026.719	0.1	9	13		JIT	LivingAgile

				LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseUserName(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)		
1,026.846	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseUserName(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,027.185	0.1	9	14	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseMachineName(class LivingAgile.Aspen.Core.Elements.BaseOperator, class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,027.300	0.3	16	131	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseMachineName(class System.Text.RegularExpressions.Match, value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile
1,027.637	0.5	97	300	LivingAgile.Aspen.Core.Template.ExecuteInline(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState, class System.String, class LivingAgile.Aspen.Core.Elements.DocumentElement)	JIT	LivingAgile
1,028.203	0.5	83	259	LivingAgile.Aspen.Core.Elements.DateOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,029.012	0.5	75	229	LivingAgile.Aspen.Core.Elements.TimeOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,029.610	0.5	83	259	LivingAgile.Aspen.Core.Elements.DateUtcOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,030.101	0.4	75	229	LivingAgile.Aspen.Core.Elements.TimeUtcOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,030.554	0.2	30	71	LivingAgile.Aspen.Core.Elements.DomainOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,030.762	0.1	11	26	LivingAgile.Aspen.Core.Manager.get_Domain()	JIT	LivingAgile
1,030.935	0.2	30	71	LivingAgile.Aspen.Core.Elements.UserNameOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,031.133	0.1	11	26	LivingAgile.Aspen.Core.Manager.get_UserName()	JIT	LivingAgile
1,031.260	0.2	30	71	LivingAgile.Aspen.Core.Elements.MachineNameOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector, class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile
1,031.459	0.1	11	26	LivingAgile.Aspen.Core.Manager.get_MachineName()	JIT	LivingAgile
1,032.018	0.5	98	234	LivingAgile.Aspen.Core.Manager.DetectPadding(class System.String, int32)	JIT	LivingAgile
1,032.530	0.2	31	145	LivingAgile.Aspen.Core.Manager.AdjustPadding(class System.String, class System.String, int32, class System.String, int32, int32)	JIT	LivingAgile
1,032.739	0.3	58	198	LivingAgile.Aspen.Core.Manager.AdjustPadding(class System.String, class System.Text.StringBuilder, class System.String, int32, class System.String, int32, int32)	JIT	LivingAgile
1,033.123	0.2	31	85	LivingAgile.Aspen.Core.Manager.EndsWithNewline(class System.String, int32)	JIT	LivingAgile
1,033.373	0.8	140	350	LivingAgile.Aspen.Core.Manager.AdjustPaddingIgnoreFirstLine(class System.String, class System.Text.StringBuilder, class System.String, int32, int32)	JIT	LivingAgile
1,034.396	0.3	55	174	LivingAgile.Aspen.Core.Manager.CompareOrdinal(class System.Text.StringBuilder, int32, class System.String, int32, int32)	JIT	LivingAgile
1,034.741	0.3	85	187	LivingAgile.Aspen.Core.Manager.QueryNextLineBreaksToRemove(int32, class System.Text.StringBuilder, int32, int32, int32, int32&)	JIT	LivingAgile
1,035.084	0.3	71	123	LivingAgile.Aspen.Core.Manager.IsEmptyLine(class System.Text.StringBuilder, int32, int32&)	JIT	LivingAgile
1,035.880	0.7	111	369	LivingAgile.Aspen.Core.Manager.StartFile(class System.String, class System.Text.Encoding)	JIT	LivingAgile
1,036.648	1.1	321	457	System.Collections.Generic.HashSet`1[System.Canon].AddIfNotPresent(!0)	JIT	System.C
1,037.788	0.2	32	116	System.Collections.Generic.HashSet`1[System.Canon].Initialize(int32)	JIT	System.C
1,038.078	0.2	29	98	System.Collections.Generic.HashSet`1[System.Canon].InternalGetHashCode(!0)	JIT	System.C
1,038.320	0.2	43	75	LivingAgile.Aspen.Core.Manager.SetCurrentBlock(class LivingAgile.Aspen.Core.Block, bool)	JIT	LivingAgile
1,038.612	0.2	42	87	LivingAgile.Aspen.Core.Manager.ResumePreviousBlock(bool)	JIT	LivingAgile
1,038.875	0.5	92	176	LivingAgile.Aspen.Core.Manager.EndBlock(bool)	JIT	LivingAgile
1,052.405	0.4	73	99	System.Text.RegularExpressions.Match.Reset(class System.Text.RegularExpressions.Regex, class System.String, int32, int32, int32)	JIT	System.Text.Re
1,056.241	0.3	41	115	System.Collections.Generic.HashSet`1[System.Canon].IncreaseCapacity()	JIT	System.C
1,056.620	0.6	112	245	System.Collections.Generic.HashSet`1[System.Canon].SetCapacity(int32, bool)	JIT	System.C
1,066.718	2.2	472	771	LivingAgile.Aspen.Core.Manager.Process()	JIT	LivingAgile
1,068.924	1.1	307	631	LivingAgile.Aspen.Core.Block.GetContents()	JIT	LivingAgile
1,070.229	0.4	42	105	LivingAgile.Aspen.Core.Manager.WriteFile(class System.String, class System.String, class System.Text.Encoding)	JIT	LivingAgile
1,070.706	0.2	37	101	LivingAgile.Aspen.Core.Manager.isFileContentDifferent(class System.String, class System.String, class System.Text.Encoding)	JIT	LivingAgile
1,071.001	0.6	81	422	System.IO.File.WriteAllText(class System.String, class System.String, class System.Text.Encoding)	JIT	System.IO
1,071.649	0.6	112	539	System.IO.StreamWriter..ctor(class System.String, bool, class System.Text.Encoding, int32)	JIT	System.Runti
1,072.261	0.1	26	103	System.IO.TextWriter..ctor()	JIT	System.Runti
1,072.442	0.2	12	106	System.IO.TextWriter+NulTextWriter..ctor()	JIT	System.Runti
1,072.997	0.4	135	217	System.IO.StreamWriter.Init(class System.IO.Stream, class System.Text.Encoding, int32, bool)	JIT	System.Runti
1,073.424	0.4	126	176	System.IO.StreamWriter.Write(class System.String)	JIT	System.Runti
1,073.839	0.2	32	99	System.IO.StreamWriter.CheckAsyncTaskInProgress()	JIT	System.Runti
1,074.087	0.5	160	290	System.IO.StreamWriter.Flush(bool, bool)	JIT	System.Runti
1,075.138	0.1	14	47	System.IO.TextWriter.Dispose()	JIT	System.Runti
1,075.260	0.4	111	236	System.IO.StreamWriter.Dispose(bool)	JIT	System.Runti

1,189.141	0.3	23	35	LivingAgile.Aspen.Core.Segment.CompareTo(class LivingAgile.Aspen.Core.Segment)	JIT	LivingAgile
1,189.506	0.5	65	379	System.IO.File.WriteAllText(class System.String,class System.String)	JIT	System.IO
1,190.010	0.1	13	78	System.IO.EncodingCache..cctor()	JIT	System.Runti
1,194.632	0.2	12	36	System.Console.WriteLine(class System.String)	JIT	System.
1,194.880	0.5	42	200	System.Console.get_Out()	JIT	System.
1,195.406	0.1	23	83	System.Console..cctor()	JIT	System.
1,195.517	0.1	11	70	System.Console+<>c..cctor()	JIT	System.
1,195.611	0.1	7	1	System.Console+<>c..ctor()	JIT	System.
1,195.708	0.3	11	39	System.Console+<>c.b_25_0()	JIT	System.
1,196.009	0.5	65	186	System.ConsolePal.GetStandardFile(int32,value class System.IO.FileAccess)	JIT	System.
1,196.533	0.2	0	176	dynamicClass.IL_STUB_PInvoke(int32)	JIT	System.IO
1,196.760	0.1	22	101	System.ConsolePal..cctor()	JIT	System.
1,196.890	0.1	26	65	System.ConsolePal.ConsoleHandleIsWritable(int)	JIT	System.
1,197.032	0.2	0	218	dynamicClass.IL_STUB_PInvoke(int,unsigned int8*,int32,int32&,int)	JIT	System.IO
1,197.251	0.4	115	260	System.ConsolePal.GetUseFileAPIs(int32)	JIT	System.
1,197.689	0.3	42	160	System.Console.get_OutputEncoding()	JIT	System.
1,198.043	0.1	6	28	System.Console+<>c.b_18_0()	JIT	System.
1,198.184	0.1	0	166	dynamicClass.IL_STUB_PInvoke()	JIT	System.IO
1,198.404	1.0	63	207	System.Text.EncodingHelper.GetSupportedConsoleEncoding(int32)	JIT	System.
1,199.474	0.1	31	25	System.IO.ConsoleStream..ctor(value class System.IO.FileAccess)	JIT	System.
1,199.647	0.2	0	172	dynamicClass.IL_STUB_PInvoke(int)	JIT	System.IO
1,199.826	0.5	50	209	System.Console.CreateOutputWriter(class System.IO.Stream)	JIT	System.
1,200.388	0.4	85	389	System.IO.StreamWriter..ctor(class System.IO.Stream,class System.Text.Encoding,int32,bool)	JIT	System.Runti
1,200.854	0.1	7	5	System.IO.ConsoleStream.get_CanWrite()	JIT	System.
1,200.950	0.1	12	18	System.Text.ConsoleEncoding.GetEncoder()	JIT	System.
1,201.080	0.2	7	55	System.Text.OSEncoding.GetEncoder()	JIT	System.
1,201.292	0.1	13	18	System.Text.ConsoleEncoding.GetMaxByteCount(int32)	JIT	System.
1,201.410	0.3	55	219	System.Text.OSEncoding.GetMaxByteCount(int32)	JIT	System.
1,201.748	0.1	2	3	System.IO.ConsoleStream.get_CanSeek()	JIT	System.
1,201.821	0.1	6	14	System.Text.ConsoleEncoding.GetPreamble()	JIT	System.
1,201.932	0.8	221	688	System.Text.OSEncoder.GetBytes(wchar[],int32,int32,unsigned int8[],int32,bool)	JIT	System.
1,202.746	0.3	31	163	System.ConsolePal+WindowsConsoleStream.Flush()	JIT	System.
1,203.113	0.3	17	148	System.IO.SyncTextWriter.GetSynchronizedTextWriter(class System.IO.TextWriter)	JIT	System.
1,203.425	0.1	21	23	System.IO.TextWriter.get_FormatProvider()	JIT	System.Runti
1,203.564	0.3	37	148	System.IO.SyncTextWriter.WriteLine(class System.String)	JIT	System.
1,203.843	0.6	210	262	System.IO.StreamWriter.WriteLine(class System.String)	JIT	System.Runti
1,204.466	0.7	211	512	System.Text.OSEncoder.GetBytes(wchar*,int32,unsigned int8*,int32,bool)	JIT	System.
1,205.230	0.3	40	275	System.Text.OSEncoding.WideCharToMultiByte(int32,wchar*,int32,unsigned int8*,int32)	JIT	System.
1,205.525	0.2	41	105	System.ConsolePal+WindowsConsoleStream.Write(unsigned int8[],int32,int32)	JIT	System.
1,205.794	0.4	83	348	System.IO.ConsoleStream.ValidateWrite(unsigned int8[],int32,int32)	JIT	System.
1,206.262	0.3	94	219	System.ConsolePal+WindowsConsoleStream.WriteFileNative(int,unsigned int8[],int32,int32,bool)	JIT	System.