

## JITStats

- [Process 48888: aspencli -template Controller.txt -compiled true -consoleLog -q -samples 0](#)

### JIT Stats for Process 48888: aspencli

- CommandLine: "aspencli.exe" -template "D:\git\LivingAgile\bin\Aspen\SampleTemplates\\_Controller.txt" -compiled true -consoleLog -q -samples 0
- Process CPU Time: 193 msec
- Total Number of JIT compiled methods : 245
- Total MSec JIT compiling : 62
- JIT compilation time as a percentage of total process CPU time : 31.9%
- [Individual JIT Events](#)
  - [View in Excel](#)
- No JIT Inlining data available. Consider enabling the JITInlining option.
- [JIT Perf Users Guide](#)

**Background JIT compilation events are not being collected.** If you are interested in seeing the operation of Background JIT Enabled the 'Background JIT' checkbox in the 'Advanced' section of the collection dialog when collecting the data. See [Guide to Background JIT](#) for more.

Below is a table of the time taken to JIT compile the methods used in the program, broken down by module. If this time is significant you can eliminate it by [NGening](#) your application. This will improve the startup time for your app.

The list below is also useful for tuning the startup performance of your application in general. In general you want as little to be run during startup as possible. If you have 1000s of methods being compiled on startup you should try to defer some of that computation until absolutely necessary.

Name	JitTime msec	Num Methods	IL Size	Native Size
TOTAL	61.7	245	17,094	45,222
D:\git\LivingAgile\bin\Aspen\Net\4.6\AnyCPU.Release\LivingAgile.Aspen.Core.dll	39.1	211	18,634	39,063
D:\git\LivingAgile\bin\Aspen\Net\4.6\AnyCPU.Release\aspencli.exe	18.1	21	1,635	4,319
C:\WINDOWS\Microsoft.Net\assembly\GAC_MSIL\System.Core\v4.0.4.0.0_b77a5c561934e089\System.Core.dll	4.4	20	1,054	1,840

### Individual JIT Events for Process 48888: aspencli

Start (msec)	JitTime msec	IL Size	Native Size	Method Name	BG	Module
502.070	1.1	42	84	LivingAgile.Aspen.Runner.Program.Main(class System.String[])	JIT	aspencli.e
503.197	12.6	754	1,870	LivingAgile.Aspen.Runner.Program.Run(class System.String[])	JIT	aspencli.e
516.026	0.0	95	0	LivingAgile.Core.CoreUtil.GetArguments(value class System.ArraySegment`1,bool,int32&,class System.Collections.Generic.IEqualityComparer`1,bool)	JIT	aspencli.e
516.124	0.1	11	49	LivingAgile.Core.CoreUtil+<>c..ctor()	JIT	aspencli.e
516.197	0.0	7	1	LivingAgile.Core.CoreUtil+<>c..ctor()	JIT	aspencli.e
516.948	0.0	0	268	LivingAgile.Core.CoreUtil.GetArguments(value class System.ArraySegment`1,bool,int32&,class System.Collections.Generic.IEqualityComparer`1,bool)	JIT	aspencli.e
516.974	0.7	317	534	LivingAgile.Core.CoreUtil.ParseCommandLineArguments(value class System.ArraySegment`1,bool,int32&,bool)	JIT	aspencli.e
517.768	0.1	25	42	LivingAgile.Core.CoreUtil.IsArgument(class System.String)	JIT	aspencli.e
517.862	0.1	32	53	LivingAgile.Core.CoreUtil.RemoveQuotes(class System.String&)	JIT	aspencli.e
518.035	0.1	8	7	LivingAgile.Core.CoreUtil+<>c.b_18_0(value class System.Collections.Generic.KeyValuePair`2)	JIT	aspencli.e
518.134	0.0	8	7	LivingAgile.Core.CoreUtil+<>c.b_18_1(value class System.Collections.Generic.KeyValuePair`2)	JIT	aspencli.e
518.228	1.7	69	444	LivingAgile.Core.CoreUtil.ToDictionary(class System.Linq.ILookup`2)	JIT	aspencli.e
520.004	0.1	11	59	LivingAgile.Core.CoreUtil+<>c_16_2[System.__Canon,System.__Canon]..ctor()	JIT	aspencli.e
520.084	0.0	7	1	LivingAgile.Core.CoreUtil+<>c_16_2[System.__Canon,System.__Canon]..ctor()	JIT	aspencli.e
520.204	0.1	7	44	LivingAgile.Core.CoreUtil+<>c_16_2[System.__Canon,System.__Canon].b_16_0(class System.Linq.IGrouping`2)	JIT	aspencli.e
520.367	0.1	7	42	LivingAgile.Core.CoreUtil+<>c_16_2[System.__Canon,System.__Canon].b_16_1(class System.Linq.IGrouping`2)	JIT	aspencli.e
520.527	0.7	89	414	LivingAgile.Core.CoreUtil.SafeGet(class System.Collections.Generic.IDictionary`2,!0,int32,!1)	JIT	aspencli.e
521.355	0.1	11	59	LivingAgile.Core.CoreUtil+<>c_11_3[System.__Canon,System.__Canon,System.__Canon]..ctor()	JIT	aspencli.e
521.434	0.0	7	1	LivingAgile.Core.CoreUtil+<>c_11_3[System.__Canon,System.__Canon,System.__Canon]..ctor()	JIT	aspencli.e
521.622	0.1	7	48	LivingAgile.Core.CoreUtil+<>c_11_3[System.__Canon,System.__Canon,System.__Canon].b_11_0(!1)	JIT	aspencli.e
522.079	0.1	24	49	LivingAgile.Aspen.Core.RegexCompiler.set_Enabled(bool)	JIT	LivingAgile.Aspe
522.232	0.4	121	292	LivingAgile.Aspen.Runner.Program.RunSample(class System.String,class System.String,class System.Collections.Generic.Dictionary`2,bool,class LivingAgile.Aspen.Core.Manager&,bool&,class System.String&)	JIT	aspencli.e
522.690	1.4	381	729	LivingAgile.Aspen.Core.Manager..ctor(class System.String,class System.String,class System.Text.StringBuilder)	JIT	LivingAgile.Aspe
528.231	0.2	38	164	LivingAgile.Aspen.Core.Manager.GetAbsoluteFilename(class System.String)	JIT	LivingAgile.Aspe
528.407	0.1	19	48	LivingAgile.Aspen.Core.Manager.GetAbsoluteFilenameUnchecked(class System.String)	JIT	LivingAgile.Aspe

528.507	1.0	436	811	LivingAgile.Aspen.Core.Manager.FixFilePathCasing(class System.String)	JIT	LivingAgile.Aspe
529.507	0.0	136	0	LivingAgile.Aspen.Core.Manager.GetDirectoryNameWithSeperator(class System.String,int32,bool&,class System.String&)	JIT	LivingAgile.Aspe
529.534	0.4	137	335	LivingAgile.Aspen.Core.Manager..cctor()	JIT	LivingAgile.Aspe
529.913	0.2	44	93	LivingAgile.Aspen.Core.RegexCompiler.get_CompilationOption()	JIT	LivingAgile.Aspe
530.709	0.0	0	257	LivingAgile.Aspen.Core.Manager.GetDirectoryNameWithSeperator(class System.String,int32,bool&,class System.String&)	JIT	LivingAgile.Aspe
530.743	0.1	7	16	LivingAgile.Aspen.Core.Manager.FixDriveCasing(class System.String)	JIT	LivingAgile.Aspe
530.829	0.1	24	56	LivingAgile.Aspen.Core.Manager.GetFixedPathCasing(class System.String,class System.String)	JIT	LivingAgile.Aspe
532.110	0.2	45	102	LivingAgile.Aspen.Core.Manager.GetAbsoluteOutputFilename(class System.String)	JIT	LivingAgile.Aspe
532.692	0.1	47	106	LivingAgile.Aspen.Core.Manager.GetTemplateUnchecked(class System.String)	JIT	LivingAgile.Aspe
533.059	0.5	151	204	LivingAgile.Aspen.Core.Template..ctor(class LivingAgile.Aspen.Core.Manager,class System.String,class System.String)	JIT	LivingAgile.Aspe
533.546	0.1	31	35	LivingAgile.Aspen.Core.Manager.EscapeOperators(class System.String)	JIT	LivingAgile.Aspe
533.672	0.1	33	83	LivingAgile.Aspen.Core.Template.GetTrimmedText(class System.String)	JIT	LivingAgile.Aspe
533.815	0.1	50	143	LivingAgile.Aspen.Core.Manager.GetRelativeInputPath(class System.String,class System.String)	JIT	LivingAgile.Aspe
533.949	0.1	45	102	LivingAgile.Aspen.Core.Manager.GetAbsoluteInputFilename(class System.String)	JIT	LivingAgile.Aspe
534.260	0.6	264	541	LivingAgile.Aspen.Core.Manager.GetRelativePathFromAbsolute(class System.String,class System.String)	JIT	LivingAgile.Aspe
534.892	0.2	48	132	LivingAgile.Aspen.Core.Elements.DocumentElement.ParseInput(class System.String,class System.String,int32,int32)	JIT	LivingAgile.Aspe
535.096	0.0	2,127	0	LivingAgile.Aspen.Core.Parser..cctor()	JIT	LivingAgile.Aspe
535.427	0.1	11	49	LivingAgile.Aspen.Core.Parser+<c..cctor()	JIT	LivingAgile.Aspe
535.500	0.0	7	1	LivingAgile.Aspen.Core.Parser+<c..cctor()	JIT	LivingAgile.Aspe
536.660	0.0	0	3,738	LivingAgile.Aspen.Core.Parser..cctor()	JIT	LivingAgile.Aspe
537.293	0.1	9	32	LivingAgile.Aspen.Core.Parser.Operator(class System.String)	JIT	LivingAgile.Aspe
537.362	0.1	59	115	LivingAgile.Aspen.Core.Parser.Operator(class System.String,int32,int32)	JIT	LivingAgile.Aspe
537.527	0.1	71	134	LivingAgile.Aspen.Core.Parser.EndOperator(class System.String,int32,int32,int32)	JIT	LivingAgile.Aspe
537.687	0.0	10	37	LivingAgile.Aspen.Core.Parser.EndOperator(class System.String,int32)	JIT	LivingAgile.Aspe
537.755	0.1	71	134	LivingAgile.Aspen.Core.Parser.OperatorWithSharedEnd(class System.String,int32,int32,int32)	JIT	LivingAgile.Aspe
537.938	0.4	10	15	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2)	JIT	System.Cor
538.367	0.6	113	398	System.Linq.Lookup`2[System.Int32,System.Int32].Create(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Cor
539.009	0.1	36	47	System.Linq.Lookup`2[System.Int32,System.Int32]..ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Cor
539.154	0.0	8	7	LivingAgile.Aspen.Core.Parser+<c.<.cctor>b_70_0(value class System.Collections.Generic.KeyValuePair`2)	JIT	LivingAgile.Aspe
539.223	0.5	234	312	System.Linq.Lookup`2[System.Int32,System.Int32].GetGrouping(!0,bool)	JIT	System.Cor
539.702	0.1	29	19	System.Linq.Lookup`2[System.Int32,System.Int32].InternalGetHashCode(!0)	JIT	System.Cor
539.784	0.0	8	7	LivingAgile.Aspen.Core.Parser+<c.<.cctor>b_70_1(value class System.Collections.Generic.KeyValuePair`2)	JIT	LivingAgile.Aspe
539.849	0.1	68	69	System.Linq.Lookup`2+Grouping[System.Int32,System.Int32].Add(!1)	JIT	System.Cor
540.025	0.1	71	128	System.Linq.Lookup`2[System.Int32,System.Int32].Resize()	JIT	System.Cor
540.210	0.1	10	65	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2)	JIT	System.Cor
540.355	0.2	14	28	System.Linq.Lookup`2[System.Int32,System.Int32].GetEnumerator()	JIT	System.Cor
540.541	0.2	114	109	System.Linq.Lookup`2+d_12[System.Int32,System.Int32].MoveNext()	JIT	System.Cor
540.751	0.0	7	4	System.Linq.Lookup`2+d_12[System.Int32,System.Int32].System.Collections.Generic.IEnumerator>.get_Current()	JIT	System.Cor
540.810	0.0	7	13	LivingAgile.Aspen.Core.Parser+<c.<.cctor>b_70_2(class System.Linq.IGrouping`2)	JIT	LivingAgile.Aspe
540.869	0.0	7	4	System.Linq.Lookup`2+Grouping[System.Int32,System.Int32].get_Key()	JIT	System.Cor
540.916	0.1	7	40	LivingAgile.Aspen.Core.Parser+<c.<.cctor>b_70_3(class System.Linq.IGrouping`2)	JIT	LivingAgile.Aspe
541.038	0.0	7	4	System.Linq.Lookup`2+Grouping[System.Int32,System.Int32].System.Collections.Generic.ICollection.get_Count()	JIT	System.Cor
541.100	0.2	14	28	System.Linq.Lookup`2+Grouping[System.Int32,System.Int32].GetEnumerator()	JIT	System.Cor
541.277	0.2	113	106	System.Linq.Lookup`2+Grouping+d_7[System.Int32,System.Int32].MoveNext()	JIT	System.Cor
541.493	0.0	7	4	System.Linq.Lookup`2+Grouping+d_7[System.Int32,System.Int32].System.Collections.Generic.IEnumerator.get_Current()	JIT	System.Cor
541.555	0.0	1	1	System.Linq.Lookup`2+Grouping+d_7[System.Int32,System.Int32].System.IDisposable.Dispose()	JIT	System.Cor
541.631	0.0	1	1	System.Linq.Lookup`2+d_12[System.Int32,System.Int32].System.IDisposable.Dispose()	JIT	System.Cor
541.692	1.2	99	304	System.Linq.Enumerable.Where(class System.Collections.Generic.IEnumerable`1,class System.Func`2)	JIT	System.Cor
542.969	0.3	99	194	System.Linq.Enumerable+WhereListIterator`1[System.Int32].MoveNext()	JIT	System.Cor
543.281	0.1	30	72	LivingAgile.Aspen.Core.Parser+<c.<.cctor>b_70_4(int32)	JIT	LivingAgile.Aspe
543.539	0.7	313	511	LivingAgile.Aspen.Core.Elements.DocumentElement.ParseInput(class System.String,class System.String,int32,int32,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Aspe
544.267	0.2	38	125	LivingAgile.Aspen.Core.Elements.BaseOperator..ctor(int32,int32)	JIT	LivingAgile.Aspe
544.537	0.1	38	42	LivingAgile.Aspen.Core.Elements.DocumentElement.set_AbsoluteFilePath(class System.String)	JIT	LivingAgile.Aspe
544.642	0.2	101	122	LivingAgile.Aspen.Core.Manager.GetOperatorGroupIndex(class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Aspe
544.855	0.1	47	103	LivingAgile.Aspen.Core.Manager.OptimizeOperatorOrder(int32[],int32,int32,int32[],int32)	JIT	LivingAgile.Aspe
544.988	0.2	26	87	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseChildElement(int32,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe

545.171	0.5	685	1,943	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants..cctor()	JIT	LivingAgile.Aspe
545.718	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseImport(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
545.779	0.1	16	49	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseImport(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
545.936	0.5	178	359	LivingAgile.Aspen.Core.Elements.ImportOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Aspe
546.411	0.2	42	114	LivingAgile.Aspen.Core.Elements.BaseOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,value class LivingAgile.Aspen.Core.ElementKinds,int32,int32,int32)	JIT	LivingAgile.Aspe
546.586	0.1	71	116	LivingAgile.Aspen.Core.Manager.GetClampedRemovePriorIndentRequest(class System.String,class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Aspe
546.720	0.2	67	141	LivingAgile.Aspen.Core.Manager.GetRemovePriorIndentRequest(class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Aspe
546.928	0.2	90	126	LivingAgile.Aspen.Core.Manager.GetClampedRemoveNextLineBreaksRequest(class System.String,class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Aspe
547.101	0.2	67	141	LivingAgile.Aspen.Core.Manager.GetRemoveNextLineBreaksRequest(class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Aspe
547.306	0.1	85	162	LivingAgile.Aspen.Core.Manager.QueryNextLineBreaksToRemove(int32,class System.String,int32,int32,int32&,int32&)	JIT	LivingAgile.Aspe
547.471	0.2	71	134	LivingAgile.Aspen.Core.Manager.IsEmptyLine(class System.String,int32,int32&)	JIT	LivingAgile.Aspe
547.661	0.4	239	381	LivingAgile.Aspen.Core.Elements.BaseOperator.Add(class LivingAgile.Aspen.Core.Elements.BaseElement)	JIT	LivingAgile.Aspe
548.113	0.1	29	57	LivingAgile.Aspen.Core.Elements.BaseElement.SetParent(class LivingAgile.Aspen.Core.Elements.BaseOperator,int32)	JIT	LivingAgile.Aspe
548.220	0.0	5	8	LivingAgile.Aspen.Core.Elements.BaseElement.Validate(class System.String&)	JIT	LivingAgile.Aspe
548.262	0.0	5	14	LivingAgile.Aspen.Core.Elements.DocumentElement.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Aspe
548.330	0.1	20	61	LivingAgile.Aspen.Core.Elements.BaseOperator.AddPlainText(int32,int32)	JIT	LivingAgile.Aspe
548.522	0.0	221	0	LivingAgile.Aspen.Core.Template.Execute(class System.Collections.Generic.IEnumerable`1>,bool)	JIT	LivingAgile.Aspe
548.646	0.1	11	49	LivingAgile.Aspen.Core.Template+<C>.cctor()	JIT	LivingAgile.Aspe
548.717	0.0	7	1	LivingAgile.Aspen.Core.Template+<C>.ctor()	JIT	LivingAgile.Aspe
549.956	0.0	0	756	LivingAgile.Aspen.Core.Template.Execute(class System.Collections.Generic.IEnumerable`1>,bool)	JIT	LivingAgile.Aspe
549.982	0.1	50	70	LivingAgile.Aspen.Core.Manager.AppendLineToLog(class System.String)	JIT	LivingAgile.Aspe
550.173	0.1	26	92	LivingAgile.Aspen.Core.Elements.BaseElement.AppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
550.315	0.2	44	97	LivingAgile.Aspen.Core.Elements.DocumentElement.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
550.514	1.0	392	759	LivingAgile.Aspen.Core.Elements.ImportOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
551.573	0.2	101	167	LivingAgile.Aspen.Core.Elements.ExecutionState.ResolvePath(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,value class LivingAgile.Aspen.Core.PathType)	JIT	LivingAgile.Aspe
552.422	0.1	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginSet(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
552.492	0.3	45	103	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginSet(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
552.773	0.2	108	184	LivingAgile.Aspen.Core.Elements.BeginSetOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match,bool)	JIT	LivingAgile.Aspe
553.000	0.4	184	299	LivingAgile.Aspen.Core.Elements.BaseBeginSetOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ElementKinds,int32)	JIT	LivingAgile.Aspe
553.437	0.1	82	113	LivingAgile.Aspen.Core.Elements.ExecutionState.GetTokenHandlingMode(class System.Text.RegularExpressions.GroupCollection)	JIT	LivingAgile.Aspe
553.604	0.1	53	82	LivingAgile.Aspen.Core.Manager.GetCount(class System.String,int32)	JIT	LivingAgile.Aspe
553.749	0.1	9	61	LivingAgile.Aspen.Core.Elements.BeginSetOperator.AddPlainText(int32,int32)	JIT	LivingAgile.Aspe
553.856	0.0	5	14	LivingAgile.Aspen.Core.Elements.BeginSetOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Aspe
553.905	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginSetIndex(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
553.963	0.3	65	167	LivingAgile.Aspen.Core.Elements.BeginSetOperator.ParseBeginSetIndex(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
554.259	0.1	47	105	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator..ctor(class LivingAgile.Aspen.Core.Elements.BeginSetOperator,class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Aspe
554.417	0.3	172	238	LivingAgile.Aspen.Core.Manager.QueryPriorIndentsToRemove(int32,class System.String,int32,int32&,int32&)	JIT	LivingAgile.Aspe
554.706	0.0	5	8	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.Validate(class System.String&)	JIT	LivingAgile.Aspe
554.758	0.0	9	20	LivingAgile.Aspen.Core.Elements.BaseOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Aspe

554.812	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndSet(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
554.871	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndSet(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
555.141	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginForEach(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
555.200	0.1	16	47	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginForEach(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
555.331	0.3	107	254	LivingAgile.Aspen.Core.Elements.BeginForEachOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Aspe
555.680	0.0	5	14	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Aspe
555.752	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseGetToken(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
555.812	0.1	16	49	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseGetToken(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
555.938	0.4	126	334	LivingAgile.Aspen.Core.Elements.GetTokenOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Aspe
556.414	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginFile(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
556.478	0.1	16	47	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginFile(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
556.606	0.2	58	184	LivingAgile.Aspen.Core.Elements.BeginFileOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Aspe
556.887	0.0	5	14	LivingAgile.Aspen.Core.Elements.BeginFileOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Aspe
556.937	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseRemoveOuterWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
556.994	0.1	16	49	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseRemoveOuterWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
557.116	0.2	86	137	LivingAgile.Aspen.Core.Elements.RemoveOuterWhitespaceOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Aspe
557.348	0.1	64	92	LivingAgile.Aspen.Core.Manager.IsOperator(class System.String,int32,int32&)	JIT	LivingAgile.Aspe
557.523	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndFile(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
557.581	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndFile(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
557.797	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndForEach(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
557.853	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndForEach(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
558.074	0.7	180	472	LivingAgile.Aspen.Core.Template.Execute(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class LivingAgile.Aspen.Core.Elements.DocumentElement)	JIT	LivingAgile.Aspe
558.806	1.0	349	742	LivingAgile.Aspen.Core.Elements.BeginSetOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
559.808	0.2	106	200	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveBindableTokenName(class System.String,class System.String&,bool&)	JIT	LivingAgile.Aspe
560.023	0.4	139	416	LivingAgile.Aspen.Core.Elements.BaseBeginSetOperator.GetSetExecutionState(class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
560.475	0.0	1,137	0	LivingAgile.Aspen.Core.DataTypes..cctor()	JIT	LivingAgile.Aspe
560.715	0.1	11	49	LivingAgile.Aspen.Core.DataTypes+<C>.cctor()	JIT	LivingAgile.Aspe
560.786	0.0	7	1	LivingAgile.Aspen.Core.DataTypes+<C>.ctor()	JIT	LivingAgile.Aspe
561.648	0.0	0	2,598	LivingAgile.Aspen.Core.DataTypes..cctor()	JIT	LivingAgile.Aspe
561.741	0.0	12	16	LivingAgile.Aspen.Core.DataTypes.GetType(class System.String)	JIT	LivingAgile.Aspe
561.841	0.3	84	213	LivingAgile.Aspen.Core.Elements.BaseOperator.GetChildOutput(class LivingAgile.Aspen.Core.Elements.ExecutionState,int32,class LivingAgile.Aspen.Core.Elements.BaseOperator,bool)	JIT	LivingAgile.Aspe
562.142	0.3	108	201	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32)	JIT	LivingAgile.Aspe
562.462	0.1	35	110	LivingAgile.Aspen.Core.Elements.PlainTextElement.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
562.610	0.1	25	20	LivingAgile.Aspen.Core.TextCollector.Add(class LivingAgile.Aspen.Core.TextSegment)	JIT	LivingAgile.Aspe
562.687	0.1	42	100	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32,class System.Text.StringBuilder)	JIT	LivingAgile.Aspe
562.832	0.3	122	254	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
563.112	1.0	428	781	LivingAgile.Aspen.Core.TextCollector.Compress(bool)	JIT	LivingAgile.Aspe

564.131	0.1	26	27	LivingAgile.Aspen.Core.TextSegment.TextToString()	JIT	LivingAgile.Aspe
564.210	0.1	67	134	LivingAgile.Aspen.Core.TextCollector.RemovePriorIndents(int32,class System.Text.StringBuilder)	JIT	LivingAgile.Aspe
564.361	0.2	172	168	LivingAgile.Aspen.Core.Manager.QueryPriorIndentsToRemove(int32,class System.Text.StringBuilder,int32,int32&,int32&)	JIT	LivingAgile.Aspe
564.587	0.1	67	118	LivingAgile.Aspen.Core.TextCollector.RemoveNextLineBreaks(int32,class System.Text.StringBuilder)	JIT	LivingAgile.Aspe
564.728	0.1	29	46	LivingAgile.Aspen.Core.TextSegment.Clamp(int32,int32&)	JIT	LivingAgile.Aspe
564.794	0.1	31	35	LivingAgile.Aspen.Core.Manager.UnescapeOperators(class System.String)	JIT	LivingAgile.Aspe
564.872	0.1	40	55	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.GetIndexToSet(class LivingAgile.Aspen.Core.Elements.SetExecutionState)	JIT	LivingAgile.Aspe
565.001	0.3	125	299	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.GetValueToSet(int32,class LivingAgile.Aspen.Core.Elements.SetExecutionState,class System.String,class System.String&)	JIT	LivingAgile.Aspe
565.330	0.1	69	94	LivingAgile.Aspen.Core.Elements.ExecutionState.GetValue(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class System.String,value class System.Nullable`1,value class LivingAgile.Aspen.Core.TokenHandlingMode,bool)	JIT	LivingAgile.Aspe
565.483	0.4	210	381	LivingAgile.Aspen.Core.DataTypes.GetRawValue(class System.String,class System.String,value class System.Nullable`1,bool)	JIT	LivingAgile.Aspe
565.887	0.3	134	278	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.AddValueToList(class LivingAgile.Aspen.Core.Elements.SetExecutionState,int32,class System.String,class System.Object)	JIT	LivingAgile.Aspe
566.260	0.0	14	12	LivingAgile.Aspen.Core.DataTypes.ContainsAnyNonWhiteSpace(class System.String)	JIT	LivingAgile.Aspe
566.312	0.1	34	94	LivingAgile.Aspen.Core.DataTypes.ContainsAnyNonWhiteSpace(class System.String,int32,int32)	JIT	LivingAgile.Aspe
566.480	0.2	29	63	LivingAgile.Aspen.Core.Elements.ExecutionState.GetTokens(int32,int32)	JIT	LivingAgile.Aspe
566.685	0.1	79	90	LivingAgile.Aspen.Core.Elements.ExecutionState+d_13.System.Collections.Generic.IEnumerable>.GetEnumerator()	JIT	LivingAgile.Aspe
566.843	0.2	236	200	LivingAgile.Aspen.Core.Elements.ExecutionState+d_13.MoveNext()	JIT	LivingAgile.Aspe
567.090	0.0	7	4	LivingAgile.Aspen.Core.Elements.ExecutionState+d_13.System.Collections.Generic.IEnumerator>.get_Current()	JIT	LivingAgile.Aspe
567.143	0.0	1	1	LivingAgile.Aspen.Core.Elements.ExecutionState+d_13.System.IDisposable.Dispose()	JIT	LivingAgile.Aspe
567.178	1.2	474	1,047	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
568.403	0.3	219	360	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.TryGetOptions(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class LivingAgile.Aspen.Core.Elements.BaseOperator,value class LivingAgile.Aspen.Core.ForEachMode&,class System.Collections.IEnumerable&,class System.String&)	JIT	LivingAgile.Aspe
568.712	0.0	221	0	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveTokenWithOptionalIndexer(class System.String,class System.String,class System.Object&)	JIT	LivingAgile.Aspe
568.742	0.1	51	153	LivingAgile.Aspen.Core.Elements.ExecutionState..cctor()	JIT	LivingAgile.Aspe
569.169	0.0	0	429	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveTokenWithOptionalIndexer(class System.String,class System.String,class System.Object&)	JIT	LivingAgile.Aspe
569.203	0.1	67	90	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveToken(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class System.Object&)	JIT	LivingAgile.Aspe
569.408	0.2	123	237	LivingAgile.Aspen.Core.Elements.GetTokenOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
569.673	0.8	416	803	LivingAgile.Aspen.Core.Elements.ExecutionState.GetReplacementValue(class System.Object&,value class LivingAgile.Aspen.Core.TokenHandlingMode,class System.String,class System.String,class System.String,int32)	JIT	LivingAgile.Aspe
570.511	0.1	26	31	LivingAgile.Aspen.Core.TextCollector.Add(class System.String)	JIT	LivingAgile.Aspe
570.594	0.3	114	242	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32,class System.String,int32,int32)	JIT	LivingAgile.Aspe
570.938	0.0	9	23	LivingAgile.Aspen.Core.Elements.SetExecutionState.LivingAgile.Aspen.Core.IValueTarget.set_Value(value class System.Nullable`1)	JIT	LivingAgile.Aspe
570.999	0.2	118	268	LivingAgile.Aspen.Core.Elements.SetExecutionState.Set(value class LivingAgile.Aspen.Core.SetValueState,value class System.Nullable`1)	JIT	LivingAgile.Aspe
571.484	0.3	132	287	LivingAgile.Aspen.Core.Elements.BeginFileOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
571.856	0.1	8	22	LivingAgile.Aspen.Core.Elements.RemoveOuterWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
573.125	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginComment(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
573.191	0.2	16	98	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginComment(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
573.427	0.0	5	14	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Aspe
573.479	0.1	69	62	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.ParseChildElement(int32,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
573.595	0.0	9	17	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndComment(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
573.651	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndComment(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
575.565	0.0	9	17	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginRemoveWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
575.629	0.2	16	91		JIT	LivingAgile.Aspe

				LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginRemoveWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)		
575.852	0.0	5	14	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Aspe
576.163	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndRemoveWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
576.222	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndRemoveWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
576.443	0.4	105	261	LivingAgile.Aspen.Core.Template.StaticExecute(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
576.835	0.1	59	90	LivingAgile.Aspen.Core.Template.GetStaticOutput(class LivingAgile.Aspen.Core.Elements.ExecutionState,class LivingAgile.Aspen.Core.Elements.DocumentElement&,class System.Collections.Generic.Dictionary`2&)	JIT	LivingAgile.Aspe
576.974	0.7	185	565	LivingAgile.Aspen.Core.Template.CreateStaticOutput(int32,class LivingAgile.Aspen.Core.Elements.DocumentElement&,class System.Collections.Generic.Dictionary`2&)	JIT	LivingAgile.Aspe
577.729	0.0	292	0	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
577.826	0.1	44	119	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator..ctor()	JIT	LivingAgile.Aspe
578.820	0.0	0	713	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
578.856	0.2	47	116	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
580.261	0.3	126	238	LivingAgile.Aspen.Core.Elements.BaseOperator.AppendAsText(class LivingAgile.Aspen.Core.TextCollector)	JIT	LivingAgile.Aspe
580.606	0.1	44	107	LivingAgile.Aspen.Core.TextCollector.ContainsAnyOperator(class System.String)	JIT	LivingAgile.Aspe
580.842	0.4	100	288	LivingAgile.Aspen.Core.TextCollector.Add(class LivingAgile.Aspen.Core.TextCollector)	JIT	LivingAgile.Aspe
588.224	0.1	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDate(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
588.308	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDate(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
588.575	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseTime(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
588.639	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseTime(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
588.857	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDateUtc(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
588.914	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDateUtc(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
589.121	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseTimeUtc(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
589.177	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseTimeUtc(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
589.414	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDomain(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
589.475	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDomain(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
589.685	0.0	9	17	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseUserName(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
589.742	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseUserName(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
589.948	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseMachineName(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
590.005	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseMachineName(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Aspe
590.197	0.4	97	262	LivingAgile.Aspen.Core.Template.ExecuteInline(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class LivingAgile.Aspen.Core.Elements.DocumentElement)	JIT	LivingAgile.Aspe
590.584	0.3	83	220	LivingAgile.Aspen.Core.Elements.DateOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
591.198	0.2	75	202	LivingAgile.Aspen.Core.Elements.TimeOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
591.470	0.2	83	220	LivingAgile.Aspen.Core.Elements.DateUtcOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
591.730	0.2	75	202	LivingAgile.Aspen.Core.Elements.TimeUtcOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
591.974	0.1	30	55	LivingAgile.Aspen.Core.Elements.DomainOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe

592.066	0.0	11	12	LivingAgile.Aspen.Core.Manager.get_Domain()	JIT	LivingAgile.Aspe
592.136	0.1	30	55	LivingAgile.Aspen.Core.Elements.UserNameOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
592.226	0.0	11	12	LivingAgile.Aspen.Core.Manager.get_UserName()	JIT	LivingAgile.Aspe
592.277	0.1	30	55	LivingAgile.Aspen.Core.Elements.MachineNameOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Aspe
592.373	0.0	11	12	LivingAgile.Aspen.Core.Manager.get_MachineName()	JIT	LivingAgile.Aspe
592.829	0.3	98	193	LivingAgile.Aspen.Core.Manager.DetectPadding(class System.String,int32)	JIT	LivingAgile.Aspe
593.142	0.1	31	94	LivingAgile.Aspen.Core.Manager.AdjustPadding(class System.String,class System.String,int32,class System.String,int32,int32)	JIT	LivingAgile.Aspe
593.312	0.1	58	138	LivingAgile.Aspen.Core.Manager.AdjustPadding(class System.String,class System.Text.StringBuilder,class System.String,int32,class System.String,int32,int32)	JIT	LivingAgile.Aspe
593.483	0.1	31	72	LivingAgile.Aspen.Core.Manager.EndsWithNewline(class System.String,int32)	JIT	LivingAgile.Aspe
593.602	0.3	140	263	LivingAgile.Aspen.Core.Manager.AdjustPaddingIgnoreFirstLine(class System.String,class System.Text.StringBuilder,class System.String,int32,int32)	JIT	LivingAgile.Aspe
594.202	0.1	55	142	LivingAgile.Aspen.Core.Manager.CompareOrdinal(class System.Text.StringBuilder,int32,class System.String,int32,int32)	JIT	LivingAgile.Aspe
594.373	0.1	85	159	LivingAgile.Aspen.Core.Manager.QueryNextLineBreaksToRemove(int32,class System.Text.StringBuilder,int32,int32,int32&,int32&)	JIT	LivingAgile.Aspe
594.530	0.1	71	108	LivingAgile.Aspen.Core.Manager.IsEmptyLine(class System.Text.StringBuilder,int32,int32&)	JIT	LivingAgile.Aspe
595.134	0.4	111	284	LivingAgile.Aspen.Core.Manager.StartFile(class System.String,class System.Text.Encoding)	JIT	LivingAgile.Aspe
595.630	0.1	42	64	LivingAgile.Aspen.Core.Manager.ResumePreviousBlock(bool)	JIT	LivingAgile.Aspe
595.761	0.2	92	130	LivingAgile.Aspen.Core.Manager.EndBlock(bool)	JIT	LivingAgile.Aspe
618.442	1.4	472	986	LivingAgile.Aspen.Core.Manager.Process()	JIT	LivingAgile.Aspe
619.863	0.7	307	594	LivingAgile.Aspen.Core.Block.GetContents()	JIT	LivingAgile.Aspe
621.812	0.1	42	78	LivingAgile.Aspen.Core.Manager.WriteFile(class System.String,class System.String,class System.Text.Encoding)	JIT	LivingAgile.Aspe
621.979	0.1	37	81	LivingAgile.Aspen.Core.Manager.IsFileContentDifferent(class System.String,class System.String,class System.Text.Encoding)	JIT	LivingAgile.Aspe
728.711	0.1	23	48	LivingAgile.Aspen.Core.Segment.CompareTo(class LivingAgile.Aspen.Core.Segment)	JIT	LivingAgile.Aspe
728.877	0.0	7	4	LivingAgile.Aspen.Core.Manager.get_SuggestLogFilePath()	JIT	LivingAgile.Aspe