

## JITStats

- [Process 64548: aspencli -template Controller.txt -compiled true -consoleLog -q -samples 10](#)

### JIT Stats for Process 64548: aspencli

- CommandLine: "aspencli.exe" -template "D:\git\LivingAgile\bin\Aspen\SampleTemplates\\_Controller.txt" -compiled true -consoleLog -q -samples 10
- Process CPU Time: 602 msec
- Total Number of JIT compiled methods : 245
- Total MSec JIT compiling : 66
- JIT compilation time as a percentage of total process CPU time : 10.9%
- [Individual JIT Events](#)
  - [View in Excel](#)
- No JIT Inlining data available. Consider enabling the JITInlining option.
- [JIT Perf Users Guide](#)

**Background JIT compilation events are not being collected.** If you are interested in seeing the operation of Background JIT Enabled the 'Background JIT' checkbox in the 'Advanced' section of the collection dialog when collecting the data. See [Guide to Background JIT](#) for more.

Below is a table of the time taken to JIT compile the methods used in the program, broken down by module. If this time is significant you can eliminate it by [NGening](#) your application. This will improve the startup time for your app.

The list below is also useful for tuning the startup performance of your application in general. In general you want as little to be run during startup as possible. If you have 1000s of methods being compiled on startup you should try to defer some of that computation until absolutely necessary.

Name	JitTime msec	Num Methods	IL Size	Native Size
TOTAL	65.9	245	17,094	45,222
D:\git\LivingAgile\bin\Aspen\Net\4.6\AnyCPU.Release\LivingAgile.Aspen.Core.dll	39.4	211	18,634	39,063
D:\git\LivingAgile\bin\Aspen\Net\4.6\AnyCPU.Release\aspencli.exe	22.0	21	1,635	4,319
C:\WINDOWS\Microsoft.Net\assembly\GAC_MSIL\System.Core\v4.0.4.0.0 b77a5c561934e089\System.Core.dll	4.4	20	1,054	1,840

### Individual JIT Events for Process 64548: aspencli

Start (msec)	JitTime msec	IL Size	Native Size	Method Name	BG	Modu
536.551	1.4	42	84	LivingAgile.Aspen.Runner.Program.Main(class System.String[])	JIT	aspencli
537.990	16.2	754	1,870	LivingAgile.Aspen.Runner.Program.Run(class System.String[])	JIT	aspencli
554.413	0.0	95	0	LivingAgile.Core.CoreUtil.GetArguments(value class System.ArraySegment`1,bool,int32&,class System.Collections.Generic.IEqualityComparer`1,bool)	JIT	aspencli
554.522	0.1	11	49	LivingAgile.Core.CoreUtil+<>c..cctor()	JIT	aspencli
554.595	0.0	7	1	LivingAgile.Core.CoreUtil+<>c..ctor()	JIT	aspencli
555.387	0.0	0	268	LivingAgile.Core.CoreUtil.GetArguments(value class System.ArraySegment`1,bool,int32&,class System.Collections.Generic.IEqualityComparer`1,bool)	JIT	aspencli
555.415	0.8	317	534	LivingAgile.Core.CoreUtil.ParseCommandLineArguments(value class System.ArraySegment`1,bool,int32&,bool)	JIT	aspencli
556.212	0.1	25	42	LivingAgile.Core.CoreUtil.IsArgument(class System.String)	JIT	aspencli
556.307	0.1	32	53	LivingAgile.Core.CoreUtil.RemoveQuotes(class System.String&)	JIT	aspencli
556.485	0.1	8	7	LivingAgile.Core.CoreUtil+<>c.b 18 0(value class System.Collections.Generic.KeyValuePair`2)	JIT	aspencli
556.590	0.0	8	7	LivingAgile.Core.CoreUtil+<>c.b 18 1(value class System.Collections.Generic.KeyValuePair`2)	JIT	aspencli
556.682	1.7	69	444	LivingAgile.Core.CoreUtil.ToDictionary(class System.Linq.ILookup`2)	JIT	aspencli
558.457	0.1	11	59	LivingAgile.Core.CoreUtil+<>c 16 2[System. Canon,System. Canon].cctor()	JIT	aspencli
558.541	0.0	7	1	LivingAgile.Core.CoreUtil+<>c 16 2[System. Canon,System. Canon].ctor()	JIT	aspencli
558.663	0.1	7	44	LivingAgile.Core.CoreUtil+<>c 16 2[System. Canon,System. Canon].b 16 0(class System.Linq.IGrouping`2)	JIT	aspencli
558.825	0.1	7	42	LivingAgile.Core.CoreUtil+<>c 16 2[System. Canon,System. Canon].b 16 1(class System.Linq.IGrouping`2)	JIT	aspencli
558.974	0.8	89	414	LivingAgile.Core.CoreUtil.SafeGet(class System.Collections.Generic.IDictionary`2,!0,int32,!1)	JIT	aspencli
559.798	0.1	11	59	LivingAgile.Core.CoreUtil+<>c 11 3[System. Canon,System. Canon,System. Canon].cctor()	JIT	aspencli
559.876	0.0	7	1	LivingAgile.Core.CoreUtil+<>c 11 3[System. Canon,System. Canon,System. Canon].ctor()	JIT	aspencli
560.062	0.1	7	48	LivingAgile.Core.CoreUtil+<>c 11 3[System. Canon,System. Canon,System. Canon].b 11 0(!1)	JIT	aspencli
560.506	0.1	24	49	LivingAgile.Aspen.Core.RegexCompiler.set Enabled(bool)	JIT	LivingAgile.Asp
560.662	0.4	121	292	LivingAgile.Aspen.Runner.Program.RunSample(class System.String,class System.String,class System.Collections.Generic.Dictionary`2,bool,class LivingAgile.Aspen.Core.Manager&,bool&,class System.String&)	JIT	aspencli
561.108	1.4	381	729	LivingAgile.Aspen.Core.Manager..ctor(class System.String,class System.String,class System.Text.StringBuilder)	JIT	LivingAgile.Asp
566.597	0.1	38	164	LivingAgile.Aspen.Core.Manager.GetAbsoluteFilename(class System.String)	JIT	LivingAgile.Asp
566.766	0.1	19	48	LivingAgile.Aspen.Core.Manager.GetAbsoluteFilenameUnchecked(class System.String)	JIT	LivingAgile.Asp

566.859	1.0	436	811	LivingAgile.Aspen.Core.Manager.FixFilePathCasing(class System.String)	JIT	LivingAgile.Asp
567.862	0.0	136	0	LivingAgile.Aspen.Core.Manager.GetDirectoryNameWithSeperator(class System.String,int32,bool&,class System.String&)	JIT	LivingAgile.Asp
567.889	0.3	137	335	LivingAgile.Aspen.Core.Manager..ctor()	JIT	LivingAgile.Asp
568.264	0.2	44	93	LivingAgile.Aspen.Core.RegexCompiler.get_CompilationOption()	JIT	LivingAgile.Asp
569.043	0.0	0	257	LivingAgile.Aspen.Core.Manager.GetDirectoryNameWithSeperator(class System.String,int32,bool&,class System.String&)	JIT	LivingAgile.Asp
569.077	0.1	7	16	LivingAgile.Aspen.Core.Manager.FixDriveCasing(class System.String)	JIT	LivingAgile.Asp
569.162	0.1	24	56	LivingAgile.Aspen.Core.Manager.GetFixedPathCasing(class System.String,class System.String)	JIT	LivingAgile.Asp
570.418	0.2	45	102	LivingAgile.Aspen.Core.Manager.GetAbsoluteOutputFilename(class System.String)	JIT	LivingAgile.Asp
570.991	0.1	47	106	LivingAgile.Aspen.Core.Manager.GetTemplateUnchecked(class System.String)	JIT	LivingAgile.Asp
571.347	0.5	151	204	LivingAgile.Aspen.Core.Template..ctor(class LivingAgile.Aspen.Core.Manager,class System.String,class System.String)	JIT	LivingAgile.Asp
571.892	0.1	31	35	LivingAgile.Aspen.Core.Manager.EscapeOperators(class System.String)	JIT	LivingAgile.Asp
572.020	0.1	33	83	LivingAgile.Aspen.Core.Template.GetTrimmedText(class System.String)	JIT	LivingAgile.Asp
572.164	0.1	50	143	LivingAgile.Aspen.Core.Manager.GetRelativeInputPath(class System.String,class System.String)	JIT	LivingAgile.Asp
572.297	0.1	45	102	LivingAgile.Aspen.Core.Manager.GetAbsoluteInputFilename(class System.String)	JIT	LivingAgile.Asp
572.643	0.6	264	541	LivingAgile.Aspen.Core.Manager.GetRelativePathFromAbsolute(class System.String,class System.String)	JIT	LivingAgile.Asp
573.277	0.2	48	132	LivingAgile.Aspen.Core.Elements.DocumentElement.ParseInput(class System.String,class System.String,int32,int32)	JIT	LivingAgile.Asp
573.485	0.0	2,127	0	LivingAgile.Aspen.Core.Parser..ctor()	JIT	LivingAgile.Asp
573.818	0.1	11	49	LivingAgile.Aspen.Core.Parser+<C>..ctor()	JIT	LivingAgile.Asp
573.888	0.0	7	1	LivingAgile.Aspen.Core.Parser+<C>..ctor()	JIT	LivingAgile.Asp
575.049	0.0	0	3,738	LivingAgile.Aspen.Core.Parser..ctor()	JIT	LivingAgile.Asp
575.690	0.0	9	32	LivingAgile.Aspen.Core.Parser.Operator(class System.String)	JIT	LivingAgile.Asp
575.766	0.1	59	115	LivingAgile.Aspen.Core.Parser.Operator(class System.String,int32,int32)	JIT	LivingAgile.Asp
575.924	0.1	71	134	LivingAgile.Aspen.Core.Parser.EndOperator(class System.String,int32,int32,int32)	JIT	LivingAgile.Asp
576.084	0.0	10	37	LivingAgile.Aspen.Core.Parser.EndOperator(class System.String,int32)	JIT	LivingAgile.Asp
576.152	0.1	71	134	LivingAgile.Aspen.Core.Parser.OperatorWithSharedEnd(class System.String,int32,int32,int32)	JIT	LivingAgile.Asp
576.338	0.4	10	15	System.Linq.Enumerable.ToLookup(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2)	JIT	System.Cc
576.775	0.6	113	398	System.Linq.Lookup`2[System.Int32,System.Int32].Create(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2,class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Cc
577.415	0.1	36	47	System.Linq.Lookup`2[System.Int32,System.Int32]..ctor(class System.Collections.Generic.IEqualityComparer`1)	JIT	System.Cc
577.565	0.0	8	7	LivingAgile.Aspen.Core.Parser+<C>..ctor>b_70_0(value class System.Collections.Generic.KeyValuePair`2)	JIT	LivingAgile.Asp
577.635	0.4	234	312	System.Linq.Lookup`2[System.Int32,System.Int32].GetGrouping(!0,bool)	JIT	System.Cc
578.097	0.1	29	19	System.Linq.Lookup`2[System.Int32,System.Int32].InternalGetHashCode(!0)	JIT	System.Cc
578.179	0.0	8	7	LivingAgile.Aspen.Core.Parser+<C>..ctor>b_70_1(value class System.Collections.Generic.KeyValuePair`2)	JIT	LivingAgile.Asp
578.244	0.1	68	69	System.Linq.Lookup`2+Grouping[System.Int32,System.Int32].Add(!1)	JIT	System.Cc
578.423	0.2	71	128	System.Linq.Lookup`2[System.Int32,System.Int32].Resize()	JIT	System.Cc
578.614	0.1	10	65	System.Linq.Enumerable.ToDictionary(class System.Collections.Generic.IEnumerable`1,class System.Func`2,class System.Func`2)	JIT	System.Cc
578.755	0.2	14	28	System.Linq.Lookup`2[System.Int32,System.Int32].GetEnumerator()	JIT	System.Cc
578.936	0.2	114	109	System.Linq.Lookup`2+d_12[System.Int32,System.Int32].MoveNext()	JIT	System.Cc
579.145	0.0	7	4	System.Linq.Lookup`2+d_12[System.Int32,System.Int32].System.Collections.Generic.IEnumerator>.get_Current()	JIT	System.Cc
579.204	0.0	7	13	LivingAgile.Aspen.Core.Parser+<C>..ctor>b_70_2(class System.Linq.IGrouping`2)	JIT	LivingAgile.Asp
579.264	0.0	7	4	System.Linq.Lookup`2+Grouping[System.Int32,System.Int32].get_Key()	JIT	System.Cc
579.311	0.1	7	40	LivingAgile.Aspen.Core.Parser+<C>..ctor>b_70_3(class System.Linq.IGrouping`2)	JIT	LivingAgile.Asp
579.432	0.0	7	4	System.Linq.Lookup`2+Grouping[System.Int32,System.Int32].System.Collections.Generic.ICollection.get_Count()	JIT	System.Cc
579.494	0.2	14	28	System.Linq.Lookup`2+Grouping[System.Int32,System.Int32].GetEnumerator()	JIT	System.Cc
579.677	0.2	113	106	System.Linq.Lookup`2+Grouping+d_7[System.Int32,System.Int32].MoveNext()	JIT	System.Cc
579.885	0.0	7	4	System.Linq.Lookup`2+Grouping+d_7[System.Int32,System.Int32].System.Collections.Generic.IEnumerator.get_Current()	JIT	System.Cc
579.946	0.0	1	1	System.Linq.Lookup`2+Grouping+d_7[System.Int32,System.Int32].System.IDisposable.Dispose()	JIT	System.Cc
580.021	0.0	1	1	System.Linq.Lookup`2+d_12[System.Int32,System.Int32].System.IDisposable.Dispose()	JIT	System.Cc
580.081	1.2	99	304	System.Linq.Enumerable.Where(class System.Collections.Generic.IEnumerable`1,class System.Func`2)	JIT	System.Cc
581.340	0.3	99	194	System.Linq.Enumerable+WhereListIterator`1[System.Int32].MoveNext()	JIT	System.Cc
581.681	0.1	30	72	LivingAgile.Aspen.Core.Parser+<C>..ctor>b_70_4(int32)	JIT	LivingAgile.Asp
581.917	0.7	313	511	LivingAgile.Aspen.Core.Elements.DocumentElement.ParseInput(class System.String,class System.String,int32,int32,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
582.649	0.2	38	125	LivingAgile.Aspen.Core.Elements.BaseOperator..ctor(int32,int32)	JIT	LivingAgile.Asp
582.911	0.1	38	42	LivingAgile.Aspen.Core.Elements.DocumentElement.set_AbsoluteFilePath(class System.String)	JIT	LivingAgile.Asp
583.014	0.2	101	122	LivingAgile.Aspen.Core.Manager.GetOperatorGroupIndex(class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
583.227	0.1	47	103	LivingAgile.Aspen.Core.Manager.OptimizeOperatorOrder(int32[],int32,int32,int32[],int32)	JIT	LivingAgile.Asp
583.358	0.2	26	87	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseChildElement(int32,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp

583.549	0.5	685	1,943	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants..cctor()	JIT	LivingAgile.Asp
584.091	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseImport(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
584.152	0.1	16	49	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseImport(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
584.308	0.5	178	359	LivingAgile.Aspen.Core.Elements.ImportOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
584.786	0.1	42	114	LivingAgile.Aspen.Core.Elements.BaseOperator..cctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,value class LivingAgile.Aspen.Core.ElementKinds,int32,int32,int32)	JIT	LivingAgile.Asp
584.956	0.1	71	116	LivingAgile.Aspen.Core.Manager.GetClampedRemovePriorIndentRequest(class System.String,class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Asp
585.093	0.2	67	141	LivingAgile.Aspen.Core.Manager.GetRemovePriorIndentRequest(class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Asp
585.301	0.2	90	126	LivingAgile.Aspen.Core.Manager.GetClampedRemoveNextLineBreaksRequest(class System.String,class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Asp
585.479	0.2	67	141	LivingAgile.Aspen.Core.Manager.GetRemoveNextLineBreaksRequest(class System.Text.RegularExpressions.Match,int32)	JIT	LivingAgile.Asp
585.685	0.1	85	162	LivingAgile.Aspen.Core.Manager.QueryNextLineBreaksToRemove(int32,class System.String,int32,int32,int32&,int32&)	JIT	LivingAgile.Asp
585.839	0.2	71	134	LivingAgile.Aspen.Core.Manager.IsEmptyLine(class System.String,int32,int32&)	JIT	LivingAgile.Asp
586.025	0.4	239	381	LivingAgile.Aspen.Core.Elements.BaseOperator.Add(class LivingAgile.Aspen.Core.Elements.BaseElement)	JIT	LivingAgile.Asp
586.475	0.1	29	57	LivingAgile.Aspen.Core.Elements.BaseElement.SetParent(class LivingAgile.Aspen.Core.Elements.BaseOperator,int32)	JIT	LivingAgile.Asp
586.583	0.0	5	8	LivingAgile.Aspen.Core.Elements.BaseElement.Validate(class System.String&)	JIT	LivingAgile.Asp
586.625	0.0	5	14	LivingAgile.Aspen.Core.Elements.DocumentElement.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
586.692	0.1	20	61	LivingAgile.Aspen.Core.Elements.BaseOperator.AddPlainText(int32,int32)	JIT	LivingAgile.Asp
586.876	0.0	221	0	LivingAgile.Aspen.Core.Template.Execute(class System.Collections.Generic.IEnumerable`1>,bool)	JIT	LivingAgile.Asp
586.999	0.1	11	49	LivingAgile.Aspen.Core.Template+<>c..cctor()	JIT	LivingAgile.Asp
587.073	0.0	7	1	LivingAgile.Aspen.Core.Template+<>c..ctor()	JIT	LivingAgile.Asp
588.346	0.0	0	756	LivingAgile.Aspen.Core.Template.Execute(class System.Collections.Generic.IEnumerable`1>,bool)	JIT	LivingAgile.Asp
588.371	0.1	50	70	LivingAgile.Aspen.Core.Manager.AppendLineToLog(class System.String)	JIT	LivingAgile.Asp
588.570	0.1	26	92	LivingAgile.Aspen.Core.Elements.BaseElement.AppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
588.712	0.2	44	97	LivingAgile.Aspen.Core.Elements.DocumentElement.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
588.904	1.1	392	759	LivingAgile.Aspen.Core.Elements.ImportOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
590.009	0.2	101	167	LivingAgile.Aspen.Core.Elements.ExecutionState.ResolvePath(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,value class LivingAgile.Aspen.Core.PathType)	JIT	LivingAgile.Asp
590.835	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginSet(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
590.900	0.3	45	103	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginSet(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
591.180	0.2	108	184	LivingAgile.Aspen.Core.Elements.BeginSetOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match,bool)	JIT	LivingAgile.Asp
591.407	0.4	184	299	LivingAgile.Aspen.Core.Elements.BaseBeginSetOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ElementKinds,int32)	JIT	LivingAgile.Asp
591.848	0.1	82	113	LivingAgile.Aspen.Core.Elements.ExecutionState.GetTokenHandlingMode(class System.Text.RegularExpressions.GroupCollection)	JIT	LivingAgile.Asp
592.012	0.1	53	82	LivingAgile.Aspen.Core.Manager.GetCount(class System.String,int32)	JIT	LivingAgile.Asp
592.152	0.1	9	61	LivingAgile.Aspen.Core.Elements.BeginSetOperator.AddPlainText(int32,int32)	JIT	LivingAgile.Asp
592.257	0.0	5	14	LivingAgile.Aspen.Core.Elements.BeginSetOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
592.305	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginSetIndex(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
592.363	0.3	65	167	LivingAgile.Aspen.Core.Elements.BeginSetOperator.ParseBeginSetIndex(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
592.662	0.1	47	105	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator..ctor(class LivingAgile.Aspen.Core.Elements.BeginSetOperator,class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
592.818	0.3	172	238	LivingAgile.Aspen.Core.Manager.QueryPriorIndentsToRemove(int32,class System.String,int32,int32&,int32&)	JIT	LivingAgile.Asp
593.102	0.0	5	8	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.Validate(class System.String&)	JIT	LivingAgile.Asp
593.152	0.0	9	20	LivingAgile.Aspen.Core.Elements.BaseOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp

593.206	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndSet(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
593.263	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndSet(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
593.545	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginForEach(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
593.604	0.1	16	47	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginForEach(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
593.736	0.3	107	254	LivingAgile.Aspen.Core.Elements.BeginForEachOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
594.080	0.0	5	14	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
594.162	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseGetToken(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
594.220	0.1	16	49	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseGetToken(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
594.345	0.4	126	334	LivingAgile.Aspen.Core.Elements.GetTokenOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
594.836	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginFile(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
594.899	0.1	16	47	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginFile(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
595.028	0.2	58	184	LivingAgile.Aspen.Core.Elements.BeginFileOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
595.310	0.0	5	14	LivingAgile.Aspen.Core.Elements.BeginFileOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
595.361	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseRemoveOuterWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
595.419	0.1	16	49	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseRemoveOuterWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
595.548	0.2	86	137	LivingAgile.Aspen.Core.Elements.RemoveOuterWhitespaceOperator..ctor(class LivingAgile.Aspen.Core.Elements.DocumentElement,class System.Text.RegularExpressions.Match)	JIT	LivingAgile.Asp
595.782	0.1	64	92	LivingAgile.Aspen.Core.Manager.IsOperator(class System.String,int32,int32&)	JIT	LivingAgile.Asp
595.949	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndFile(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
596.008	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndFile(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
596.226	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndForEach(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
596.284	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndForEach(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
596.506	0.8	180	472	LivingAgile.Aspen.Core.Template.Execute(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class LivingAgile.Aspen.Core.Elements.DocumentElement)	JIT	LivingAgile.Asp
597.305	1.0	349	742	LivingAgile.Aspen.Core.Elements.BeginSetOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
598.303	0.2	106	200	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveBindableTokenName(class System.String,class System.String&,bool&)	JIT	LivingAgile.Asp
598.533	0.4	139	416	LivingAgile.Aspen.Core.Elements.BaseBeginSetOperator.GetSetExecutionState(class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
598.951	0.0	1,137	0	LivingAgile.Aspen.Core.DataTypes..ctor()	JIT	LivingAgile.Asp
599.188	0.1	11	49	LivingAgile.Aspen.Core.DataTypes+<C>.ctor()	JIT	LivingAgile.Asp
599.260	0.0	7	1	LivingAgile.Aspen.Core.DataTypes+<C>.ctor()	JIT	LivingAgile.Asp
600.122	0.0	0	2,598	LivingAgile.Aspen.Core.DataTypes..ctor()	JIT	LivingAgile.Asp
600.217	0.0	12	16	LivingAgile.Aspen.Core.DataTypes.GetType(class System.String)	JIT	LivingAgile.Asp
600.314	0.3	84	213	LivingAgile.Aspen.Core.Elements.BaseOperator.GetChildOutput(class LivingAgile.Aspen.Core.Elements.ExecutionState,int32,class LivingAgile.Aspen.Core.Elements.BaseOperator,bool)	JIT	LivingAgile.Asp
600.618	0.3	108	201	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32)	JIT	LivingAgile.Asp
600.934	0.1	35	110	LivingAgile.Aspen.Core.Elements.PlainTextElement.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
601.081	0.1	25	20	LivingAgile.Aspen.Core.TextCollector.Add(class LivingAgile.Aspen.Core.TextSegment)	JIT	LivingAgile.Asp
601.158	0.1	42	100	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32,class System.Text.StringBuilder)	JIT	LivingAgile.Asp
601.305	0.3	122	254	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
601.591	1.0	428	781	LivingAgile.Aspen.Core.TextCollector.Compress(bool)	JIT	LivingAgile.Asp

602.611	0.1	26	27	LivingAgile.Aspen.Core.TextSegment.TextToString()	JIT	LivingAgile.Asp
602.691	0.1	67	134	LivingAgile.Aspen.Core.TextCollector.RemovePriorIndents(int32,class System.Text.StringBuilder)	JIT	LivingAgile.Asp
602.836	0.2	172	168	LivingAgile.Aspen.Core.Manager.QueryPriorIndentsToRemove(int32,class System.Text.StringBuilder,int32,int32&,int32&)	JIT	LivingAgile.Asp
603.054	0.1	67	118	LivingAgile.Aspen.Core.TextCollector.RemoveNextLineBreaks(int32,class System.Text.StringBuilder)	JIT	LivingAgile.Asp
603.207	0.1	29	46	LivingAgile.Aspen.Core.TextSegment.Clamp(int32,int32&)	JIT	LivingAgile.Asp
603.276	0.1	31	35	LivingAgile.Aspen.Core.Manager.UnescapeOperators(class System.String)	JIT	LivingAgile.Asp
603.354	0.1	40	55	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.GetIndexToSet(class LivingAgile.Aspen.Core.Elements.SetExecutionState)	JIT	LivingAgile.Asp
603.485	0.3	125	299	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.GetValueToSet(int32,class LivingAgile.Aspen.Core.Elements.SetExecutionState,class System.String,class System.String&)	JIT	LivingAgile.Asp
603.814	0.1	69	94	LivingAgile.Aspen.Core.Elements.ExecutionState.GetValue(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class System.String,value class System.Nullable`1,value class LivingAgile.Aspen.Core.TokenHandlingMode,bool)	JIT	LivingAgile.Asp
603.962	0.4	210	381	LivingAgile.Aspen.Core.DataTypes.GetRawValue(class System.String,class System.String,value class System.Nullable`1,bool)	JIT	LivingAgile.Asp
604.372	0.3	134	278	LivingAgile.Aspen.Core.Elements.BeginSetOperator+ValidBeginSetListOperator.AddValueToList(class LivingAgile.Aspen.Core.Elements.SetExecutionState,int32,class System.String,class System.Object)	JIT	LivingAgile.Asp
604.748	0.1	14	12	LivingAgile.Aspen.Core.DataTypes.ContainsAnyNonWhiteSpace(class System.String)	JIT	LivingAgile.Asp
604.846	0.1	34	94	LivingAgile.Aspen.Core.DataTypes.ContainsAnyNonWhiteSpace(class System.String,int32,int32)	JIT	LivingAgile.Asp
605.011	0.2	29	63	LivingAgile.Aspen.Core.Elements.ExecutionState.GetTokens(int32,int32)	JIT	LivingAgile.Asp
605.220	0.1	79	90	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.System.Collections.Generic.IEnumerable>.GetEnumerator()	JIT	LivingAgile.Asp
605.379	0.2	236	200	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.MoveNext()	JIT	LivingAgile.Asp
605.629	0.0	7	4	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.System.Collections.Generic.IEnumerator>.get_Current()	JIT	LivingAgile.Asp
605.683	0.0	1	1	LivingAgile.Aspen.Core.Elements.ExecutionState+d__13.System.IDisposable.Dispose()	JIT	LivingAgile.Asp
605.719	1.2	474	1,047	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
606.953	0.3	219	360	LivingAgile.Aspen.Core.Elements.BeginForEachOperator.TryGetOptions(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class LivingAgile.Aspen.Core.Elements.BaseOperator,value class LivingAgile.Aspen.Core.ForEachMode&,class System.Collections.IEnumerable&,class System.String&)	JIT	LivingAgile.Asp
607.305	0.0	221	0	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveTokenWithOptionalIndexer(class System.String,class System.String,class System.Object&)	JIT	LivingAgile.Asp
607.335	0.1	51	153	LivingAgile.Aspen.Core.Elements.ExecutionState..ctor()	JIT	LivingAgile.Asp
607.772	0.0	0	429	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveTokenWithOptionalIndexer(class System.String,class System.String,class System.Object&)	JIT	LivingAgile.Asp
607.806	0.1	67	90	LivingAgile.Aspen.Core.Elements.ExecutionState.TryResolveToken(class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class System.Object&)	JIT	LivingAgile.Asp
608.010	0.2	123	237	LivingAgile.Aspen.Core.Elements.GetTokenOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
608.275	0.8	416	803	LivingAgile.Aspen.Core.Elements.ExecutionState.GetReplacementValue(class System.Object&,value class LivingAgile.Aspen.Core.TokenHandlingMode,class System.String,class System.String,int32)	JIT	LivingAgile.Asp
609.119	0.1	26	31	LivingAgile.Aspen.Core.TextCollector.Add(class System.String)	JIT	LivingAgile.Asp
609.203	0.3	114	242	LivingAgile.Aspen.Core.TextCollector.Add(int32,int32,class System.String,int32,int32)	JIT	LivingAgile.Asp
609.549	0.0	9	23	LivingAgile.Aspen.Core.Elements.SetExecutionState.LivingAgile.Aspen.Core.IValueTarget.set_Value(value class System.Nullable`1)	JIT	LivingAgile.Asp
609.609	0.2	118	268	LivingAgile.Aspen.Core.Elements.SetExecutionState.Set(value class LivingAgile.Aspen.Core.SetValueState,value class System.Nullable`1)	JIT	LivingAgile.Asp
610.074	0.3	132	287	LivingAgile.Aspen.Core.Elements.BeginFileOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
610.442	0.1	8	22	LivingAgile.Aspen.Core.Elements.RemoveOuterWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
611.739	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginComment(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
611.805	0.2	16	98	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginComment(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
612.038	0.0	5	14	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
612.087	0.1	69	62	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.ParseChildElement(int32,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
612.202	0.0	9	17	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndComment(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
612.258	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndComment(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
614.164	0.0	9	17	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseBeginRemoveWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
614.228	0.2	16	91		JIT	LivingAgile.Asp

				LivingAgile.Aspen.Core.Elements.BaseOperator.ParseBeginRemoveWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)		
614.451	0.0	5	14	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.ValidateChild(class LivingAgile.Aspen.Core.Elements.BaseElement,class System.String&)	JIT	LivingAgile.Asp
614.767	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseEndRemoveWhitespace(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
614.827	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseEndRemoveWhitespace(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
615.042	0.4	105	261	LivingAgile.Aspen.Core.Template.StaticExecute(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
615.430	0.1	59	90	LivingAgile.Aspen.Core.Template.GetStaticOutput(class LivingAgile.Aspen.Core.Elements.ExecutionState,class LivingAgile.Aspen.Core.Elements.DocumentElement&,class System.Collections.Generic.Dictionary`2&)	JIT	LivingAgile.Asp
615.574	0.7	185	565	LivingAgile.Aspen.Core.Template.CreateStaticOutput(int32,class LivingAgile.Aspen.Core.Elements.DocumentElement&,class System.Collections.Generic.Dictionary`2&)	JIT	LivingAgile.Asp
616.323	0.0	292	0	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
616.419	0.1	44	119	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.cctor()	JIT	LivingAgile.Asp
617.411	0.0	0	713	LivingAgile.Aspen.Core.Elements.BeginRemoveWhitespaceOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
617.448	0.2	47	116	LivingAgile.Aspen.Core.Elements.BeginCommentOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
618.819	0.3	126	238	LivingAgile.Aspen.Core.Elements.BaseOperator.AppendAsText(class LivingAgile.Aspen.Core.TextCollector)	JIT	LivingAgile.Asp
619.158	0.1	44	107	LivingAgile.Aspen.Core.TextCollector.ContainsAnyOperator(class System.String)	JIT	LivingAgile.Asp
619.388	0.4	100	288	LivingAgile.Aspen.Core.TextCollector.Add(class LivingAgile.Aspen.Core.TextCollector)	JIT	LivingAgile.Asp
626.813	0.1	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDate(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
626.892	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDate(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
627.144	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseTime(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
627.209	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseTime(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
627.423	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDateUtc(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
627.482	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDateUtc(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
627.690	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseTimeUtc(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
627.747	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseTimeUtc(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
627.953	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseDomain(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
628.010	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseDomain(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
628.218	0.0	9	17	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseUserName(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
628.275	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseUserName(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
628.483	0.0	9	18	LivingAgile.Aspen.Core.Elements.BaseOperator+Constants.ParseMachineName(class LivingAgile.Aspen.Core.Elements.BaseOperator,class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
628.545	0.2	16	93	LivingAgile.Aspen.Core.Elements.BaseOperator.ParseMachineName(class System.Text.RegularExpressions.Match,value class LivingAgile.Aspen.Core.ChildElementHandling&)	JIT	LivingAgile.Asp
628.740	0.3	97	262	LivingAgile.Aspen.Core.Template.ExecuteInline(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState,class System.String,class LivingAgile.Aspen.Core.Elements.DocumentElement)	JIT	LivingAgile.Asp
629.115	0.3	83	220	LivingAgile.Aspen.Core.Elements.DateOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
629.759	0.2	75	202	LivingAgile.Aspen.Core.Elements.TimeOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
630.020	0.2	83	220	LivingAgile.Aspen.Core.Elements.DateUtcOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
630.279	0.2	75	202	LivingAgile.Aspen.Core.Elements.TimeUtcOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp
630.526	0.1	30	55	LivingAgile.Aspen.Core.Elements.DomainOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asp

630.620	0.0	11	12	LivingAgile.Aspen.Core.Manager.get_Domain()	JIT	LivingAgile.Asj
630.690	0.1	30	55	LivingAgile.Aspen.Core.Elements.UserNameOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asj
630.780	0.0	11	12	LivingAgile.Aspen.Core.Manager.get_UserName()	JIT	LivingAgile.Asj
630.831	0.1	30	55	LivingAgile.Aspen.Core.Elements.MachineNameOperator.DoAppendToOutput(class LivingAgile.Aspen.Core.TextCollector,class LivingAgile.Aspen.Core.Elements.ExecutionState)	JIT	LivingAgile.Asj
630.923	0.0	11	12	LivingAgile.Aspen.Core.Manager.get_MachineName()	JIT	LivingAgile.Asj
631.373	0.3	98	193	LivingAgile.Aspen.Core.Manager.DetectPadding(class System.String,int32)	JIT	LivingAgile.Asj
631.695	0.1	31	94	LivingAgile.Aspen.Core.Manager.AdjustPadding(class System.String,class System.String,int32,class System.String,int32,int32)	JIT	LivingAgile.Asj
631.863	0.1	58	138	LivingAgile.Aspen.Core.Manager.AdjustPadding(class System.String,class System.Text.StringBuilder,class System.String,int32,class System.String,int32)	JIT	LivingAgile.Asj
632.025	0.1	31	72	LivingAgile.Aspen.Core.Manager.EndsWithNewline(class System.String,int32)	JIT	LivingAgile.Asj
632.143	0.3	140	263	LivingAgile.Aspen.Core.Manager.AdjustPaddingIgnoreFirstLine(class System.String,class System.Text.StringBuilder,class System.String,int32,int32)	JIT	LivingAgile.Asj
632.740	0.1	55	142	LivingAgile.Aspen.Core.Manager.CompareOrdinal(class System.Text.StringBuilder,int32,class System.String,int32,int32)	JIT	LivingAgile.Asj
632.905	0.1	85	159	LivingAgile.Aspen.Core.Manager.QueryNextLineBreaksToRemove(int32,class System.Text.StringBuilder,int32,int32,int32&,int32&)	JIT	LivingAgile.Asj
633.058	0.1	71	108	LivingAgile.Aspen.Core.Manager.IsEmptyLine(class System.Text.StringBuilder,int32,int32&)	JIT	LivingAgile.Asj
633.674	0.4	111	284	LivingAgile.Aspen.Core.Manager.StartFile(class System.String,class System.Text.Encoding)	JIT	LivingAgile.Asj
634.154	0.1	42	64	LivingAgile.Aspen.Core.Manager.ResumePreviousBlock(bool)	JIT	LivingAgile.Asj
634.283	0.2	92	130	LivingAgile.Aspen.Core.Manager.EndBlock(bool)	JIT	LivingAgile.Asj
1,067.488	1.4	472	986	LivingAgile.Aspen.Core.Manager.Process()	JIT	LivingAgile.Asj
1,068.956	0.7	307	594	LivingAgile.Aspen.Core.Block.GetContents()	JIT	LivingAgile.Asj
1,069.909	0.1	42	78	LivingAgile.Aspen.Core.Manager.WriteFile(class System.String,class System.String,class System.Text.Encoding)	JIT	LivingAgile.Asj
1,070.061	0.1	37	81	LivingAgile.Aspen.Core.Manager.IsFileContentDifferent(class System.String,class System.String,class System.Text.Encoding)	JIT	LivingAgile.Asj
1,223.193	0.2	23	48	LivingAgile.Aspen.Core.Segment.CompareTo(class LivingAgile.Aspen.Core.Segment)	JIT	LivingAgile.Asj
1,223.428	0.0	7	4	LivingAgile.Aspen.Core.Manager.get_SuggestLogFilePath()	JIT	LivingAgile.Asj