
Figure: Start-to-start intervals, 5–9 min

One motif group per length on the 2 kHz, 10-hour 193500 recording (MFCC coefficient 2 / c1 at 10 Hz). Seed is the best non-overlapping pair; copies keep correlation with the seed at a threshold lowered from 0.2 until no stretch longer than 20 minutes lacks a copy (overlap ≤ 10%).



Summary tables: 5–9 min length scan

Per length

Length	Occurrences	Copy threshold	Median interval (IQR)	Intervals < 10 min
5 min	60	0.14	10.4 (7.2–13.1)	29 of 59
6 min	54	0.15	11.5 (8.8–13.6)	19 of 53
7 min	53	0.14	11.7 (8.8–13.7)	16 of 52
8 min	50	0.12	12.5 (10.4–13.8)	11 of 49
9 min	48	0.11	12.6 (11.1–13.9)	6 of 47

“Same occurrences” counts shorter-length midpoints that lie within 1 minute of a longer-length midpoint.


Neighbouring lengths

Pair	Count difference	KS D	W	Same occurrences
5 vs 6	10%	0.18	1.1 min	52 of 60
6 vs 7	2%	0.09	0.3 min	49 of 54
7 vs 8	6%	0.13	0.7 min	47 of 53
8 vs 9	4%	0.18	0.6 min	46 of 50

• 6 vs 7 min match most closely (KS D = 0.09, W = 0.3 min, counts differ 2%).
• 5 min, 6 min, 7 min still show many intervals under 10 minutes (half-song matches inside one cycle).
• At 9 min the median interval is 12.6 min with 6 of 47 gaps under 10 minutes.

1-minute motifs relative to 7-minute motifs

Both lengths use the same copy rules. For each 1-minute occurrence, the offset is its midpoint minus the midpoint of the nearest 7-minute occurrence. Vertical dotted lines mark ±1 minute.



Counts

1-min occurrences: 271 (copy threshold 0.20)
7-min occurrences: 53 (copy threshold 0.14)
Within ±1 min of a 7-min midpoint: 26 of 271 (10%)
Offset median (IQR): -1.69 min (-3.23–2.95 min)