MEK
SYSTEM TECHNOLOGY

On-line Gauge Scanner Frame

▶C-Type
(~1,400mm)



▶Battery Application NEW
(~750mm)

Patent pending

▶Wide-web at high speed NEW
in Battery Application
(~1,500mm)

Patent pending

▶Compact O-Type
(2,500mm)

▶General Roll Type
(~4,000mm)

▶Highly Precise Type
(~800mm)

▶Medium O-Type
(2,500~5,500mm)



▶Large O-Type
(5,500~9,000mm)

▶Extra Large C-Type
(8,500~12,000mm)

▶Laser S-Type

▶X-Ray Type NEW
(~3,000mm)



▶High Energy Type
For AL / Copper / Steel sheet NEW
(~1,500mm)



Secondary Battery

BEST SELLER

① Simultaneous Analysis

▶ Thickness / Weight / Density

Optimized for the secondary battery electrode process
by analyzing the density from the simultaneous measurements
for the thickness and weight

▶ For : A Type - Confocal sensor + X-ray
B Type - Confocal sensor + β-ray

▶ Available for additional
precise contact type Thickness Gauge

Patent pending

② β-ray & X-ray ▶ Weight Gauge

The easy control and simple to maintain,
Precise β-ray & X-ray sensor enables to measure and control
the thickness automatically in various applications.



▶ For : X-ray or β-ray

▶ Notification of usage
for the radiation generator is required

③ All-solid-state-Battery ▶ Weight Gauge

Best for All-solid-state Battery !
Simultaneous measurements for the thickness and weight enables
the analysis of density.
New design for no external radiation of X-Ray.



▶ For : X-ray + Confocal sensor

▶ No permission for operation

Patent pending

【Application】



On-line Gauge For Secondary Battery

① Coating process for the Cathode/Anode of secondary battery I WEB GAUGE



※ Beta Gauge (Cu Foil + Slurry and Al Foil + Slurry)
※ X-ray Gauge(Al Foil + Slurry)

② Press process for the Cathode/Anode of secondary battery I WEB GAUGE



※ Scanner = X.C GAUGE
(Featuring a measuring function of Density, Thickness, and Weight)

③ Measurement of the density & thickness for the Anode and Cathode with X-ray & β-ray



MEK X-RAY / β-RAY
(Density Gauge)

31th

MEK
SYSTEM TECHNOLOGY

Primary Equipment for WEB Application

World Best! precision measurement technology

Quality Control

On-Line System

Leader in the WEB Quality

MEK' s Thickness Gauge **measures the thickness and weight**

of Web-shaped products and also **analyse the density.**

By Measuring and Controlling the thickness of the full width in real time,

it helps to **Improve product' s quality, optimize process and reduce costs.**

Benefits of System

1. **Improved product quality - Deviation Management (Thickness, Weight, Density)**
2. **Product management - Storage of measurement data record**
3. **Process Management - System optimization**
4. **Reduced raw material consumption**
5. **Best Stability with 31year' s technical know-how**

Providing the data analyzed in **Various ways and providing the statistical data**

including SQC to support the requirements of user and optimized process control.

Software

1. **Easy access to measured and saved data**
2. **Various Languages in Korean, English, Chinese, Japanese**
3. **Communication with user HMI**
4. **Customized software as requested**









31th

MEK

SYSTEM TECHNOLOGY

The leading technology from the 31 years history devoted only for the On-Line gauging system

Advanced Technologies

High Quality Control System

Battery Separator Film Manufacturing Process



Battery Pouch Manufacturing Process



31th

MEK

SYSTEM TECHNOLOGY

More than 2,000 On-line Gauge systems
Over 26 countries!



We continued to establish overseas branch offices globally to better serve professionals in battery industry

Partners in Battery Industries

- SAMSUNG SDI
- SAMSUNG ELECTRONICS
- SAMSUNG R&D
- LE ES
- LG Chemical
- LG Electronics
- LG Hausys
- Hanwha Advanced Materials
- Hanwha Momentum
- NANYA Plastics Corp.
- Chang Chun Petrochmical
- SKON
- SKON America
- SKON Hungary
- SK Battery Jiangsu
- BlueOval SK
- SK Nexilis
- HYUNDAI Motor company
- LOTTE EM
- PNT
- CIS
- JPNG, etc.