PRODUCT NAME



Feature

Total Harmonic Histortion	(1KHZ,3dB)	0.0003	Bass	±6dB(100HZ)
Sensitivity	Microphone	6mv/4kΩ	Alto	±3dB(1KHz)
	AUX	280mv/30kΩ	Treble	±10dB(10KHz)
Frequency response	Microphone	40Hz-15KHz+1/6dB	Effect	double echo
	Music	20Hz-20KHz+8/-3dB	Output level	2.8v/kΩ
Tone			Voltage	AC 18Vx2800mA
Music	Bass	±10dB(100Hz)	AC power	AC220Vx240V 50Hz
	Alto	±6dB(1KHz)	Power supply	25W
	Treble	±10dB(10KHz)	Size	482(L)x47(H)x163(W)
Microphone	Bass	±10dB(100KHz)	Net Weight	2.1KG
	Alto	±6dB(1KHz)	Gross Weight	2.5KG
	Treble	±10dB(10KHz)		

PRODUCT NAME



Feature

总谐波失真	(1KHZ,3dB)	0.03%	低音	±6dB(100HZ)
灵敏度	麦克风	6mv/4kΩ	中音	±3dB(1KHz)
	AUX	280mv/30kΩ	高音	±10dB(10KHz)
频率响应	麦克风	40Hz- 15KHz+1/6dB	效果	双重回音
	音乐	20Hz-20KHz+8/- 3dB	输出电平	2.8v/kΩ
音调			电压	AC 18Vx2800mA
音乐	低音	±10dB(100Hz)	交流电源	AC220Vx240V 50Hz
	中音	±6dB(1KHz)	电源功率	25W
	高音	±10dB(10KHz)	尺寸	482(L)x47(H)x163(W)
麦克风	低音	±10dB(100KHz)	净重	2.1KG
	中音	±6dB(1KHz)	毛重	2.5KG
	高音	±10dB(10KHz)		

PRODUCT NAME



Feature

总谐波失真	(1KHZ,3dB)	0.03%	低音	±6dB(100HZ)
灵敏度	麦克风	6mv/4kΩ	中音	±3dB(1KHz)
	AUX	280mv/30kΩ	高音	±10dB(10KHz)
频率响应	麦克风	40Hz- 15KHz+1/6dB	效果	双重回音
	音乐	20Hz-20KHz+8/- 3dB	输出电平	2.8v/kΩ
音调			电压	AC 18Vx2800mA
音乐	低音	±10dB(100Hz)	交流电源	AC220Vx240V 50Hz
	中音	±6dB(1KHz)	电源功率	25W
	高音	±10dB(10KHz)	它只	482(L)x47(H)x163(W)
麦克风	低音	±10dB(100KHz)	净重	2.1KG
	中音	±6dB(1KHz)	毛重	2.5KG
	高音	±10dB(10KHz)		