



LLDPE Tank

BROCHURE

THE VIBRANT
HUES OF
DURABILITY



LEAK-PROOF TANKS

UV resistant •
100% virgin LLDPE •
Anti-microbial •



NO LEAD


NO HEAVY
METALS



IS 12701

Fantastic Features

Ori-Plast LLDPE tanks have several unique features which make them the most popular storage tanks in the market.




Unique Features

-  Maintains temperature
-  Scientifically designed
-  Superior finish
-  Chemical resistant
-  Lightweight
-  Economically viable
-  Leak proof

-  All weather resistant
-  No stress cracking
-  Corrosion Resistant
-  Zero maintenance


Catchy Colours

At Ori-Plast we believe our products are accessories that make life more convenient and colourful. So, we have introduced a range of beautiful and aesthetically pleasing water tanks in different hues - Golden Dawn, Green Magic, Amazing Azure, Sunday Sky, Cotton Candy, Victorious Velvet, Radiant Red and Sunny Days. These tanks are not only useful but they are stunning to look at.



Convenient Cooling

Water in polyethylene tanks often get over-heated in summer. Ori-Plast tanks have a layer of foam within the layers of polyethylene. Being a non-conductor of heat, the layer of foam, keeps your water cool even at the peak of summer.



Splendidly Stylish

At Ori-Plast we believe that your tanks should reflect your sense of style. So, we have created DURASLIM TANKS, the sleek, smart water storage tanks with beautiful engraved patterns for the discerning you. With stone finish and matte shades, the elegant Duraslim Tanks meet the requirements and tastes of the most stylish user.



Size/capacity 750L and 1,000L. Available in 4 layers and 5 layers.

Diameter 2 feet 11 inches | Height 5 feet 10 inches

Lid size will be the same as our other tanks

Dynamic Dimensions

Available in 2, 3, 4, 5 layers			
Capacity in Liters	Diameter in Inch	Height in Inch	Diameter of Manhole in Inch
200*	27	24	11
300*	28	33	11
500	34	37	16
750	38	43	16
1000	42	47	16
1500	49	53	16
2000	53	58	19
3000	64	70	19
5000	72	79	19



*200 & 300 ltrs are only available in 2 layer tank.

INSTRUCTIONS FOR INSTALLATION

- The tank base should be placed on a rigid, strong, level and flat base.
- Pipelines, valves and other fittings should be properly aligned.
- Check the nuts that connect the tank to the nipple.
- Nuts must be used with rubber gaskets and should not be over-tightened.
- The tank should be properly cleaned with detergent on the inside before being used.



Head Office: 40, Strand Road, Kolkata - 700 001, WB, Phone: +91 33 2243 3396/97, Fax: +91 33 2243 2395, Email: sales@oriplast.com • **New Delhi Branch Office:** Unit No. 1402, R. G. Trade Tower, B-7, Netaji Subhash Place, Wazirpur District Centre, Pitampura, New Delhi - 110 034, Phone: +91 11 2735 2164/65, Fax: +91 11 4370 2640, Email: northsales@oriplast.com • **Bhubaneswar Branch Office:** A1, 34/A, VIP Area, IRC Village, Nayapalli, Bhubaneswar - 751 015, Odisha, Fax: +91 2551 1336, Email: bbsr@oriplast.com • **Raipur Branch Office:** Khushi Residency, Block - A, Flat No. 203, Mouza Telibandha, Labhandi, G. E. Road, Near Magneto Mall, Raipur - 492 010, Chattisgarh, Phone: +91 79801 92901 • **Hyderabad Branch Office:** Flat No. 6A, 6th Floor, Amurtha Estate, Dhruvtara Apartment, Somajiguda, Hyderabad - 500 082, Telangana, Phone: +91 40 6598 3033/40 2716 4116/90002 96600, Email: hyderabad@oriplast.com • **Jaipur Branch Office:** Plot No.: K-53, Flat No.: G-3 Kishan Nagar (Shyam Nagar), Jaipur - 302 019, Rajasthan, Fax: +91 141 229 7111, Email: sales@adventec.in • **Guwahati:** Jamini Bhawan, House No. - 59, A.K Azad Road, Rehanari P.S. Paltanbazar, Guwahati - 781008, Dist. - Kamrup - (M), Phone: +91 9207080080, Email: sankar_oriplast@yahoo.co.in • **Balasore Works:** O. T. Road, P. O. & Dist.: Balasore, Odisha - 756 001, Phone: +91 6782 26 4551/53, Fax: +91 6782 26 2551, Email: works@oriplast.com • **C & F Agent, Cuttack:** M/s. Aditya Logistic, 202/C, P. O.: Naya Bazar, P. S.: Chauliaganj, Cuttack - 753 004, Odisha, Phone: +91 671 244 0419/320 2318, Email: cuttackdepot@oriplast.com • **Bagnan Works:** Khadinan, Bagnan, Howrah - 711 303 (WB), Phone: +91 96811 58608/96810 27489, Fax: +91 32 1426 6161, Email: contactus@paramppolymers.com • **Behror Works:** F-188 (K & L), RIICO Industrial Area, Phase II, Behror, Dist - Alwar, Rajasthan - 301 701, Phone: +91 1494 22 0064/2396, Fax: +91 1494 22 2234, Email: contactus@adventec.in • **Raipur Works:** Plot 67 to 71, 72-Part, 73, 74, 80 to 89, Birkoni Industrial Area, Birkoni, Dist: Mahasamund, Chattisgarh - 493 445, Email: birkoni@oriplast.com

Toll Free No: 1800 123 2123

ISO 9001: 2000 COMPANY