Unscented Kalman Filter Project Starter Code

Self-Driving Car Engineer Nanodegree Program

In this project utilize an Unscented Kalman Filter to estimate the state of a moving object of interest with noisy lidar and radar measurements. Passing the project requires obtaining RMSE values that are lower that the tolerance outlined in the project rubric.

This project involves the Term 2 Simulator which can be downloaded here

This repository includes two files that can be used to set up and intall <a href="https://www.ncbi.nlm.nih.gov/www

Once the install for uWebSocketIO is complete, the main program can be built and ran by doing the following from the project top directory.

- 1. mkdir build
- 2. cd build
- 3. cmake ..
- 4. make
- 5. ./UnscentedKF

Tips for setting up your environment can be found here

Note that the programs that need to be written to accomplish the project are src/ukf.cpp, src/ukf.h, tools.cpp, and tools.h

The program main.cpp has already been filled out, but feel free to modify it.

Here is the main protool that main.cpp uses for uWebSocketIO in communicating with the simulator.

INPUT: values provided by the simulator to the c++ program

["sensor measurement"] => the measurment that the simulator observed (either lidar or radar)

OUTPUT: values provided by the c++ program to the simulator

```
["estimate_x"] <= kalman filter estimated position x
["estimate_y"] <= kalman filter estimated position y
["rmse_x"]
["rmse_y"]
["rmse_vx"]
["rmse_vy"]</pre>
```

Other Important Dependencies

- cmake \geq 3.5
- All OSes: click here for installation instructions
- make >= 4.1 (Linux, Mac), 3.81 (Windows)
- Linux: make is installed by default on most Linux distros
- Mac: install Xcode command line tools to get make
- Windows: Click here for installation instructions
- qcc/q++>=5.4
- Linux: gcc / g++ is installed by default on most Linux distros

- Mac: same deal as make install Xcode command line tools
- Windows: recommend using MinGW

Basic Build Instructions

- 1. Clone this repo.
- 2. Make a build directory: mkdir build && cd build
- 3. Compile: cmake .. && make
- 4. Run it: ./UnscentedKF Previous versions use i/o from text files. The current state uses i/o from the simulator.

Editor Settings

We've purposefully kept editor configuration files out of this repo in order to keep it as simple and environment agnostic as possible. However, we recommend using the following settings:

- indent using spaces
- set tab width to 2 spaces (keeps the matrices in source code aligned)

Code Style

Please stick to Google's C++ style guide as much as possible.

Project Result

In this project, I fixed the set of parameters to achieve RMSE results:

- 1:The standard deviation of the longitudinal acceleration std a was set to 0.5 m/s².
- 2:The process noise standard deviation of yaw acceleration std yawdd was set to 1.0 rad/s^2.

And, the result is shown on the following figure:

