

Economical Load Tables

Table of Contents

General Joist Information

Economical Design Guide

Top Chord Ext., K-Series

Joist Substitutes and Outriggers

KCS Joists

Joist Minimum Shear

Standard LRFD Load Tables

Standard ASD Load Tables

Load/Load and SP Designations

Joist Girder Weight Tables

Codes and Standards

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
10	F 825	550	550	550	10K1	5.1
11	F 825	550	550	542	10K1	5.1
12	F 825	550	550	550	12K1	5.3
13	F 718	479	479	363	10K1	5.3
	F 825	550	550	510	12K1	5.4
14	F 618	412	412	289	10K1	5.4
	F 750	500	500	425	12K1	5.5
	F 825	550	550	463	12K3	5.8
15	F 537	358	351	234	10K1	5.2
	F 651	434	434	344	12K1	5.6
	F 766	511	511	475	14K1	6.0
	F 814	543	543	428	12K3	6.5
	F 825	550	550	434	12K5	6.5
16	F 469	313	288	192	10K1	5.1
	F 570	380	380	282	12K1	5.2
	F 714	476	476	351	12K3	5.8
	F 825	550	550	467	14K3	6.6
17	F 415	277	238	159	10K1	5.1
	F 504	336	336	234	12K1	5.3
	F 592	395	395	324	14K1	5.7
	F 630	420	420	291	12K3	5.9
	F 768	512	512	488	16K2	7.0
	F 825	550	550	526	16K3	7.4
18	F 369	246	201	134	10K1	5.0
	F 448	299	295	197	12K1	5.2
	F 528	352	352	272	14K1	5.4
	F 561	374	367	245	12K3	5.8
	F 661	441	441	339	14K3	6.1
	F 825	550	550	550	18K3	6.8
	F 1207	805	805	805	18LH02	9.4
	F 1344	896	896	896	18LH03	10.1
	F 1558	1039	1039	1039	18LH04	11.8
	F 1762	1175	1175	1175	18LH05	12.5
	F 2293	1529	1529	1529	18LH07	15.4
	F 2592	1728	1728	1728	18LH08	17.3
	F 2983	1989	1989	1889	18LH09	19.2
	F 3346	2231	2231	2231	18LH10	22.8
F 3733	2489	2489	2489	18LH11	25.7	
F 4126	2751	2751	2751	18LH12	27.0	
19	F 331	221	169	113	10K1	4.8
	F 402	268	250	167	12K1	5.3
	F 472	315	315	230	14K1	5.4
	F 502	335	310	207	12K3	5.8
	F 612	408	408	347	16K2	6.2
	F 771	514	514	494	18K3	6.7
	F 825	550	550	550	20K3	7.0
	F 1122	748	748	748	18LH02	9.2
	F 1249	833	833	833	18LH03	10.0
	F 1449	966	966	966	18LH04	11.1
	F 1639	1093	1093	1093	18LH05	12.5
F 1993	1329	1329	1329	18LH06	15.0	

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
19 (cont.)	F 2121	1414	1414	1414	18LH07	15.7
	F 2397	1598	1598	1500	18LH08	17.3
	F 2746	1831	1831	1601	18LH09	19.2
	F 3081	2054	2054	2054	18LH10	21.9
	F 3436	2291	2291	2291	18LH11	24.3
	F 3799	2533	2533	2533	18LH12	26.2
20	F 298	199	145	97	10K1	4.9
	F 361	241	213	142	12K1	5.4
	F 426	284	284	197	14K1	5.5
	F 453	302	265	177	12K3	5.6
	F 694	463	463	423	18K3	6.5
	F 775	517	517	517	20K3	6.8
	F 825	550	550	490	18K4	7.3
	F 1045	697	697	696	18LH02	9.1
	F 1068	712	712	680	20LH02	9.3
	F 1240	827	827	749	20LH03	10.1
	F 1365	910	910	910	20LH04	10.9
	F 1527	1018	1018	1009	18LH05	12.4
	F 1590	1060	1060	1020	20LH05	12.7
	F 1839	1226	1226	1226	20LH06	14.1
	F 1846	1231	1231	1169	18LH06	14.8
	F 2140	1427	1427	1427	20LH07	16.3
	F 2325	1550	1550	1487	20LH08	17.2
	F 2656	1771	1771	1620	20LH09	19.1
	F 2868	1912	1912	1747	20LH10	22.1
	F 3171	2114	2114	2005	18LH11	25.2
	F 3466	2311	2311	2311	20LH11	26.1
	F 3505	2337	2337	2226	18LH12	27.1
	F 3832	2555	2555	2555	20LH12	28.3
	F 4207	2805	2805	2576	18LH13	32.8
21	F 327	218	184	123	12K1	4.9
	F 409	273	229	153	12K3	5.5
	F 499	333	333	255	16K2	6.1
	F 630	420	420	364	18K3	6.4
	F 702	468	468	453	20K3	6.4
	F 759	506	506	426	18K4	7.1
	F 825	550	550	520	20K4	7.3
	F 973	649	649	600	18LH02	9.1
	F 1005	670	670	586	20LH02	9.2
	F 1147	765	765	646	20LH03	10.0
	F 1276	851	851	820	20LH04	10.9
	F 1423	949	949	870	18LH05	12.3
	F 1485	990	990	879	20LH05	12.5
	F 1719	1146	1146	1146	20LH06	14.2
	F 1824	1216	1216	1059	18LH07	15.5
	F 1990	1327	1327	1239	20LH07	16.5
	F 2059	1373	1373	1105	18LH08	16.9
	F 2163	1442	1442	1282	20LH08	17.2
	F 2461	1641	1641	1396	20LH09	18.8
	F 2658	1772	1772	1506	20LH10	21.6
	F 3211	2141	2141	2141	20LH11	24.8



Economical Load Tables

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
21 (cont.)	F 3241	2161	2161	1918	18LH12	26.7
	F 3550	2367	2367	2367	20LH12	28.8
	F 3880	2587	2587	2220	18LH13	32.4
	F 4270	2847	2847	2798	20LH13	34.2
22	F 298	199	159	106	12K1	5.0
	F 351	234	220	147	14K1	5.5
	F 373	249	198	132	12K3	5.6
	F 573	382	382	316	18K3	6.1
	F 639	426	426	393	20K3	6.4
	F 690	460	460	370	18K4	7.2
	F 771	514	514	461	20K4	7.5
	F 825	550	550	548	22K4	7.6
	F 940	627	627	509	20LH02	9.1
	F 1072	715	715	560	20LH03	9.9
	F 1194	796	796	712	20LH04	10.7
	F 1390	927	927	763	20LH05	12.5
	F 1606	1071	1071	1007	20LH06	14.7
	F 1695	1130	1130	919	18LH07	15.2
	F 1854	1236	1236	1076	20LH07	16.3
	F 2014	1343	1343	1112	20LH08	17.1
	F 2286	1524	1524	1212	20LH09	19.5
	F 2467	1645	1645	1307	20LH10	21.4
	F 2982	1988	1988	1885	20LH11	26.0
	F 3004	2003	2003	1664	18LH12	27.2
	F 3297	2198	2198	2093	20LH12	28.1
	F 3586	2391	2391	1926	18LH13	32.4
	F 3954	2636	2636	2428	20LH13	33.2
	F 4318	2879	2879	2640	20LH14	37.1
23	F 271	181	139	93	12K1	5.0
	F 321	214	192	128	14K1	5.1
	F 340	227	174	116	12K3	5.4
	F 415	277	277	194	16K2	5.9
	F 462	308	308	216	16K3	6.2
	F 523	349	349	276	18K3	6.2
	F 583	389	389	344	20K3	6.4
	F 630	420	420	323	18K4	6.8
	F 703	469	469	402	20K4	7.4
	F 709	473	473	362	18K5	7.5
	F 793	529	529	451	20K5	8.2
	F 825	550	550	518	22K5	7.9
	F 880	587	587	444	20LH02	8.9
	F 946	631	631	505	18LH03	10.1
	F 1005	670	670	489	20LH03	10.4
	F 1119	746	746	621	20LH04	11.6
	F 1297	865	865	666	20LH05	12.2
	F 1507	1005	1005	880	20LH06	14.7
	F 1579	1053	1053	803	18LH07	16.2
	F 1731	1154	1154	939	20LH07	16.3
	F 1881	1254	1254	971	20LH08	16.9
	F 2127	1418	1418	1058	20LH09	19.3
	F 2295	1530	1530	1141	20LH10	22.0

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
23 (cont.)	F 2775	1850	1850	1647	20LH11	25.7
	F 2790	1860	1860	1454	18LH12	28.5
	F 3067	2045	2045	1828	20LH12	28.3
	F 3324	2216	2216	1683	18LH13	31.8
	F 3670	2447	2447	2121	20LH13	32.7
	F 4008	2672	2672	2306	20LH14	36.7
	F 4342	2895	2895	2507	20LH15	39.9
24	F 249	166	121	81	12K1	5.1
	F 294	196	169	113	14K1	5.2
	F 312	208	151	101	12K3	5.5
	F 535	357	357	302	20K3	6.2
	F 577	385	385	284	18K4	6.7
	F 645	430	430	353	20K4	6.9
	F 651	434	434	318	18K5	7.4
	F 712	475	475	431	22K4	7.7
	F 727	485	485	396	20K5	7.8
	F 780	520	520	516	24K4	8.0
	F 792	528	528	430	20K6	8.2
	F 804	536	536	483	22K5	8.2
	F 825	550	550	544	24K5	8.2
	F 826	551	551	390	20LH02	9.1
	F 996	664	664	664	24LH03	10.1
	F 1084	723	723	723	24LH04	11.0
	F 1240	827	827	827	24LH05	12.2
	F 1413	942	942	773	20LH06	14.5
	F 1561	1041	1041	1041	24LH06	15.1
	F 1618	1079	1079	825	20LH07	16.2
	F 1821	1214	1214	1214	24LH07	16.8
	F 1930	1287	1287	1287	24LH08	17.8
	F 1983	1322	1322	930	20LH09	19.1
	F 2139	1426	1426	1003	20LH10	21.2
	F 2491	1661	1661	1618	24LH09	23.0
	F 2676	1784	1784	1716	24LH10	24.6
	F 2922	1948	1948	1796	24LH11	26.1
	F 3352	2235	2235	2235	24LH12	30.0
	F 4032	2688	2688	2688	24LH13	34.3
	F 4404	2936	2936	2936	24LH14	36.8
25	F 270	180	150	100	14K1	5.3
	F 351	234	225	150	16K2	5.9
	F 441	294	294	214	18K3	5.9
	F 493	329	329	266	20K3	6.0
	F 532	355	355	250	18K4	6.6
	F 594	396	396	312	20K4	6.8
	F 600	400	400	281	18K5	7.4
	F 669	446	446	350	20K5	7.5
	F 718	479	479	456	24K4	7.6
	F 729	486	486	380	20K6	8.0
	F 739	493	493	427	22K5	8.0
	F 810	540	540	511	24K5	8.4
	F 825	550	550	520	24K6	8.4
	F 939	626	626	598	24LH03	10.4



Economical Load Tables

Table of Contents

General Joist Information

Economical Design Guide

Top Chord Ext., K-Series

Joist Substitutes and Outriggers

KCS Joists

Joist Minimum Shear

Standard LRFD Load Tables

Standard ASD Load Tables

Load/Load and SP Designations

Joist Girder Weight Tables

Codes and Standards

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
25 (cont.)	F 1021	681	681	681	24LH04	10.9
	F 1168	779	779	779	24LH05	12.0
	F 1471	981	981	981	24LH06	15.0
	F 1710	1140	1140	1140	24LH07	16.6
	F 1812	1208	1208	1208	24LH08	17.2
	F 1851	1234	1231	821	20LH09	19.1
	F 1998	1332	1329	886	20LH10	21.0
	F 2332	1555	1555	1429	24LH09	21.9
	F 2505	1670	1670	1515	24LH10	23.9
	F 2736	1824	1824	1587	24LH11	25.6
	F 3139	2093	2093	2093	24LH12	29.9
	F 3181	2121	2121	1646	20LH13	34.0
	F 3766	2511	2511	2445	24LH13	34.7
	F 4114	2743	2743	2660	24LH14	37.4
	F 4458	2972	2972	2893	24LH15	42.5
26	F 249	166	132	88	14K1	5.1
	F 408	272	272	190	18K3	5.9
	F 456	304	304	236	20K3	5.9
	F 492	328	328	222	18K4	6.6
	F 549	366	366	277	20K4	6.7
	F 606	404	404	338	22K4	6.9
	F 618	412	412	310	20K5	7.5
	F 682	455	455	379	22K5	7.6
	F 744	496	496	411	22K6	8.2
	F 748	499	499	453	24K5	8.3
	F 750	500	500	373	20K7	8.7
	F 825	550	550	454	22K7	8.7
	F 885	590	590	530	24LH03	10.2
	F 963	642	642	642	24LH04	10.6
	F 1102	735	735	695	24LH05	11.9
	F 1387	925	925	925	24LH06	14.8
	F 1608	1072	1072	1020	24LH07	16.3
	F 1704	1136	1136	1083	24LH08	17.1
	F 2187	1458	1458	1268	24LH09	21.6
	F 2347	1565	1565	1345	24LH10	23.6
	F 2565	1710	1710	1408	24LH11	25.1
	F 2943	1962	1962	1864	24LH12	29.8
	F 3525	2350	2350	2171	24LH13	34.6
	F 3850	2567	2567	2361	24LH14	37.1
	F 4173	2782	2782	2568	24LH15	40.2
27	F 300	200	178	119	16K2	5.6
	F 378	252	252	169	18K3	5.9
	F 421	281	281	211	20K3	5.9
	F 508	339	339	247	20K4	6.7
	F 573	382	382	277	20K5	7.4
	F 615	410	410	361	24K4	7.4
	F 633	422	422	337	22K5	7.6
	F 688	459	459	367	22K6	8.0
	F 693	462	462	404	24K5	8.1
	F 694	463	463	333	20K7	8.7
	F 754	503	503	439	24K6	8.7

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
27 (cont.)	F 768	512	512	406	22K7	8.8
	F 820	547	547	519	26K6	8.9
	F 825	550	550	550	28K6	9.0
	F 835	557	557	473	24LH03	10.1
	F 909	606	606	580	24LH04	10.5
	F 913	609	609	437	20LH05	11.5
	F 1041	694	694	620	24LH05	11.9
	F 1311	874	874	827	24LH06	14.6
	F 1513	1009	1009	910	24LH07	16.3
	F 1603	1069	1069	966	24LH08	17.8
	F 2053	1369	1369	1131	24LH09	22.2
	F 2203	1469	1469	1199	24LH10	23.9
	F 2410	1607	1607	1256	24LH11	25.9
	F 2764	1843	1843	1662	24LH12	29.7
	F 3304	2203	2203	1935	24LH13	34.5
	F 3610	2407	2407	2105	24LH14	38.2
	F 3912	2608	2608	2290	24LH15	41.5
	F 4269	2846	2846	1930	20LH17	50.8
	F 4374	2916	2608	1739	18LH18	57.9
28	F 214	143	105	70	14K1	5.2
	F 351	234	226	151	18K3	5.8
	F 391	261	261	189	20K3	6.0
	F 423	282	265	177	18K4	6.6
	F 472	315	315	221	20K4	6.8
	F 522	348	348	270	22K4	7.0
	F 571	381	381	323	24K4	7.1
	F 588	392	392	302	22K5	7.7
	F 643	429	429	362	24K5	8.0
	F 645	430	430	298	20K7	8.6
	F 700	467	467	393	24K6	8.5
	F 712	475	475	364	22K7	9.0
	F 762	508	508	464	26K6	9.0
	F 825	550	550	501	26K7	9.5
	F 859	573	573	519	24LH04	10.5
	F 984	656	656	555	24LH05	12.0
	F 1240	827	827	741	24LH06	14.6
	F 1422	948	948	814	24LH07	16.1
	F 1554	1036	1036	1036	28LH08	16.7
	F 1932	1288	1288	1013	24LH09	21.7
	F 2013	1342	1342	1342	28LH09	21.8
	F 2157	1438	1438	1438	28LH10	23.2
	F 2266	1511	1511	1124	24LH11	25.7
	F 2355	1570	1570	1570	28LH11	25.7
	F 2601	1734	1734	1488	24LH12	29.1
	F 2758	1839	1839	1839	28LH12	28.9
	F 3051	2034	2034	1944	28LH13	31.5
	F 3103	2069	2069	1733	24LH13	34.1
	F 3390	2260	2260	1885	24LH14	37.6
	F 3688	2459	2459	2459	28LH14	37.7
	F 3997	2665	2665	2665	28LH15	41.5
	F 4252	2835	2835	2263	24LH16	45.2



Economical Load Tables

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
29	F 327	218	204	136	18K3	5.8
	F 364	243	243	170	20K3	5.9
	F 394	263	238	159	18K4	6.6
	F 439	293	293	199	20K4	6.7
	F 486	324	324	242	22K4	6.8
	F 531	354	354	290	24K4	7.0
	F 547	365	365	272	22K5	7.5
	F 600	400	400	325	24K5	7.7
	F 651	434	434	384	26K5	8.1
	F 652	435	435	354	24K6	8.3
	F 664	443	443	327	22K7	8.7
	F 709	473	473	417	26K6	8.6
	F 727	485	485	392	24K7	8.9
	F 766	511	511	486	28K6	9.4
	F 804	536	536	429	24K8	9.9
	F 825	550	550	550	30K7	9.6
	F 931	621	621	499	24LH05	12.0
	F 1173	782	782	666	24LH06	14.8
	F 1342	895	895	732	24LH07	16.0
	F 1380	920	920	920	28LH07	16.5
	F 1474	983	983	983	28LH08	16.6
	F 1824	1216	1216	910	24LH09	21.3
	F 1906	1271	1271	1271	28LH09	21.0
	F 2043	1362	1362	1362	28LH10	23.2
	F 2230	1487	1487	1487	28LH11	24.6
	F 2449	1633	1633	1338	24LH12	28.4
	F 2611	1741	1741	1674	28LH12	28.9
	F 2883	1922	1922	1747	28LH13	31.3
	F 2919	1946	1946	1558	24LH13	34.7
	F 3189	2126	2126	1695	24LH14	37.3
	F 3486	2324	2324	2324	28LH14	37.3
	F 3777	2518	2518	2518	28LH15	42.1
	F 3961	2641	2641	2035	24LH16	45.0
	F 4443	2962	2962	2839	28LH16	48.3
30	F 304	203	184	123	18K3	5.6
	F 340	227	227	153	20K3	5.9
	F 367	245	216	144	18K4	6.6
	F 411	274	268	179	20K4	6.7
	F 453	302	302	219	22K4	6.7
	F 496	331	331	262	24K4	6.9
	F 511	341	341	245	22K5	7.4
	F 559	373	373	293	24K5	7.5
	F 607	405	405	346	26K5	7.7
	F 609	406	406	319	24K6	8.0
	F 661	441	441	377	26K6	8.4
	F 679	453	453	353	24K7	8.8
	F 715	477	477	439	28K6	8.7
	F 738	492	492	417	26K7	9.2
	F 750	500	500	387	24K8	9.8
	F 796	531	531	486	28K7	10.0
	F 825	550	550	543	30K7	9.9

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
30 (cont.)	F 882	588	588	450	24LH05	11.8
	F 1111	741	741	601	24LH06	14.7
	F 1132	755	755	755	28LH06	14.8
	F 1272	848	848	661	24LH07	16.3
	F 1311	874	874	874	28LH07	16.4
	F 1401	934	934	934	28LH08	16.5
	F 1806	1204	1204	1186	28LH09	20.8
	F 1936	1291	1291	1291	28LH10	22.8
	F 2113	1409	1409	1380	28LH11	24.3
	F 2476	1651	1651	1510	28LH12	28.7
	F 2727	1818	1818	1576	28LH13	31.4
	F 2749	1833	1833	1406	24LH13	34.2
	F 3003	2002	2002	1529	24LH14	37.2
	F 3298	2199	2199	2130	28LH14	37.2
	F 3574	2383	2383	2317	28LH15	39.8
	F 3699	2466	2466	1836	24LH16	44.6
	F 4197	2798	2798	2561	28LH16	51.7
	F 4228	2819	2819	2094	24LH17	51.5
	F 4447	2965	2638	1759	20LH19	64.5
31	F 318	212	207	138	20K3	5.8
	F 384	256	243	162	20K4	6.6
	F 424	283	283	198	22K4	6.7
	F 465	310	310	237	24K4	6.8
	F 478	319	319	222	22K5	7.4
	F 523	349	349	266	24K5	7.5
	F 568	379	379	314	26K5	7.7
	F 570	380	380	289	24K6	8.0
	F 619	413	413	341	26K6	8.3
	F 636	424	424	320	24K7	8.7
	F 669	446	446	397	28K6	8.6
	F 690	460	460	378	26K7	8.8
	F 702	468	468	350	24K8	9.5
	F 745	497	497	440	28K7	9.5
	F 763	509	509	413	26K8	9.9
	F 801	534	534	508	30K7	10.2
	F 825	550	550	480	28K8	10.5
	F 832	555	555	408	24LH05	11.7
	F 1054	703	703	544	24LH06	14.4
	F 1080	720	720	720	28LH06	14.5
	F 1200	800	800	598	24LH07	16.8
	F 1246	831	831	818	28LH07	16.3
	F 1333	889	889	873	28LH08	16.4
	F 1341	894	817	545	20LH10	20.7
	F 1714	1143	1143	1074	28LH09	20.6
	F 1837	1225	1225	1169	28LH10	22.4
	F 2005	1337	1337	1249	28LH11	25.0
	F 2349	1566	1566	1367	28LH12	28.3
	F 2583	1722	1722	1427	28LH13	31.1
	F 2593	1729	1729	1272	24LH13	34.4
	F 3124	2083	2083	1928	28LH14	36.7
	F 3385	2257	2257	2098	28LH15	39.6



Economical Load Tables

Table of Contents

General Joist Information

Economical Design Guide

Top Chord Ext., K-Series

Joist Substitutes and Outriggers

KCS Joists

Joist Minimum Shear

Standard LRFD Load Tables

Standard ASD Load Tables

Load/Load and SP Designations

Joist Girder Weight Tables

Codes and Standards

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
31 (cont.)	F 3462	2308	2308	1662	24LH16	44.8
	F 3970	2647	2647	2319	28LH16	51.4
	F 4162	2775	2388	1592	20LH19	64.0
32	F 267	178	151	101	18K3	5.7
	F 298	199	189	126	20K3	5.7
	F 397	265	265	180	22K4	6.7
	F 435	290	290	215	24K4	6.8
	F 448	299	299	201	22K5	7.4
	F 490	327	327	241	24K5	7.5
	F 534	356	356	285	26K5	7.6
	F 535	357	357	262	24K6	8.0
	F 580	387	387	309	26K6	8.1
	F 595	397	397	290	24K7	8.7
	F 648	432	432	343	26K7	8.9
	F 658	439	439	318	24K8	9.5
	F 715	477	477	375	26K8	9.7
	F 751	501	501	461	30K7	9.8
	F 778	519	519	407	26K9	10.9
	F 823	549	549	431	26K10	11.1
	F 1000	667	667	494	24LH06	14.8
	F 1030	687	687	658	28LH06	14.4
	F 1122	748	748	543	24LH07	16.4
	F 1186	791	791	743	28LH07	16.2
	F 1269	846	846	793	28LH08	16.3
	F 1297	865	765	510	20LH10	21.7
	F 1627	1085	1085	975	28LH09	21.2
	F 1648	1099	1099	1099	32LH09	21.0
	F 1744	1163	1163	1062	28LH10	23.2
	F 1776	1184	1184	1184	32LH10	22.0
	F 1944	1296	1296	1296	32LH11	23.6
	F 2232	1488	1488	1242	28LH12	28.1
	F 2283	1522	1522	1522	32LH12	27.8
	F 2449	1633	1633	1296	28LH13	31.7
	F 2683	1789	1789	1789	32LH13	31.6
	F 2874	1916	1916	1916	32LH14	33.6
	F 2962	1975	1975	1751	28LH14	36.9
	F 3075	2050	2050	2050	32LH15	39.1
	F 3210	2140	2140	1905	28LH15	40.3
	F 3760	2507	2507	2106	28LH16	45.1
	F 4036	2691	2691	2691	32LH16	50.8
	F 4332	2888	2888	2406	28LH17	53.5
33	F 252	168	138	92	18K3	5.6
	F 280	187	171	114	20K3	5.7
	F 339	226	201	134	20K4	6.3
	F 373	249	246	164	22K4	6.5
	F 409	273	273	196	24K4	6.8
	F 421	281	274	183	22K5	7.0
	F 462	308	308	220	24K5	7.5
	F 501	334	334	259	26K5	7.9
	F 502	335	335	239	24K6	7.8
	F 546	364	364	282	26K6	8.4

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
33 (cont.)	F 559	373	373	265	24K7	8.7
	F 589	393	393	329	28K6	8.7
	F 609	406	406	312	26K7	9.0
	F 657	438	438	364	28K7	9.4
	F 706	471	471	420	30K7	9.6
	F 726	484	484	399	28K8	10.0
	F 732	488	488	370	26K9	10.8
	F 780	520	520	460	30K8	10.4
	F 798	532	532	468	30K9	11.1
	F 943	629	629	629	32LH06	13.4
	F 952	635	635	450	24LH06	15.0
	F 1059	706	706	495	24LH07	16.3
	F 1129	753	753	677	28LH07	16.0
	F 1209	806	806	722	28LH08	16.2
	F 1548	1032	1032	888	28LH09	20.7
	F 1573	1049	1049	1049	32LH09	21.0
	F 1696	1131	1131	1131	32LH10	21.2
	F 1857	1238	1238	1238	32LH11	23.3
	F 2121	1414	1414	1131	28LH12	28.2
	F 2179	1453	1453	1453	32LH12	27.2
	F 2325	1550	1550	1181	28LH13	31.0
	F 2557	1705	1705	1705	32LH13	31.3
	F 2740	1827	1827	1827	32LH14	34.5
	F 2931	1954	1954	1870	32LH15	36.3
	F 3048	2032	2032	1735	28LH15	39.4
	F 3565	2377	2377	1918	28LH16	45.0
	F 3841	2561	2561	2553	32LH16	50.6
	F 4107	2738	2738	2192	28LH17	52.8
	F 4426	2951	2951	2920	32LH17	58.5
34	F 237	158	126	84	18K3	5.6
	F 264	176	157	105	20K3	5.7
	F 285	190	147	98	18K4	6.3
	F 318	212	183	122	20K4	6.4
	F 352	235	223	149	22K4	6.5
	F 385	257	257	179	24K4	6.5
	F 397	265	250	167	22K5	7.0
	F 435	290	290	201	24K5	7.5
	F 472	315	315	237	26K5	7.6
	F 514	343	343	257	26K6	7.8
	F 555	370	370	300	28K6	8.4
	F 573	382	382	285	26K7	8.8
	F 618	412	412	333	28K7	9.1
	F 664	443	443	384	30K7	9.5
	F 684	456	456	364	28K8	10.2
	F 735	490	490	420	30K8	10.3
	F 744	496	496	395	28K9	11.2
	F 774	516	516	378	26K10	11.6
	F 907	605	605	605	32LH06	13.3
	F 940	627	627	548	28LH06	14.7
	F 997	665	665	452	24LH07	16.3
	F 1060	707	707	480	24LH08	16.5



Economical Load Tables

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
34 (cont.)	F 1077	718	718	618	28LH07	16.3
	F 1152	768	768	660	28LH08	16.4
	F 1248	832	832	562	24LH09	20.2
	F 1323	882	882	596	24LH10	20.6
	F 1473	982	982	811	28LH09	21.0
	F 1504	1003	1003	1003	32LH09	20.8
	F 1620	1080	1080	1080	32LH10	21.0
	F 1774	1183	1183	1183	32LH11	23.1
	F 2082	1388	1388	1388	32LH12	26.7
	F 2211	1474	1474	1079	28LH13	30.8
	F 2440	1627	1627	1605	32LH13	31.4
	F 2613	1742	1742	1653	32LH14	34.7
	F 2796	1864	1864	1708	32LH15	36.0
	F 2896	1931	1931	1585	28LH15	40.2
	F 3385	2257	2257	1752	28LH16	44.8
	F 3660	2440	2440	2332	32LH16	50.4
	F 3888	2592	2592	2002	28LH17	52.5
	F 4218	2812	2812	2668	32LH17	58.7
	F 4404	2936	2936	2286	28LH18	60.9
35	F 249	166	144	96	20K3	5.6
	F 300	200	168	112	20K4	6.4
	F 331	221	205	137	22K4	6.4
	F 363	242	242	164	24K4	6.5
	F 373	249	229	153	22K5	7.1
	F 409	273	273	184	24K5	7.1
	F 445	297	297	217	26K5	7.5
	F 484	323	323	236	26K6	7.8
	F 523	349	349	275	28K6	7.9
	F 540	360	360	261	26K7	8.7
	F 583	389	389	305	28K7	8.9
	F 627	418	418	351	30K7	9.3
	F 645	430	430	333	28K8	10.4
	F 693	462	462	384	30K8	10.6
	F 702	468	468	361	28K9	11.5
	F 751	501	501	389	28K10	11.5
	F 871	581	581	581	32LH06	13.3
	F 900	600	600	502	28LH06	14.7
	F 976	651	651	651	32LH07	14.9
	F 1015	677	670	447	24LH08	16.5
	F 1027	685	685	566	28LH07	16.2
	F 1099	733	733	604	28LH08	16.3
	F 1212	808	795	530	24LH09	20.4
	F 1402	935	935	743	28LH09	21.1
	F 1438	959	959	938	32LH09	20.5
	F 1549	1033	1033	1033	32LH10	21.5
	F 1696	1131	1131	1131	32LH11	22.7
	F 1923	1282	1282	946	28LH12	27.3
	F 1992	1328	1328	1323	32LH12	28.4
	F 2103	1402	1402	988	28LH13	30.7
	F 2329	1553	1553	1470	32LH13	31.1
	F 2494	1663	1663	1514	32LH14	34.1

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
35 (cont.)	F 2668	1779	1779	1564	32LH15	36.1
	F 2755	1837	1837	1452	28LH15	39.2
	F 3205	2137	2137	1605	28LH16	44.5
	F 3667	2445	2445	1834	28LH17	52.0
	F 4021	2681	2681	2443	32LH17	58.5
	F 4186	2791	2791	2094	28LH18	60.7
	F 211	141	105	70	18K3	5.6
36	F 235	157	132	88	20K3	5.7
	F 313	209	189	126	22K4	6.4
	F 343	229	225	150	24K4	6.5
	F 354	236	211	141	22K5	7.0
	F 387	258	253	169	24K5	7.1
	F 420	280	280	199	26K5	7.2
	F 421	281	274	183	24K6	7.7
	F 457	305	305	216	26K6	7.8
	F 495	330	330	252	28K6	8.0
	F 510	340	340	240	26K7	8.4
	F 550	367	367	280	28K7	8.8
	F 592	395	395	323	30K7	9.3
	F 609	406	406	306	28K8	9.7
	F 613	409	409	284	26K9	10.2
	F 654	436	436	353	30K8	10.3
	F 663	442	442	332	28K9	11.3
	F 712	475	475	383	30K9	11.5
	F 730	487	487	392	30K10	11.6
	F 838	559	559	559	32LH06	13.6
	F 873	582	582	582	36LH07	13.6
	F 939	626	626	626	32LH07	14.7
	F 981	654	654	520	28LH07	16.2
	F 1002	668	668	668	36LH08	15.2
	F 1050	700	700	555	28LH08	16.8
	F 1177	785	751	501	24LH09	20.4
	F 1276	851	851	851	36LH09	18.4
	F 1338	892	892	682	28LH09	21.2
	F 1375	917	917	861	32LH09	20.7
	F 1483	989	989	950	32LH10	21.3
	F 1509	1006	1006	1006	36LH10	21.1
	F 1623	1082	1082	1040	32LH11	23.2
	F 1834	1223	1223	869	28LH12	28.2
	F 1906	1271	1271	1215	32LH12	28.2
	F 1909	1273	1273	1273	36LH12	27.4
	F 2002	1335	1335	907	28LH13	30.7
	F 2226	1484	1484	1350	32LH13	30.8
	F 2299	1533	1533	1533	36LH13	31.2
	F 2383	1589	1589	1391	32LH14	33.7
	F 2533	1689	1689	1689	36LH14	33.4
	F 2550	1700	1700	1437	32LH15	37.0
	F 2742	1828	1828	1828	36LH15	36.5
	F 3330	2220	2220	1961	32LH16	45.4
	F 3511	2341	2341	2341	36LH16	50.5
	F 3837	2558	2558	2244	32LH17	53.6



Economical Load Tables

Table of Contents

General Joist Information

Economical Design Guide

Top Chord Ext., K-Series

Joist Substitutes and Outriggers

KCS Joists

Joist Minimum Shear

Standard LRFD Load Tables

Standard ASD Load Tables

Load/Load and SP Designations

Joist Girder Weight Tables

Codes and Standards

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
36 (cont.)	F 4048	2699	2699	2699	36LH17	56.2
	F 4335	2890	2890	2563	32LH18	62.8
	F 4492	2995	2995	2127	28LH19	65.7
37	F 222	148	121	81	20K3	5.7
	F 268	179	142	95	20K4	6.4
	F 297	198	174	116	22K4	6.4
	F 324	216	207	138	24K4	6.6
	F 334	223	195	130	22K5	7.1
	F 397	265	265	183	26K5	7.5
	F 433	289	289	199	26K6	7.7
	F 468	312	312	232	28K6	8.1
	F 483	322	322	221	26K7	8.7
	F 522	348	348	257	28K7	8.9
	F 559	373	373	297	30K7	9.0
	F 576	384	384	282	28K8	9.6
	F 619	413	413	325	30K8	10.1
	F 627	418	418	305	28K9	11.0
	F 673	449	449	352	30K9	11.4
	F 711	474	474	374	30K10	11.6
	F 805	537	537	524	32LH06	13.4
	F 843	562	562	562	36LH07	13.6
	F 882	588	550	367	24LH07	16.2
	F 937	625	625	478	28LH07	16.1
	F 966	644	644	644	36LH08	15.1
	F 1005	670	670	634	32LH08	16.1
	F 1230	820	820	820	36LH09	18.4
	F 1276	851	851	628	28LH09	21.0
	F 1317	878	878	793	32LH09	20.5
	F 1420	947	947	875	32LH10	21.0
	F 1450	967	967	967	36LH10	21.2
	F 1554	1036	1036	957	32LH11	23.3
	F 1749	1166	1166	800	28LH12	28.2
	F 1825	1217	1217	1118	32LH12	28.2
	F 1836	1224	1224	1224	36LH12	27.2
	F 1908	1272	1252	835	28LH13	30.6
	F 2128	1419	1419	1243	32LH13	30.7
	F 2206	1471	1471	1471	36LH13	31.6
	F 2278	1519	1519	1280	32LH14	33.7
	F 2431	1621	1621	1621	36LH14	33.5
	F 2439	1626	1626	1322	32LH15	36.7
	F 2631	1754	1754	1754	36LH15	39.8
	F 3180	2120	2120	1805	32LH16	45.1
	F 3664	2443	2443	2065	32LH17	53.6
	F 3879	2586	2586	2586	36LH17	58.8
	F 4381	2921	2921	2921	36LH18	59.9
	F 4473	2982	2593	1729	24LH20	90.3
38	F 211	141	111	74	20K3	5.7
	F 255	170	130	87	20K4	6.4
	F 280	187	160	107	22K4	6.4
	F 307	205	192	128	24K4	6.5
	F 316	211	178	119	22K5	7.1

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
38 (cont.)	F 346	231	214	143	24K5	7.2
	F 376	251	251	169	26K5	7.3
	F 378	252	234	156	24K6	7.7
	F 411	274	274	184	26K6	7.8
	F 444	296	296	214	28K6	8.0
	F 457	305	305	204	26K7	8.4
	F 493	329	329	237	28K7	9.1
	F 531	354	354	274	30K7	9.3
	F 546	364	364	260	28K8	9.9
	F 550	367	361	241	26K9	9.9
	F 586	391	391	300	30K8	10.1
	F 594	396	396	282	28K9	10.3
	F 639	426	426	325	30K9	11.5
	F 691	461	461	353	30K10	11.6
	F 775	517	517	484	32LH06	13.4
	F 814	543	543	543	36LH07	13.5
	F 847	565	514	343	24LH07	16.3
	F 897	598	598	441	28LH07	16.0
	F 930	620	620	620	36LH08	14.9
	F 960	640	640	471	28LH08	16.8
	F 964	643	643	585	32LH08	16.4
	F 1170	780	780	780	36LH09	18.2
	F 1263	842	842	731	32LH09	20.0
	F 1393	929	929	929	36LH10	20.7
	F 1474	983	983	983	36LH11	22.4
	F 1489	993	993	883	32LH11	23.4
	F 1749	1166	1166	1032	32LH12	27.3
	F 1765	1177	1177	1177	36LH12	26.8
	F 1821	1214	1155	770	28LH13	31.0
	F 2037	1358	1358	1146	32LH13	30.6
	F 2118	1412	1412	1412	36LH13	31.3
	F 2181	1454	1454	1181	32LH14	33.4
	F 2334	1556	1556	1556	36LH14	34.4
	F 2526	1684	1684	1684	36LH15	35.9
	F 2715	1810	1810	1251	28LH16	44.5
	F 3039	2026	2026	1665	32LH16	47.1
	F 3106	2071	2071	1429	28LH17	50.8
	F 3502	2335	2335	1905	32LH17	54.0
	F 3718	2479	2479	2449	36LH17	58.2
	F 3957	2638	2638	2176	32LH18	60.7
	F 4200	2800	2800	2799	36LH18	63.9
	F 4239	2826	2392	1595	24LH20	90.3
39	F 199	133	103	69	20K3	5.7
	F 241	161	121	81	20K4	6.3
	F 267	178	147	98	22K4	6.4
	F 292	195	177	118	24K4	6.5
	F 300	200	165	110	22K5	7.0
	F 328	219	198	132	24K5	7.1
	F 357	238	234	156	26K5	7.2
	F 358	239	216	144	24K6	7.7
	F 390	260	255	170	26K6	7.8



Economical Load Tables

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
39 (cont.)	F 420	280	280	198	28K6	7.8
	F 433	289	282	188	26K7	8.4
	F 469	313	313	219	28K7	8.4
	F 504	336	336	253	30K7	9.0
	F 519	346	346	240	28K8	9.6
	F 522	348	334	223	26K9	9.9
	F 556	371	371	277	30K8	9.8
	F 564	376	376	260	28K9	10.4
	F 606	404	404	300	30K9	11.2
	F 619	413	393	262	26K10	11.6
	F 673	449	449	333	30K10	12.1
	F 747	498	498	447	32LH06	13.2
	F 787	525	525	525	36LH07	13.4
	F 859	573	573	408	28LH07	15.8
	F 897	598	598	598	36LH08	14.9
	F 918	612	612	435	28LH08	16.7
	F 925	617	617	540	32LH08	16.4
	F 1143	762	762	762	36LH09	18.1
	F 1165	777	777	536	28LH09	21.0
	F 1210	807	807	676	32LH09	20.6
	F 1341	894	894	894	36LH10	20.6
	F 1419	946	946	946	36LH11	22.8
	F 1428	952	952	816	32LH11	23.5
	F 1597	1065	1023	682	28LH12	28.5
	F 1677	1118	1118	954	32LH12	27.8
	F 1698	1132	1132	1132	36LH12	26.6
	F 1740	1160	1068	712	28LH13	31.1
	F 2035	1357	1357	1357	36LH13	31.2
	F 2088	1392	1392	1091	32LH14	34.0
	F 2241	1494	1494	1494	36LH14	34.4
	F 2425	1617	1617	1592	36LH15	36.1
	F 2575	1717	1717	1157	28LH16	44.3
	F 2907	1938	1938	1539	32LH16	45.4
	F 2947	1965	1965	1321	28LH17	50.7
	F 3351	2234	2234	1761	32LH17	53.8
	F 3567	2378	2378	2264	36LH17	58.1
	F 3786	2524	2524	2012	32LH18	60.7
	F 4030	2687	2687	2587	36LH18	63.9
	F 4335	2890	2890	2230	32LH19	65.4
	F 4489	2993	2446	1631	24LH21	91.9
40	F 190	127	96	64	20K3	5.7
	F 229	153	112	75	20K4	6.4
	F 253	169	136	91	22K4	6.4
	F 277	185	163	109	24K4	6.5
	F 285	190	153	102	22K5	7.0
	F 312	208	183	122	24K5	7.1
	F 340	227	217	145	26K5	7.2
	F 370	247	235	157	26K6	7.8
	F 399	266	266	183	28K6	7.9
	F 412	275	261	174	26K7	8.4
	F 445	297	297	203	28K7	8.4

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
40 (cont.)	F 478	319	319	234	30K7	8.6
	F 492	328	328	222	28K8	9.2
	F 496	331	310	207	26K9	9.9
	F 529	353	353	256	30K8	9.8
	F 535	357	357	241	28K9	10.0
	F 576	384	384	278	30K9	10.6
	F 589	393	364	243	26K10	11.6
	F 657	438	438	315	30K10	12.0
	F 718	479	479	414	32LH06	13.2
	F 762	508	508	508	36LH07	13.3
	F 807	538	538	461	32LH07	14.7
	F 823	549	549	378	28LH07	16.0
	F 864	576	576	576	36LH08	14.8
	F 889	593	593	501	32LH08	16.2
	F 1057	705	705	705	40LH09	17.7
	F 1102	735	735	735	36LH09	18.1
	F 1114	743	743	496	28LH09	20.7
	F 1161	774	774	626	32LH09	20.4
	F 1290	860	860	839	36LH10	20.7
	F 1365	910	910	910	36LH11	22.4
	F 1369	913	913	756	32LH11	23.0
	F 1528	1019	948	632	28LH12	28.4
	F 1602	1068	1068	1068	40LH12	24.9
	F 1609	1073	1073	883	32LH12	27.5
	F 1635	1090	1090	1088	36LH12	27.5
	F 1662	1108	988	659	28LH13	30.9
	F 1956	1304	1304	1275	36LH13	30.9
	F 2001	1334	1334	1011	32LH14	33.6
	F 2154	1436	1436	1401	36LH14	34.0
	F 2220	1480	1480	1480	40LH14	33.7
	F 2331	1554	1554	1475	36LH15	36.5
	F 2482	1655	1655	1655	40LH15	40.1
	F 2970	1980	1980	1831	36LH16	46.8
	F 3208	2139	2139	1631	32LH17	53.3
	F 3424	2283	2283	2097	36LH17	54.6
	F 3565	2377	2377	2377	40LH17	56.4
	F 4027	2685	2685	2685	40LH18	59.9
	F 4144	2763	2763	2066	32LH19	64.9
	F 4479	2986	2986	2661	36LH19	66.4
41	F 241	161	127	85	22K4	6.4
	F 264	176	151	101	24K4	6.5
	F 271	181	142	95	22K5	7.0
	F 297	198	171	114	24K5	7.2
	F 322	215	201	134	26K5	7.2
	F 324	216	186	124	24K6	7.7
	F 352	235	219	146	26K6	7.8
	F 379	253	253	170	28K6	7.8
	F 393	262	243	162	26K7	8.4
	F 424	283	283	189	28K7	8.5
	F 454	303	303	217	30K7	8.5
	F 468	312	309	206	28K8	9.2



Economical Load Tables

Table of Contents

General Joist Information

Economical Design Guide

Top Chord Ext., K-Series

Joist Substitutes and Outriggers

KCS Joists

Joist Minimum Shear

Standard LRFD Load Tables

Standard ASD Load Tables

Load/Load and SP Designations

Joist Girder Weight Tables

Codes and Standards

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
41 (cont.)	F 472	315	288	192	26K9	9.8
	F 502	335	335	238	30K8	9.4
	F 510	340	336	224	28K9	9.9
	F 547	365	365	258	30K9	10.5
	F 561	374	337	225	26K10	11.6
	F 640	427	427	300	30K10	11.9
	F 693	462	462	384	32LH06	13.2
	F 699	466	466	311	28LH06	14.9
	F 777	518	518	428	32LH07	14.4
	F 789	526	526	351	28LH07	16.4
	F 855	570	570	465	32LH08	16.2
	F 1065	710	710	704	36LH09	17.8
	F 1243	829	829	778	36LH10	20.5
	F 1314	876	876	847	36LH11	22.3
	F 1315	877	877	701	32LH11	23.5
	F 1548	1032	1032	1032	40LH12	24.7
	F 1573	1049	1049	1009	36LH12	26.4
	F 1590	1060	918	612	28LH13	31.2
	F 1881	1254	1254	1183	36LH13	30.6
	F 1918	1279	1279	938	32LH14	33.4
	F 2071	1381	1381	1300	36LH14	33.7
	F 2140	1427	1427	1427	40LH14	33.1
	F 2241	1494	1494	1369	36LH15	36.4
	F 2395	1597	1597	1597	40LH15	39.6
	F 2853	1902	1902	1699	36LH16	45.2
	F 3073	2049	2049	1513	32LH17	52.6
	F 3289	2193	2193	1946	36LH17	54.4
	F 3435	2290	2290	2290	40LH17	56.0
	F 3715	2477	2477	2224	36LH18	60.7
	F 3879	2586	2586	2586	40LH18	61.9
	F 4294	2863	2863	2469	36LH19	65.8
	F 4326	2884	2673	1782	28LH20	91.4
42	F 229	153	118	79	22K4	6.4
	F 252	168	141	94	24K4	6.5
	F 259	173	132	88	22K5	7.0
	F 283	189	159	106	24K5	7.1
	F 307	205	187	125	26K5	7.2
	F 309	206	172	115	24K6	7.7
	F 336	224	204	136	26K6	7.7
	F 361	241	237	158	28K6	7.8
	F 373	249	225	150	26K7	8.4
	F 403	269	262	175	28K7	8.4
	F 433	289	289	202	30K7	8.8
	F 445	297	288	192	28K8	9.1
	F 480	320	320	221	30K8	9.7
	F 486	324	312	208	28K9	9.8
	F 522	348	348	240	30K9	10.5
	F 534	356	315	210	26K10	11.5
	F 576	384	367	245	28K10	11.8
	F 619	413	413	282	30K10	12.0
	F 625	417	417	284	30K11	12.7

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
42 (cont.)	F 667	445	445	357	32LH06	13.2
	F 672	448	433	289	28LH06	14.8
	F 748	499	499	398	32LH07	14.4
	F 757	505	489	326	28LH07	16.3
	F 823	549	549	432	32LH08	16.1
	F 1027	685	685	655	36LH09	18.5
	F 1071	714	714	540	32LH09	20.2
	F 1197	798	798	724	36LH10	21.0
	F 1266	844	844	787	36LH11	22.4
	F 1285	857	817	545	28LH12	25.7
	F 1495	997	997	997	40LH12	24.8
	F 1516	1011	1011	938	36LH12	26.2
	F 1809	1206	1206	1100	36LH13	30.6
	F 1810	1207	1207	1207	40LH13	30.1
	F 1842	1228	1228	872	32LH14	33.4
	F 1993	1329	1329	1209	36LH14	33.8
	F 2065	1377	1377	1377	40LH14	33.4
	F 2157	1438	1438	1272	36LH15	36.3
	F 2310	1540	1540	1540	40LH15	37.8
	F 2557	1705	1705	1230	32LH16	44.5
	F 2742	1828	1828	1580	36LH16	47.1
	F 2934	1956	1956	1407	32LH17	52.2
	F 3162	2108	2108	1809	36LH17	54.0
	F 3309	2206	2206	2206	40LH17	56.1
	F 3571	2381	2381	2068	36LH18	60.6
	F 3738	2492	2492	2492	40LH18	61.8
F 4122	2748	2748	2295	36LH19	65.7	
F 4368	2912	2912	2874	40LH19	74.9	
43	F 219	146	109	73	22K4	6.4
	F 240	160	132	88	24K4	6.5
	F 247	165	123	82	22K5	7.0
	F 270	180	147	98	24K5	7.1
	F 294	196	174	116	26K5	7.2
	F 319	213	189	126	26K6	7.7
	F 345	230	220	147	28K6	7.9
	F 357	238	210	140	26K7	8.4
	F 385	257	244	163	28K7	8.5
	F 414	276	276	188	30K7	8.6
	F 426	284	268	179	28K8	9.4
	F 457	305	305	206	30K8	9.4
	F 463	309	291	194	28K9	10.3
	F 498	332	332	223	30K9	10.3
	F 508	339	292	195	26K10	11.5
	F 550	367	342	228	28K10	11.8
	F 591	394	394	263	30K10	12.0
	F 610	407	378	252	28K12	13.2
	F 645	430	430	333	32LH06	13.9
	F 723	482	482	371	32LH07	14.5
F 726	484	457	305	28LH07	16.4	
F 792	528	528	402	32LH08	16.0	
F 991	661	661	610	36LH09	18.4	



Economical Load Tables

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
43 (cont.)	F 1030	687	687	503	32LH09	20.1
	F 1153	769	769	674	36LH10	20.9
	F 1191	794	794	794	40LH11	20.6
	F 1221	814	814	733	36LH11	22.9
	F 1446	964	964	964	40LH12	24.5
	F 1461	974	974	874	36LH12	26.9
	F 1747	1165	1165	1165	40LH13	29.8
	F 1768	1179	1179	812	32LH14	33.6
	F 1993	1329	1329	1329	40LH14	33.2
	F 2076	1384	1384	1185	36LH15	37.0
	F 2230	1487	1487	1487	40LH15	37.5
	F 2443	1629	1629	1146	32LH16	44.5
	F 2637	1758	1758	1471	36LH16	47.1
	F 2797	1865	1865	1310	32LH17	51.8
	F 3040	2027	2027	1685	36LH17	53.8
	F 3190	2127	2127	2106	40LH17	58.0
	F 3435	2290	2290	1926	36LH18	60.6
	F 3957	2638	2638	2138	36LH19	65.6
	F 4203	2802	2802	2677	40LH19	76.9
	F 4387	2925	2562	1708	28LH21	91.8
44	F 208	139	102	68	22K4	6.4
	F 229	153	123	82	24K4	6.4
	F 235	157	114	76	22K5	7.0
	F 258	172	138	92	24K5	7.0
	F 280	187	162	108	26K5	7.1
	F 306	204	177	118	26K6	7.7
	F 330	220	205	137	28K6	7.8
	F 340	227	196	131	26K7	8.4
	F 367	245	228	152	28K7	8.5
	F 394	263	263	176	30K7	8.6
	F 406	271	250	167	28K8	9.1
	F 436	291	288	192	30K8	9.3
	F 442	295	271	181	28K9	10.2
	F 475	317	312	208	30K9	10.3
	F 486	324	273	182	26K10	11.3
	F 525	350	318	212	28K10	11.7
	F 564	376	367	245	30K10	12.0
	F 597	398	387	258	30K11	13.2
	F 621	414	414	310	32LH06	13.8
	F 667	445	445	408	36LH07	14.0
	F 697	465	465	346	32LH07	15.2
	F 763	509	509	375	32LH08	16.0
	F 958	639	639	569	36LH09	18.8
	F 990	660	660	469	32LH09	20.1
	F 1113	742	742	629	36LH10	20.8
	F 1150	767	767	767	40LH11	20.7
	F 1177	785	785	684	36LH11	22.6
	F 1398	932	932	932	40LH12	24.5
	F 1410	940	940	815	36LH12	26.8
	F 1687	1125	1125	1125	40LH13	29.6
	F 1699	1133	1133	758	32LH14	33.5

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
44 (cont.)	F 1926	1284	1284	1284	40LH14	32.7
	F 1999	1333	1333	1106	36LH15	37.2
	F 2154	1436	1436	1436	40LH15	38.2
	F 2199	1466	1466	1466	44LH15	39.6
	F 2332	1555	1555	1069	32LH16	44.5
	F 2595	1730	1730	1730	44LH16	48.1
	F 2671	1781	1781	1222	32LH17	51.2
	F 2893	1929	1929	1929	44LH17	54.0
	F 2925	1950	1950	1572	36LH17	55.4
	F 3078	2052	2052	1965	40LH17	57.9
	F 3582	2388	2388	2388	44LH18	61.8
	F 3802	2535	2535	1994	36LH19	65.3
	F 4224	2816	2816	2816	44LH19	71.1
	F 4350	2900	2890	1927	32LH20	85.0
45	F 219	146	114	76	24K4	6.5
	F 246	164	129	86	24K5	7.1
	F 268	179	151	101	26K5	7.1
	F 291	194	165	110	26K6	7.7
	F 315	210	192	128	28K6	7.8
	F 325	217	183	122	26K7	8.4
	F 351	234	213	142	28K7	8.5
	F 376	251	246	164	30K7	8.6
	F 388	259	234	156	28K8	9.2
	F 417	278	268	179	30K8	9.3
	F 423	282	253	169	28K9	10.2
	F 454	303	292	195	30K9	10.4
	F 465	310	255	170	26K10	11.3
	F 501	334	297	198	28K10	11.7
	F 538	359	343	229	30K10	11.9
	F 583	389	369	246	30K11	13.2
	F 600	400	400	290	32LH06	13.7
	F 646	431	431	381	36LH07	14.0
	F 667	445	400	267	28LH07	16.3
	F 673	449	449	323	32LH07	15.2
	F 735	490	490	351	32LH08	15.8
	F 901	601	601	601	40LH09	17.2
	F 927	618	618	532	36LH09	18.6
	F 954	636	636	439	32LH09	20.5
	F 1074	716	716	587	36LH10	20.5
	F 1113	742	742	742	40LH11	20.7
	F 1135	757	757	639	36LH11	22.4
	F 1353	902	902	902	40LH12	25.1
	F 1360	907	907	762	36LH12	26.6
	F 1630	1087	1087	1061	40LH13	29.5
	F 1633	1089	1062	708	32LH14	32.7
	F 1860	1240	1240	1217	40LH14	34.0
	F 1927	1285	1285	1033	36LH15	36.9
	F 2080	1387	1387	1357	40LH15	38.0
	F 2130	1420	1420	1420	44LH15	38.2
	F 2452	1635	1635	1490	40LH16	43.8
	F 2553	1702	1702	1142	32LH17	50.6



Economical Load Tables

Table of Contents

General Joist Information

Economical Design Guide

Top Chord Ext., K-Series

Joist Substitutes and Outriggers

KCS Joists

Joist Minimum Shear

Standard LRFD Load Tables

Standard ASD Load Tables

Load/Load and SP Designations

Joist Girder Weight Tables

Codes and Standards

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
45 (cont.)	F 2970	1980	1980	1836	40LH17	54.3
	F 3354	2236	2236	2099	40LH18	60.8
	F 3465	2310	2310	2310	44LH18	61.3
	F 3898	2599	2599	2333	40LH19	65.9
	F 4077	2718	2718	2718	44LH19	74.8
	F 4156	2771	2701	1801	32LH20	84.8
	F 4404	2936	2532	1688	28LH22	102.0
46	F 208	139	106	71	24K4	6.5
	F 235	157	120	80	24K5	7.1
	F 256	171	142	95	26K5	7.2
	F 301	201	180	120	28K6	7.8
	F 336	224	199	133	28K7	8.4
	F 361	241	229	153	30K7	8.6
	F 399	266	252	168	30K8	9.2
	F 405	270	237	158	28K9	10.2
	F 435	290	273	182	30K9	10.4
	F 480	320	279	186	28K10	11.7
	F 516	344	321	214	30K10	11.8
	F 570	380	354	236	30K11	13.3
	F 579	386	386	271	32LH06	13.6
	F 625	417	417	356	36LH07	14.0
	F 649	433	433	302	32LH07	15.1
	F 700	467	467	391	36LH08	15.5
	F 709	473	473	328	32LH08	16.1
	F 895	597	597	497	36LH09	18.5
	F 913	609	609	609	44LH10	17.6
	F 918	612	612	410	32LH09	20.4
	F 937	625	546	364	28LH10	22.7
	F 990	660	660	453	32LH10	21.9
	F 1027	685	685	642	40LH10	20.5
	F 1036	691	691	550	36LH10	21.6
	F 1096	731	731	598	36LH11	22.7
	F 1309	873	873	847	40LH12	24.7
	F 1312	875	875	713	36LH12	28.9
	F 1575	1050	1050	993	40LH13	29.3
	F 1797	1198	1198	1139	40LH14	33.6
	F 1858	1239	1239	967	36LH15	36.8
	F 2010	1340	1340	1270	40LH15	37.9
	F 2062	1375	1375	1375	44LH15	37.7
	F 2367	1578	1578	1394	40LH16	43.9
	F 2442	1628	1603	1069	32LH17	50.3
	F 2713	1809	1809	1374	36LH17	52.6
	F 2866	1911	1911	1718	40LH17	54.2
	F 3238	2159	2159	1964	40LH18	60.8
	F 3757	2505	2505	2183	40LH19	65.9
	F 3937	2625	2625	2625	44LH19	75.0
	F 3976	2651	2527	1685	32LH20	84.6
	F 4423	2949	2949	2174	36LH20	86.7
	F 4441	2961	2799	1866	32LH21	97.6
47	F 199	133	100	67	24K4	6.4
	F 225	150	112	75	24K5	7.1

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
47 (cont.)	F 246	164	133	89	26K5	7.1
	F 267	178	144	96	26K6	7.7
	F 288	192	168	112	28K6	7.8
	F 298	199	160	107	26K7	8.3
	F 321	214	187	125	28K7	8.5
	F 345	230	216	144	30K7	8.6
	F 355	237	204	136	28K8	9.1
	F 382	255	235	157	30K8	9.3
	F 387	258	222	148	28K9	10.0
	F 415	277	256	171	30K9	10.1
	F 426	284	223	149	26K10	11.3
	F 459	306	261	174	28K10	11.7
	F 493	329	301	201	30K10	12.0
	F 558	372	339	226	30K11	13.4
	F 559	373	373	254	32LH06	13.5
	F 606	404	404	334	36LH07	13.9
	F 628	419	419	283	32LH07	15.0
	F 678	452	452	366	36LH08	15.4
	F 684	456	456	307	32LH08	15.8
	F 805	537	537	537	44LH09	16.6
	F 846	564	564	546	40LH09	17.6
	F 867	578	578	466	36LH09	18.1
	F 888	592	592	592	44LH10	17.5
	F 900	600	513	342	28LH10	22.6
	F 1000	667	667	515	36LH10	21.5
	F 1059	706	706	560	36LH11	22.4
	F 1267	845	845	794	40LH12	25.0
	F 1449	966	966	966	44LH13	27.2
	F 1522	1015	1015	931	40LH13	30.5
	F 1719	1146	1146	1146	44LH14	32.8
	F 1792	1195	1195	906	36LH15	36.5
	F 1999	1333	1333	1333	44LH15	37.6
	F 2350	1567	1567	1567	44LH16	43.4
	F 2616	1744	1744	1287	36LH17	52.4
	F 2622	1748	1748	1748	44LH17	54.2
	F 2769	1846	1846	1610	40LH17	56.1
	F 2955	1970	1970	1472	36LH18	59.4
	F 3129	2086	2086	1840	40LH18	61.5
	F 3624	2416	2416	2046	40LH19	65.7
	F 3805	2537	2537	2504	44LH19	75.0
	F 4258	2839	2839	2038	36LH20	85.6
48	F 192	128	94	63	24K4	6.4
	F 216	144	105	70	24K5	7.1
	F 235	157	124	83	26K5	7.1
	F 256	171	135	90	26K6	7.6
	F 276	184	157	105	28K6	7.7
	F 285	190	150	100	26K7	8.3
	F 309	206	175	117	28K7	8.5
	F 331	221	202	135	30K7	8.6
	F 340	227	192	128	28K8	9.1
F 366	244	222	148	30K8	9.2	



Economical Load Tables

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
48 (cont.)	F 370	247	208	139	28K9	9.8
	F 399	266	240	160	30K9	10.1
	F 408	272	210	140	26K10	11.3
	F 441	294	244	163	28K10	11.4
	F 472	315	282	188	30K10	11.9
	F 543	362	322	215	30K11	13.3
	F 547	365	324	216	30K12	13.3
	F 588	392	392	313	36LH07	14.5
	F 607	405	399	266	32LH07	14.9
	F 655	437	437	344	36LH08	15.4
	F 660	440	432	288	32LH08	16.4
	F 783	522	522	522	44LH09	16.5
	F 820	547	547	512	40LH09	17.6
	F 838	559	559	437	36LH09	18.9
	F 864	576	576	576	44LH10	17.5
	F 967	645	645	483	36LH10	21.5
	F 1011	674	674	674	44LH11	19.8
	F 1023	682	682	526	36LH11	22.5
	F 1192	795	795	795	44LH12	23.8
	F 1227	818	818	745	40LH12	24.9
	F 1407	938	938	938	44LH13	28.1
	F 1473	982	982	873	40LH13	29.6
	F 1666	1111	1111	1111	44LH14	32.7
	F 1729	1153	1153	850	36LH15	36.3
	F 1938	1292	1292	1292	44LH15	37.9
	F 2277	1518	1518	1518	44LH16	42.8
	F 2523	1682	1682	1208	36LH17	52.0
	F 2539	1693	1693	1661	44LH17	54.1
	F 2676	1784	1784	1510	40LH17	56.3
	F 3211	2141	2141	2141	48LH18	61.3
	F 3262	2175	2175	1533	36LH19	65.2
	F 3496	2331	2331	1920	40LH19	67.2
	F 3678	2452	2452	2350	44LH19	75.0
	F 3805	2537	2537	2537	48LH19	75.2
	F 4399	2933	2933	2398	40LH20	86.2
	F 4485	2990	2793	1862	32LH22	102.5
49	F 225	150	117	78	26K5	7.1
	F 246	164	127	85	26K6	7.6
	F 265	177	148	99	28K6	7.7
	F 274	183	141	94	26K7	8.3
	F 295	197	165	110	28K7	8.5
	F 318	212	190	127	30K7	8.5
	F 327	218	180	120	28K8	9.1
	F 351	234	208	139	30K8	9.2
	F 355	237	195	130	28K9	9.9
	F 382	255	225	150	30K9	10.1
	F 391	261	196	131	26K10	11.3
	F 423	282	229	153	28K10	11.4
	F 454	303	265	177	30K10	11.8
	F 520	347	303	202	30K11	13.3
	F 535	357	310	207	30K12	13.9

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
49 (cont.)	F 570	380	380	294	36LH07	14.5
	F 586	391	375	250	32LH07	14.9
	F 634	423	423	323	36LH08	15.4
	F 637	425	406	271	32LH08	16.4
	F 796	531	531	482	40LH09	17.5
	F 811	541	541	411	36LH09	18.7
	F 840	560	560	560	44LH10	17.6
	F 934	623	623	454	36LH10	21.4
	F 982	655	655	652	44LH11	20.0
	F 988	659	659	494	36LH11	22.4
	F 1158	772	772	772	44LH12	23.6
	F 1188	792	792	700	40LH12	25.6
	F 1365	910	910	910	44LH13	27.9
	F 1401	934	934	690	36LH13	30.4
	F 1425	950	950	821	40LH13	30.4
	F 1615	1077	1077	1077	44LH14	32.6
	F 1671	1114	1114	799	36LH15	35.9
	F 1843	1229	1229	1229	48LH15	35.5
	F 1879	1253	1253	1253	44LH15	37.7
	F 2205	1470	1470	1460	44LH16	42.9
	F 2460	1640	1640	1561	44LH17	50.0
	F 2586	1724	1724	1419	40LH17	56.4
	F 3045	2030	2030	1984	44LH18	61.1
	F 3144	2096	2096	1440	36LH19	64.9
	F 3376	2251	2251	1804	40LH19	66.7
	F 3556	2371	2371	2208	44LH19	67.9
	F 3687	2458	2458	2458	48LH19	75.0
	F 4248	2832	2832	2253	40LH20	86.2
	F 4477	2985	2985	2762	44LH20	86.6
50	F 216	144	109	73	26K5	7.1
	F 235	157	120	80	26K6	7.7
	F 255	170	139	93	28K6	7.7
	F 262	175	133	89	26K7	8.3
	F 283	189	154	103	28K7	8.4
	F 304	203	178	119	30K7	8.6
	F 313	209	169	113	28K8	9.1
	F 337	225	195	130	30K8	9.2
	F 342	228	184	123	28K9	9.8
	F 367	245	211	141	30K9	9.9
	F 405	270	216	144	28K10	11.4
	F 436	291	249	166	30K10	11.9
	F 499	333	285	190	30K11	13.4
	F 507	338	316	211	32LH06	13.7
	F 525	350	277	185	28K12	14.6
	F 552	368	368	277	36LH07	14.6
	F 568	379	352	235	32LH07	14.9
	F 615	410	410	304	36LH08	15.8
	F 616	411	382	255	32LH08	16.4
	F 772	515	515	453	40LH09	17.5
	F 786	524	524	387	36LH09	18.6
	F 817	545	545	545	44LH10	17.8



Economical Load Tables

Table of Contents

General Joist Information

Economical Design Guide

Top Chord Ext., K-Series

Joist Substitutes and Outriggers

KCS Joists

Joist Minimum Shear

Standard LRFD Load Tables

Standard ASD Load Tables

Load/Load and SP Designations

Joist Girder Weight Tables

Codes and Standards

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
50 (cont.)	F 903	602	602	427	36LH10	21.1
	F 904	603	603	499	40LH10	20.5
	F 948	632	632	541	40LH11	20.6
	F 955	637	637	465	36LH11	22.5
	F 1125	750	750	750	44LH12	23.9
	F 1152	768	768	659	40LH12	25.5
	F 1354	903	903	650	36LH13	30.2
	F 1380	920	920	772	40LH13	30.6
	F 1567	1045	1045	1028	44LH14	32.8
	F 1614	1076	1076	751	36LH15	35.8
	F 1822	1215	1215	1194	44LH15	37.3
	F 2065	1377	1377	1084	40LH16	43.8
	F 2113	1409	1409	1409	48LH16	42.1
	F 2136	1424	1424	1374	44LH16	44.9
	F 2383	1589	1589	1468	44LH17	49.1
	F 2502	1668	1668	1335	40LH17	56.5
	F 2950	1967	1967	1867	44LH18	61.0
	F 3033	2022	2022	1355	36LH19	64.5
	F 3441	2294	2294	2077	44LH19	67.7
	F 3573	2382	2382	2382	48LH19	74.8
F 4102	2735	2735	2120	40LH20	85.0	
F 4332	2888	2888	2598	44LH20	86.6	
51	F 208	139	103	69	26K5	7.1
	F 226	151	112	75	26K6	7.6
	F 244	163	132	88	28K6	7.7
	F 252	168	124	83	26K7	8.3
	F 273	182	145	97	28K7	8.4
	F 292	195	168	112	30K7	8.6
	F 301	201	159	106	28K8	9.1
	F 324	216	184	123	30K8	9.2
	F 328	219	172	115	28K9	10.1
	F 352	235	199	133	30K9	10.3
	F 361	241	174	116	26K10	11.3
	F 390	260	204	136	28K10	11.4
	F 418	279	235	157	30K10	11.6
	F 480	320	268	179	30K11	13.3
	F 489	326	298	199	32LH06	13.7
	F 514	343	288	192	30K12	14.7
	F 535	357	357	261	36LH07	14.5
	F 549	366	334	223	32LH07	14.8
	F 595	397	397	286	36LH08	15.4
	F 762	508	508	364	36LH09	19.1
	F 795	530	530	530	44LH10	17.7
	F 807	538	538	538	48LH11	17.8
	F 874	583	583	403	36LH10	21.2
	F 876	584	584	470	40LH10	20.6
	F 919	613	613	509	40LH11	20.9
	F 924	616	616	438	36LH11	22.7
	F 927	618	618	578	44LH11	20.3
	F 1116	744	744	620	40LH12	25.2
F 1201	801	720	480	32LH13	30.5	

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
51 (cont.)	F 1288	859	859	845	44LH13	27.7
	F 1336	891	891	727	40LH13	30.8
	F 1441	961	961	672	36LH14	34.5
	F 1519	1013	1013	968	44LH14	32.8
	F 1524	1016	1016	834	40LH14	35.1
	F 1741	1161	1161	1161	48LH15	35.5
	F 1768	1179	1179	1125	44LH15	38.0
	F 1998	1332	1332	1021	40LH16	43.5
	F 2071	1381	1381	1294	44LH16	43.7
	F 2310	1540	1540	1383	44LH17	49.0
	F 2421	1614	1614	1258	40LH17	52.7
	F 2565	1710	1710	1150	36LH18	59.0
	F 2734	1823	1823	1438	40LH18	60.5
	F 2860	1907	1907	1758	44LH18	61.7
	F 2926	1951	1914	1276	36LH19	64.2
	F 3151	2101	2101	1598	40LH19	65.4
	F 3330	2220	2220	1957	44LH19	67.6
	F 3465	2310	2310	2310	48LH19	74.9
	F 4363	2909	2909	2909	48LH20	88.4
	F 4365	2910	2910	2213	40LH21	93.2
	F 4477	2985	2533	1689	32LH23	112.7
52	F 199	133	97	65	26K5	7.1
	F 217	145	106	71	26K6	7.6
	F 235	157	124	83	28K6	7.7
	F 243	162	118	79	26K7	8.3
	F 262	175	138	92	28K7	8.3
	F 282	188	159	106	30K7	8.5
	F 289	193	150	100	28K8	9.1
	F 312	208	174	116	30K8	9.2
	F 315	210	163	109	28K9	10.1
	F 339	226	189	126	30K9	10.3
	F 346	231	165	110	26K10	11.3
	F 375	250	192	128	28K10	11.4
	F 402	268	222	148	30K10	11.5
	F 462	308	253	169	30K11	13.3
	F 472	315	283	189	32LH06	13.5
	F 504	336	276	184	30K12	14.7
	F 520	347	347	246	36LH07	14.5
	F 529	353	316	211	32LH07	14.8
	F 576	384	384	270	36LH08	15.3
	F 729	486	486	402	40LH09	18.0
	F 738	492	492	343	36LH09	19.1
	F 774	516	516	504	44LH10	17.6
	F 787	525	525	525	48LH11	17.7
	F 846	564	564	380	36LH10	20.9
	F 849	566	566	443	40LH10	20.4
	F 891	594	594	480	40LH11	20.8
	F 895	597	597	413	36LH11	22.7
	F 900	600	600	545	44LH11	21.0
	F 1083	722	722	585	40LH12	25.1
	F 1219	813	813	813	48LH13	26.4



Economical Load Tables

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
52 (cont.)	F 1294	863	863	686	40LH13	30.6
	F 1395	930	930	634	36LH14	33.7
	F 1476	984	984	913	44LH14	32.6
	F 1477	985	985	985	48LH14	31.8
	F 1509	1006	1000	667	36LH15	36.8
	F 1651	1101	1101	877	40LH15	37.6
	F 1693	1129	1129	1129	48LH15	36.3
	F 1717	1145	1145	1061	44LH15	37.8
	F 1935	1290	1290	963	40LH16	43.4
	F 1995	1330	1330	1330	48LH16	41.8
	F 2008	1339	1339	1220	44LH16	45.4
	F 2239	1493	1493	1304	44LH17	50.7
	F 2343	1562	1562	1186	40LH17	51.9
	F 2647	1765	1765	1356	40LH18	60.1
	F 2773	1849	1849	1658	44LH18	61.5
	F 3046	2031	2031	1507	40LH19	65.3
	F 3225	2150	2150	1845	44LH19	67.4
	F 3360	2240	2240	2217	48LH19	74.9
	F 4060	2707	2707	2308	44LH20	86.2
	F 4231	2821	2821	2776	48LH20	90.5
	F 4470	2980	2980	2559	44LH21	92.4
53	F 226	151	117	78	28K6	7.7
	F 252	168	130	87	28K7	8.3
	F 271	181	150	100	30K7	8.5
	F 279	186	142	95	28K8	9.1
	F 300	200	163	109	30K8	9.2
	F 304	203	154	103	28K9	10.2
	F 327	218	178	119	30K9	10.2
	F 360	240	181	121	28K10	11.4
	F 387	258	210	140	30K10	11.5
	F 444	296	238	159	30K11	13.3
	F 456	304	268	179	32LH06	13.4
	F 495	330	265	177	30K12	14.7
	F 505	337	337	232	36LH07	14.5
	F 511	341	300	200	32LH07	14.8
	F 559	373	373	255	36LH08	15.3
	F 708	472	472	380	40LH09	17.9
	F 715	477	477	324	36LH09	19.0
	F 753	502	502	476	44LH10	17.9
	F 768	512	512	512	48LH11	17.5
	F 819	546	537	358	36LH10	20.9
	F 823	549	549	419	40LH10	20.4
	F 867	578	578	390	36LH11	22.5
	F 874	583	583	514	44LH11	20.9
	F 1050	700	700	552	40LH12	24.9
	F 1188	792	792	792	48LH13	26.2
	F 1254	836	836	647	40LH13	30.5
	F 1335	890	890	599	36LH14	33.9
	F 1432	955	955	862	44LH14	32.5
	F 1437	958	958	958	48LH14	31.6
	F 1459	973	945	630	36LH15	36.8

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
53 (cont.)	F 1600	1067	1067	828	40LH15	37.4
	F 1648	1099	1099	1099	48LH15	36.2
	F 1666	1111	1111	1002	44LH15	38.5
	F 1873	1249	1249	909	40LH16	43.4
	F 1948	1299	1299	1152	44LH16	46.7
	F 2175	1450	1450	1450	48LH17	48.9
	F 2269	1513	1513	1120	40LH17	51.6
	F 2776	1851	1851	1851	48LH18	58.9
	F 3259	2173	2173	2093	48LH19	65.5
	F 3933	2622	2622	2179	44LH20	86.1
	F 4105	2737	2737	2621	48LH20	86.9
	F 4330	2887	2887	2416	44LH21	92.3
	F 4381	2921	2442	1628	32LH24	123.4
	F 217	145	111	74	28K6	7.7
54	F 243	162	123	82	28K7	8.3
	F 261	174	141	94	30K7	8.4
	F 268	179	133	89	28K8	9.1
	F 288	192	154	103	30K8	9.3
	F 292	195	145	97	28K9	10.1
	F 313	209	168	112	30K9	10.2
	F 348	232	171	114	28K10	11.3
	F 373	249	198	132	30K10	11.5
	F 427	285	225	150	30K11	13.3
	F 441	294	253	169	32LH06	13.4
	F 451	301	220	147	28K12	14.6
	F 486	324	255	170	30K12	14.8
	F 490	327	327	220	36LH07	14.4
	F 493	329	283	189	32LH07	14.8
	F 541	361	361	241	36LH08	15.2
	F 687	458	458	359	40LH09	18.3
	F 693	462	459	306	36LH09	19.4
	F 733	489	489	450	44LH10	17.7
	F 790	527	508	339	36LH10	20.7
	F 799	533	533	396	40LH10	20.3
	F 838	559	559	429	40LH11	20.9
	F 850	567	567	486	44LH11	20.8
	F 1018	679	679	522	40LH12	25.0
	F 1216	811	811	612	40LH13	30.3
	F 1306	871	849	566	36LH14	33.5
	F 1390	927	927	815	44LH14	32.3
	F 1398	932	932	932	48LH14	32.7
	F 1413	942	894	596	36LH15	37.0
	F 1552	1035	1035	782	40LH15	37.7
	F 1603	1069	1069	1069	48LH15	36.3
	F 1618	1079	1079	947	44LH15	38.6
	F 1815	1210	1210	859	40LH16	43.1
	F 1890	1260	1260	1089	44LH16	44.2
	F 2113	1409	1409	1399	48LH17	47.8
	F 2197	1465	1465	1058	40LH17	51.3
	F 2698	1799	1799	1776	48LH18	59.7
	F 2851	1901	1901	1345	40LH19	64.8



Economical Load Tables

Table of Contents

General Joist Information

Economical Design Guide

Top Chord Ext., K-Series

Joist Substitutes and Outriggers

KCS Joists

Joist Minimum Shear

Standard LRFD Load Tables

Standard ASD Load Tables

Load/Load and SP Designations

Joist Girder Weight Tables

Codes and Standards

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
54 (cont.)	F 3163	2109	2109	1978	48LH19	67.6
	F 3811	2541	2541	2059	44LH20	85.1
	F 3984	2656	2656	2477	48LH20	86.7
	F 4387	2925	2925	2747	48LH21	87.7
	F 4465	2977	2757	1838	36LH23	113.2
55	F 210	140	105	70	28K6	7.7
	F 234	156	115	77	28K7	8.3
	F 252	168	133	89	30K7	8.5
	F 259	173	127	85	28K8	9.2
	F 277	185	147	98	30K8	9.2
	F 282	188	138	92	28K9	9.9
	F 303	202	159	106	30K9	10.0
	F 334	223	162	108	28K10	11.4
	F 360	240	187	125	30K10	11.5
	F 412	275	213	142	30K11	13.3
	F 426	284	241	161	32LH06	13.3
	F 435	290	208	139	28K12	14.6
	F 468	312	241	161	30K12	14.9
	F 477	318	312	208	36LH07	14.4
	F 525	350	342	228	36LH08	15.0
	F 669	446	446	340	40LH09	18.2
	F 673	449	435	290	36LH09	19.2
	F 714	476	476	426	44LH10	18.0
	F 763	509	480	320	36LH10	20.7
	F 777	518	518	374	40LH10	20.2
	F 813	542	523	349	36LH11	22.3
	F 826	551	551	460	44LH11	20.7
	F 975	650	650	568	44LH12	24.4
	F 988	659	659	494	40LH12	25.4
	F 1150	767	767	673	44LH13	28.0
	F 1179	786	786	579	40LH13	30.3
	F 1264	843	802	535	36LH14	33.3
	F 1351	901	901	771	44LH14	32.3
	F 1360	907	907	897	48LH14	32.8
	F 1368	912	844	563	36LH15	36.6
	F 1506	1004	1004	740	40LH15	38.3
	F 1572	1048	1048	896	44LH15	38.5
	F 1758	1172	1172	813	40LH16	43.1
	F 1834	1223	1223	1030	44LH16	43.9
	F 2055	1370	1370	1324	48LH17	47.4
	F 2130	1420	1420	1001	40LH17	51.6
	F 2407	1605	1605	1145	40LH18	59.9
	F 2533	1689	1689	1400	44LH18	61.0
	F 2623	1749	1749	1681	48LH18	61.6
	F 2761	1841	1841	1272	40LH19	64.9
	F 3070	2047	2047	1872	48LH19	67.7
	F 3694	2463	2463	1948	44LH20	85.1
	F 3868	2579	2579	2344	48LH20	86.6
	F 4260	2840	2840	2599	48LH21	87.4
	F 4351	2901	2901	2001	40LH22	108.4
56	F 202	135	99	66	28K6	7.7

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
56 (cont.)	F 226	151	109	73	28K7	8.3
	F 243	162	126	84	30K7	8.5
	F 249	166	120	80	28K8	9.0
	F 268	179	138	92	30K8	9.2
	F 271	181	130	87	28K9	9.8
	F 292	195	150	100	30K9	9.9
	F 322	215	153	102	28K10	11.3
	F 346	231	177	118	30K10	11.5
	F 397	265	202	135	30K11	13.3
	F 412	275	229	153	32LH06	13.4
	F 420	280	198	132	28K12	14.6
	F 451	301	229	153	30K12	14.7
	F 463	309	295	197	36LH07	14.4
	F 510	340	324	216	36LH08	15.1
	F 649	433	433	322	40LH09	18.1
	F 652	435	412	275	36LH09	19.1
	F 696	464	464	403	44LH10	18.1
	F 736	491	454	303	36LH10	20.7
	F 789	526	495	330	36LH11	22.1
	F 804	536	536	436	44LH11	20.5
	F 960	640	640	468	40LH12	25.3
	F 1144	763	763	548	40LH13	29.9
	F 1225	817	760	507	36LH14	33.5
	F 1314	876	876	730	44LH14	32.3
	F 1326	884	801	534	36LH15	36.4
	F 1461	974	974	701	40LH15	38.4
	F 1528	1019	1019	848	44LH15	37.9
	F 1705	1137	1137	770	40LH16	43.2
	F 1782	1188	1188	976	44LH16	43.7
	F 1987	1325	1325	1043	44LH17	49.0
	F 2065	1377	1377	948	40LH17	51.3
	F 2334	1556	1556	1084	40LH18	59.6
	F 2551	1701	1701	1592	48LH18	61.6
	F 2674	1783	1783	1205	40LH19	64.5
	F 2845	1897	1897	1475	44LH19	65.7
	F 2982	1988	1988	1773	48LH19	67.0
	F 3757	2505	2505	2220	48LH20	86.3
	F 4137	2758	2758	2461	48LH21	87.3
	F 4195	2797	2797	1895	40LH22	108.4
	F 4471	2981	2680	1787	36LH24	123.3
57	F 234	156	120	80	30K7	8.4
	F 259	173	132	88	30K8	9.2
	F 282	188	142	95	30K9	9.9
	F 334	223	168	112	30K10	11.5
	F 384	256	192	128	30K11	13.2
	F 399	266	217	145	32LH06	13.5
	F 435	290	217	145	30K12	14.7
	F 450	300	280	187	36LH07	14.5
	F 495	330	306	204	36LH08	16.0
	F 631	421	421	305	40LH09	17.9
	F 634	423	390	260	36LH09	19.1



Economical Load Tables

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
57 (cont.)	F 678	452	452	382	44LH10	18.0
	F 711	474	432	288	36LH10	20.7
	F 732	488	488	336	40LH10	20.4
	F 765	510	469	313	36LH11	22.0
	F 783	522	522	413	44LH11	20.4
	F 895	597	597	572	48LH12	22.7
	F 933	622	622	444	40LH12	26.0
	F 1110	740	740	520	40LH13	29.9
	F 1188	792	721	481	36LH14	33.7
	F 1267	845	845	596	40LH14	33.1
	F 1276	851	851	692	44LH14	32.3
	F 1285	857	759	506	36LH15	36.4
	F 1290	860	860	805	48LH14	32.7
	F 1485	990	990	804	44LH15	37.7
	F 1654	1103	1095	730	40LH16	44.0
	F 1731	1154	1154	925	44LH16	43.5
	F 1732	1155	1155	1063	48LH16	43.0
	F 1930	1287	1287	989	44LH17	48.8
	F 1944	1296	1296	1188	48LH17	49.5
	F 2004	1336	1336	899	40LH17	52.5
	F 2389	1593	1593	1257	44LH18	61.2
	F 2482	1655	1655	1509	48LH18	61.6
	F 2592	1728	1713	1142	40LH19	64.3
	F 2761	1841	1841	1398	44LH19	65.4
	F 2898	1932	1932	1680	48LH19	69.4
	F 3649	2433	2433	2104	48LH20	86.2
	F 4018	2679	2679	2333	48LH21	94.2
	F 4050	2700	2695	1797	40LH22	107.9
	F 4410	2940	2940	1962	40LH23	108.8
	F 4486	2991	2991	2203	44LH22	109.3
58	F 226	151	114	76	30K7	8.4
	F 250	167	124	83	30K8	9.1
	F 271	181	135	90	30K9	9.9
	F 322	215	159	106	30K10	11.5
	F 370	247	181	121	30K11	13.0
	F 385	257	207	138	32LH06	13.4
	F 420	280	205	137	30K12	14.8
	F 438	292	265	177	36LH07	14.4
	F 481	321	291	194	36LH08	15.9
	F 615	410	410	289	40LH09	17.8
	F 616	411	370	247	36LH09	19.0
	F 660	440	440	363	44LH10	18.0
	F 681	454	409	273	36LH10	20.7
	F 742	495	445	297	36LH11	22.5
	F 745	497	497	346	40LH11	21.2
	F 762	508	508	392	44LH11	20.5
	F 898	599	599	484	44LH12	25.1
	F 906	604	604	421	40LH12	26.0
	F 1078	719	719	493	40LH13	29.8
	F 1242	828	828	657	44LH14	32.1
	F 1255	837	837	764	48LH14	32.4

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
58 (cont.)	F 1444	963	963	763	44LH15	37.6
	F 1681	1121	1121	878	44LH16	43.2
	F 1686	1124	1124	1008	48LH16	42.8
	F 1875	1250	1250	938	44LH17	48.8
	F 1944	1296	1279	853	40LH17	51.0
	F 2322	1548	1548	1192	44LH18	61.0
	F 2416	1611	1611	1432	48LH18	61.2
	F 2680	1787	1787	1327	44LH19	65.2
	F 2815	1877	1877	1595	48LH19	69.4
	F 3547	2365	2365	1997	48LH20	85.0
	F 3906	2604	2604	2214	48LH21	94.0
	F 3910	2607	2557	1705	40LH22	103.1
	F 4333	2889	2889	2091	44LH22	109.1
59	F 219	146	108	72	30K7	8.5
	F 241	161	118	79	30K8	9.2
	F 262	175	129	86	30K9	10.2
	F 312	208	151	101	30K10	11.5
	F 358	239	172	115	30K11	12.9
	F 373	249	196	131	32LH06	13.3
	F 406	271	195	130	30K12	14.8
	F 424	283	252	168	36LH07	14.3
	F 466	311	277	185	36LH08	15.1
	F 583	389	389	313	44LH09	16.9
	F 598	399	399	275	40LH09	17.8
	F 643	429	429	344	44LH10	18.1
	F 660	440	390	260	36LH10	20.6
	F 664	443	443	410	48LH11	17.9
	F 691	461	454	303	40LH10	21.0
	F 724	483	483	328	40LH11	21.1
	F 741	494	494	372	44LH11	20.4
	F 874	583	583	459	44LH12	24.1
	F 880	587	587	400	40LH12	25.9
	F 1047	698	698	468	40LH13	29.8
	F 1195	797	797	537	40LH14	34.1
	F 1207	805	805	624	44LH14	33.2
	F 1222	815	815	726	48LH14	32.6
	F 1405	937	937	725	44LH15	37.9
	F 1633	1089	1089	834	44LH16	43.1
	F 1641	1094	1094	958	48LH16	43.1
	F 1822	1215	1215	891	44LH17	48.2
	F 1878	1252	1215	810	40LH17	50.9
	F 2257	1505	1505	1133	44LH18	59.0
	F 2352	1568	1568	1360	48LH18	61.2
	F 2602	1735	1735	1260	44LH19	65.0
	F 2737	1825	1825	1514	48LH19	69.8
	F 3448	2299	2299	1896	48LH20	85.0
	F 3796	2531	2531	2103	48LH21	94.3
	F 4483	2989	2989	2390	48LH22	104.7
60	F 211	141	103	69	30K7	8.5
	F 234	156	112	75	30K8	9.5
	F 253	169	121	81	30K9	10.3



Economical Load Tables

Table of Contents

General Joist Information

Economical Design Guide

Top Chord Ext., K-Series

Joist Substitutes and Outriggers

KCS Joists

Joist Minimum Shear

Standard LRFD Load Tables

Standard ASD Load Tables

Load/Load and SP Designations

Joist Girder Weight Tables

Codes and Standards

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
60 (cont.)	F 301	201	144	96	30K10	11.5
	F 346	231	163	109	30K11	13.0
	F 363	242	187	125	32LH06	13.4
	F 393	262	186	124	30K12	14.7
	F 411	274	240	160	36LH07	14.4
	F 453	302	264	176	36LH08	15.3
	F 568	379	379	297	44LH09	16.9
	F 582	388	388	261	40LH09	17.8
	F 601	401	401	362	48LH10	17.8
	F 639	426	372	248	36LH10	20.6
	F 649	433	433	390	48LH11	17.9
	F 670	447	432	288	40LH10	20.8
	F 705	470	468	312	40LH11	21.2
	F 721	481	481	354	44LH11	21.3
	F 852	568	568	437	44LH12	24.4
	F 856	571	570	380	40LH12	25.8
	F 1017	678	667	445	40LH13	29.9
	F 1161	774	766	511	40LH14	34.1
	F 1174	783	783	593	44LH14	33.3
	F 1192	795	795	690	48LH14	32.5
	F 1366	911	911	790	48LH15	36.0
	F 1588	1059	1059	792	44LH16	43.3
	F 1597	1065	1065	910	48LH16	42.8
	F 1771	1181	1181	847	44LH17	48.3
	F 1816	1211	1155	770	40LH17	50.6
	F 2194	1463	1463	1077	44LH18	59.1
	F 2289	1526	1526	1293	48LH18	61.3
	F 2527	1685	1685	1198	44LH19	65.2
	F 2661	1774	1774	1439	48LH19	71.3
	F 3352	2235	2235	1803	48LH20	85.3
	F 3504	2336	2336	1661	44LH21	92.6
	F 3691	2461	2461	1999	48LH21	97.4
	F 4359	2906	2906	2272	48LH22	110.3
	F 4371	2914	2737	1825	40LH24	126.1
61	F 351	234	178	119	32LH06	13.5
	F 399	266	229	153	36LH07	14.3
	F 439	293	252	168	36LH08	15.3
	F 555	370	370	283	44LH09	16.7
	F 561	374	321	214	36LH09	18.9
	F 567	378	373	249	40LH09	18.2
	F 619	413	354	236	36LH10	20.6
	F 634	423	423	371	48LH11	18.3
	F 649	433	411	274	40LH10	20.8
	F 676	451	385	257	36LH11	23.0
	F 685	457	445	297	40LH11	22.1
	F 703	469	469	337	44LH11	21.1
	F 832	555	541	361	40LH12	25.7
	F 988	659	636	424	40LH13	30.1
	F 1128	752	729	486	40LH14	34.2
	F 1143	762	762	564	44LH14	33.2
	F 1161	774	774	656	48LH14	32.6

F = FACTORED Load

Joist Span (ft)	Total Load (plf)		Live Load (plf)		Joist Designation	Joist Weight (plf)
	Factored	Service				
	LRFD	ASD	1/240	1/360		
61 (cont.)	F 1332	888	888	751	48LH15	35.6
	F 1545	1030	1030	754	44LH16	43.2
	F 1555	1037	1037	866	48LH16	42.7
	F 1723	1149	1149	806	44LH17	48.4
	F 1746	1164	1164	968	48LH17	47.6
	F 1756	1171	1098	732	40LH17	50.8
	F 2229	1486	1486	1230	48LH18	59.8
	F 2455	1637	1637	1140	44LH19	64.5
	F 2589	1726	1726	1369	48LH19	65.9
	F 3091	2061	2061	1425	44LH20	85.1
	F 3261	2174	2174	1715	48LH20	85.9
	F 3405	2270	2270	1580	44LH21	92.7
	F 3591	2394	2394	1901	48LH21	93.4
	F 4240	2827	2827	2161	48LH22	105.9
	F 4458	2972	2972	2365	48LH23	112.6
62	F 340	227	171	114	32LH06	13.5
	F 387	258	219	146	36LH07	14.4
	F 426	284	240	160	36LH08	15.2
	F 541	361	361	269	44LH09	16.7
	F 544	363	306	204	36LH09	18.8
	F 552	368	355	237	40LH09	18.2
	F 573	382	382	327	48LH10	17.6
	F 597	398	398	297	44LH10	18.5
	F 601	401	337	225	36LH10	20.6
	F 619	413	413	353	48LH11	18.5
	F 628	419	391	261	40LH10	20.8
	F 657	438	369	246	36LH11	22.9
	F 667	445	424	283	40LH11	22.0
	F 685	457	457	320	44LH11	21.5
	F 790	527	527	444	48LH12	22.9
	F 810	540	516	344	40LH12	25.8
	F 961	641	604	403	40LH13	29.8
	F 966	643	643	522	52DLH13	27.5
	F 1096	731	693	462	40LH14	33.6
	F 1113	742	742	537	44LH14	33.3
	F 1132	755	755	625	48LH14	32.4
	F 1299	866	866	715	48LH15	36.0
	F 1335	890	890	732	52DLH16	36.8
	F 1503	1002	1002	718	44LH16	43.3
	F 1515	1010	1010	825	48LH16	42.6
	F 1537	1025	1025	835	52DLH17	41.7
	F 1677	1118	1118	767	44LH17	50.7
	F 1701	1134	1134	922	48LH17	48.5
	F 2172	1448	1448	1171	48LH18	59.7
	F 2386	1591	1591	1085	44LH19	64.5
	F 2518	1679	1679	1304	48LH19	65.8
	F 3004	2003	2003	1357	44LH20	85.1
	F 3172	2115	2115	1633	48LH20	85.8
	F 3309	2206	2206	1505	44LH21	92.7
	F 3493	2329	2329	1810	48LH21	93.0
	F 4126	2751	2751	2058	48LH22	105.7

