Silber S, Zsolt P, Liu NJ, et al. Conventional in-vitro fertilization versus intracytoplasmic sperm injection for patients requiring microsurgical sperm aspiration. Human Reproduction.1994;9(9):1705-09.

Simon C, Vladimirov IK, Castillon Cortes G, et al. Prospective, randomized study of the endometrial receptivity analysis (ERA) test in the infertility work-up to guide personalized embryo transfer versus fresh transfer or deferred embryo transfer. Fertil Steril 2016;106: e46–7.

Simon C, Gomez C, Cabanillas S, Vladimirov IK, Castillon G, Giles J, et al. In vitro fertilization with personalized blastocyst transfer versus frozen or fresh blastocyst transfer: a multicenter, randomized clinical trial. Fertil Steril 2019;112:e56.

Society for Assisted Reproductive Technology: National Data Summary 2011. Available at: https://www.sartcorsonline.com/rptCSR_PublicMultYear.aspx?reporting year+2017.

Steiner AZ, Prtichard D, Stanczyk FZ, et al. Association between biomarkers of ovarian reserve and infertility among older women of reproductive age. JAMA 2017; 318: 1367-1376

Styer AK, Wright DL, Wolkovich AM, Veiga C, Toth TL. Single-blastocyst transfer decreases twin gestation without affecting pregnancy outcome. Fertil Steril 2008;89:1702–8.

Sunderam S, Kissin DM, Flowers L et al. Assisted reproductive technology surveillance—United States, 2009. MMWR Surveill Summ 2012;61(7):1-23.

Takeshima K, Jwa SC, Saito H, et al. Impact of single embryo transfer policy on perinatal outcomes in fresh and frozen cycles—analysis of the Japanese Assisted Reproduction Technology registry between 2007 and 2012. Fertil Steril 2016 Feb;105(2):337–46.

Tannus S, Cohen Y, Son WY, et al. Cumulative live birth rate following elective single blastocyst transfer compared with double blastocyst transfer in women aged 40 years and over. Reproductive Biomedicine online 2017;35:733-738.

Taylor E, Gomel V. The uterus and fertility. Fertil Steril 2008; 89: 1-16. Theodorou E, Jones BP, Cawood S, et al. Adding a low-quality blastocyst to a high-quality blastocyst for a double embryo transfer does not decrease pregnancy and live birth rate. Acta Obstetricia et Gynecologica Scandinavica. 2021;100:1124-1131.

Thornhill AR, deDie-Smulders CE, Geraedts JP, Harper JC, Harton GL, et al. ESHRE PGD Consortium 'Best practice guidelines for clinical preimplantation genetic diagnosis (PGD) and preimplantation genetic screening (PGS)'. Hum Reprod 2005;20:35–48.

Thurin A, Hausken J, Hillensjo T, Jablonowska B, Pinborg A, Strandell A, et al. Elective single-embryo transfer versus double-embryo transfer in in vitro fertilization. N Engl J Med. 2004;351:2392–2402.