Imdelltra (tarlatamab)

Original Effective Date: 7/1/2024
Revision Date(s): 6/11/2024; 11/4/2024; 1/1/2025; 11/17/2025
Review Date: 11/17/2025
Policy type: Medical Necessity
Line of Business: All GEHA Medical Plans

Authorizations are issued for 6 (six) months, unless the ordering physician requests a different timespan or the patients' unique circumstance or condition supports the medical necessity for a different authorization timeframe. Reauthorization requests are reviewed for efficacy, safety and tolerability.

Indication Specific Approval Criteria:

Extensive Stage Small Cell Lung Cancer (SCLC)

- Imdelltra will be given as monotherapy; **AND**
- The member must be 18 years of age or older; **AND**
- The member has an ECOG performance status of 0 to 1[1]; **AND**
- The member has had progression on or after platinum-based chemotherapy; **AND**
    - Imdelltra is being used as second line therapy for patients whose chemotherapy free interval (CTFI) is less than 6 months; **OR**
        - Patient has documented intolerance or contraindication to platinum based therapy; **OR**
    - Imdelltra is being used as third line or later therapy; **OR**
- The member has ES-SCLC that has metastasized to the brain.

Universal Approval Criteria:

Unless otherwise noted, the review criteria used by OncoHealth to determine medical necessity for anticancer treatments and supportive agents include, but is not limited to:

- National Comprehensive Cancer Network® (NCCN) - use consistent with NCCN recommendations carrying a Category 1 or 2A level of evidence; **OR**
- United States Food and Drug Administration (FDA) labeling - new drugs or regimens (combinations of drugs) consistent with the product labeling; **OR**
- Indications not included in the official FDA labeling or recommended by NCCN (Category 1 or 2A level of evidence) may be considered if determined to be medically necessary per one or more of the following compendia:
    - Clinical Pharmacology (Strong For); **OR**
    - Wolters Kluwer Lexi-Drugs® (Level A); **OR**
- Other uses of drugs and biologics may be considered medically necessary if supported as safe and effective according to peer-reviewed articles from one of the following journals:

[1] ECOG score of 2 or 3 will be considered on a case-by-case basis.