Elrexfio (Elranatamab-bcmm)

Effective Date: 1/1/24
Revision Date(s): 4/1/2024, 9/27/2024; 2/16/2026
Review Date: 2/16/2026
Policy type: Medical Necessity
Line of Business: All G.E.H.A Commercial Medical Plans

Authorizations are issued for 6 (six) months, unless the ordering physician requests a different timespan or the patients' unique circumstance or condition supports the medical necessity for a different authorization timeframe. Reauthorization requests are reviewed for efficacy, safety and tolerability.

Indication Specific Criteria:

Multiple Myeloma (MM)

- Member is 18 years of age or older; **AND**
- Member has received at least four prior therapies and is refractory to at least one proteasome inhibitor (PI), one immunomodulatory agent (IMiD), and one anti-CD38 monoclonal antibody; **AND**
- Member has an Eastern Cooperative Oncology Group (ECOG) score of 0 to 2[1]; **AND**
- Member has not had a stem cell transplant within 12 weeks; **AND**
- Member has not experienced disease progression while on a bispecific B-cell maturation antigen (BCMA) – directed CD3 T-cell engager – containing regimen; **AND**
- Must be prescribed by, or in consultation with, an oncologist

Universal Approval Criteria:

Unless otherwise noted, the review criteria used by OncoHealth to determine medical necessity for anticancer treatments and supportive agents include, but is not limited to:

- National Comprehensive Cancer Network® (NCCN) - use consistent with NCCN recommendations carrying a Category 1 or 2A level of evidence; **OR**
- United States Food and Drug Administration (FDA) labeling - new drugs or regimens (combinations of drugs) consistent with all components of the product labeling; **OR**
- Indications not included in the official FDA labeling or recommended by NCCN (Category 1 or 2A level of evidence) may be considered if determined to be medically necessary per one or more of the following compendia:
    - Clinical Pharmacology (Strong For); **OR**
    - Wolters Kluwer Lexi-Drugs® (Level A); **OR**
- Other uses of drugs and biologics may be considered medically necessary if supported as safe and effective according to peer-reviewed articles from one of the following journals:

[1] ECOG score of 3 will be considered on a case-by-case basis.