Fruzaqla (fruquintinib)

Effective Date: 1/1/24
Revision Date(s): 9/27/2024
Review Date: 11/17/2025
Policy type: Medical Necessity
Line of Business: All GEHA Commercial Medical Plans

Authorizations are issued for 6 (six) months, unless the ordering physician requests a different timespan or the patients' unique circumstance or condition supports the medical necessity for a different authorization timeframe. Reauthorization requests are reviewed for efficacy, safety and tolerability.

Indication Specific Approval Criteria:

Colon Cancer - Metastatic or Advanced

- As single agent treatment, **AND**
- Patient has prior treatment history of therapy with the following:
    - Fluoropyrimidine-, oxaliplatin, and irinotecan- based- chemotherapy; **AND**
    - Anti-VEGF based therapy; **AND**
    - Anti-EGFR based therapy for RAS wild-type tumors; **AND**
    - Ineligible for or progression while on checkpoint inhibitor immunotherapy for deficient mismatch repair/microsatellite instability-high (dMMR/MSI-H) tumors or polymerase epsilon/delta (POLE/POLD1) mutation with ultra-hypermutated phenotype (eg, TMB >50mut/Mb)

Universal Approval Criteria:

Unless otherwise noted, the review criteria used by OncoHealth to determine medical necessity for anticancer treatments and supportive agents include, but is not limited to:

- National Comprehensive Cancer Network® (NCCN) - use consistent with NCCN recommendations carrying a Category 1 or 2A level of evidence; **OR**
- United States Food and Drug Administration (FDA) labeling - new drugs or regimens (combinations of drugs) consistent with all components of the product labeling; **OR**
- Indications not included in the official FDA labeling or recommended by NCCN (Category 1 or 2A level of evidence) may be considered if determined to be medically necessary per one or more of the following compendia:
    - Clinical Pharmacology (Strong For); **OR**
    - Wolters Kluwer Lexi-Drugs® (Level A); **OR**
- Other uses of drugs and biologics may be considered medically necessary if supported as safe and effective according to peer-reviewed articles from one of the following journals:
    - American Journal of Medicine; Annals of Internal Medicine; Annals of Oncology; Annals of Surgical Oncology; Biology of Blood and Marrow Transplantation; Blood; Bone Marrow Transplantation; British Journal of Cancer; British Journal of Hematology; British Medical