

Datroway – (datopotamab deruxtecan-dlnk)

Original Effective Date: 3/24/2025

Revision Date(s): 3/24/2025; 12/11/2025; 02/16/2026

Review Date: 02/16/2026

Policy type: Medical Necessity

Line of Business: All G.E.H.A Medical Plans

Authorizations are issued for 6 (six) months, unless the ordering physician requests a different timespan or the patients' unique circumstance or condition supports the medical necessity for a different authorization timeframe. Reauthorization requests are reviewed for efficacy, safety and tolerability.

Preference	Requires Prior Auth	Drug Name	HCPCS Code	Description
Preferred	Yes	Trodelvy	J9317	Injection, sacituzumab govitecan-hziy, 2.5 mg
Non-preferred	Yes	Datroway	J9011	Injection, datopotamab deruxtecan-dlnk, 1 mg

- Members must have documentation of a contraindication, or intolerance, to Trodelvy or clinically appropriate rationale for treatment with Datroway for overlapping indications or compendium supported uses in hormone-receptor positive metastatic breast cancer.
- Preferred product requirements apply to new starts only.

Indication Specific Criteria Breast cancer – unresectable or metastatic

- The member is 18 years of age or older; **AND**
- The member has an ECOG performance status of 0-1¹; **AND**
- The member has hormone receptor (HR) positive disease; **AND**
- The member has HER2 negative (IHC 0, IHC 1+ or IHC 2+/ISH-) disease; **AND**
- Datroway is used as subsequent therapy after the following:
 - Endocrine Therapy; **AND**
 - Chemotherapy; **AND**
 - Enhertu (if member is eligible for treatment with Enhertu, as per current version of NCCN Guidelines)

¹ 0 to 1 - ECOG score of 2 or 3 will be considered on a case-by-case basis.

EGFR-Mutated Non-squamous non-small cell lung cancer – locally advanced or metastatic

- The member is 18 years of age or older; **AND**
- The member has an ECOG performance status of 0-1²; **AND**
- The member has one of the following EGFR mutations: exon 19 deletion, L858R, L861Q, exon 20 insertion, S7681, or G719X; **AND**
- Has not had prior treatment with:
 - Any agent including antibody drug conjugate (ADC) containing a chemotherapeutic agent targeting topoisomerase I; **OR**
 - TROP2-targeted therapy
- Datroway will be used as subsequent therapy after the following:
 - Platinum-based (i.e. carboplatin, cisplatin) systemic chemotherapy; **AND**
 - EGFR-directed therapy (i.e. afatinib, dacomitinib, erlotinib, gefitinib, osimertinib)

Universal Approval Criteria:

Unless otherwise noted, the review criteria used by OncoHealth to determine medical necessity for anticancer treatments and supportive agents include, but is not limited to:

- National Comprehensive Cancer Network® (NCCN) - use consistent with NCCN recommendations carrying a Category 1 or 2A level of evidence; **OR**
- United States Food and Drug Administration (FDA) labeling - new drugs or regimens (combinations of drugs) consistent with the product labeling; **OR**
- Indications not included in the official FDA labeling or recommended by NCCN (Category 1 or 2A level of evidence) may be considered if determined to be medically necessary per one or more of the following compendia:
 - Clinical Pharmacology (Strong For); **OR**
 - Wolters Kluwer Lexi-Drugs® (Level A); **OR**
- Other uses of drugs and biologics may be considered medically necessary if supported as safe and effective according to peer-reviewed articles from one of the following journals:
 - American Journal of Medicine; Annals of Internal Medicine; Annals of Oncology; Annals of Surgical Oncology; Biology of Blood and Marrow Transplantation; Blood; Bone Marrow Transplantation; British Journal of Cancer; British Journal of Hematology; British Medical Journal; Cancer; Clinical Cancer Research; Drugs; European Journal of Cancer (formerly the European Journal of Cancer and Clinical Oncology); Gynecologic Oncology; International Journal of Radiation, Oncology, Biology, and Physics; The Journal of the American Medical Association; Journal of Clinical Oncology; Journal of the National Cancer Institute; Journal of the National Comprehensive Cancer Network (NCCN); Journal of Urology; Lancet; Lancet Oncology; Leukemia; The New England Journal of Medicine; Radiation Oncology;
 - **Meeting abstracts and case reports are excluded from consideration;**

² 0 to 1 - ECOG score of 2 or 3 will be considered on a case-by-case basis.

- Non-standard protocols may be approved based on unique clinical circumstances;
- Dose and frequency should be consistent with United States Food and Drug Administration (FDA) labeling, National Comprehensive Cancer Network® (NCCN), or indication specific peer-reviewed literature;
- In the instance that a request is made for drug(s) that was (were) previously tried (including in the same pharmacologic class or with the same mechanism of action) and such drug(s) was (were) discontinued due to a lack of efficacy the request may be subject to an off-label review for medical necessity unless supported by the NCCN or high quality literature (prospective phase 2 or 3 studies published as full manuscripts in a CMS-supported journal).

Billing:

Drug Name	HCPCS Code	Description
Trodelyv	J9317	Injection, sacituzumab govitecan-hziy, 2.5 mg
Datroway	J9011	Injection, datopotamab deruxtecan-dlnk, 1 mg

References

1. Datroway. [package insert]. Daiichi Sankyo, Inc., Basking Ridge, NJ 07920. Available at: https://www.accessdata.fda.gov/drugsatfda_docs/label/2025/761464s000lbl.pdf
2. Datroway. NCCN Drugs & Biologics Compendium. Available at: https://www.nccn.org/professionals/drug_compendium/content/
3. Trodelyv. [package insert]. Gilead Sciences, Inc., Foster City, CA. Available at: https://www.accessdata.fda.gov/drugsatfda_docs/label/2024/761115s058lbl.pdf
4. Trodelyv. NCCN Drugs & Biologics Compendium. Available at: https://www.nccn.org/professionals/drug_compendium/content/
5. Referenced with permission from the NCCN Clinical Practice Guidelines in Oncology (NCCN Guidelines®). National Comprehensive Cancer Network, Inc. 2025. All rights reserved. Accessed February 10, 2026. To view the most recent and complete version of the guideline, go online to NCCN.org.

Disclaimer

Drug Coverage Policies are developed as needed, reviewed and updated at least annually, and are subject to change. Other policies and coverage determination guidelines may apply. Federal and state regulatory requirements and member specific benefit plan documents, if applicable, must be reviewed prior to utilizing this Drug Coverage Policy. This Drug Coverage Policy is for informational purposes only and does not constitute medical advice nor dictate how providers should practice medicine. This policy should not be reproduced, stored in a retrieval system, or altered from its original form without written permission from OncoHealth, Inc.

For Internal Use ONLY

Date	Updates
3/18/2025	Draft policy
3/24/2025	Presented at OH P&T
3/24/2025	Approved at P&T with minor updates
4/1/2025	Policy adopted by G.E.H.A; document updated for universal accessibility
12/11/2025	Addition of NSCLC criteria; update HCPCS for Datroway; reviewed and approved by OH P&T
02/16/2026	Additional EGFR mutations included per NCCN update 1.2026 NSCLC: Approved by OH P&T