

to the vertebral body marrow including replacement of normal bone marrow by fat, and hyperintensive signals (Type 2 Modic change).

Applicable Codes

The following list(s) of procedure and/or diagnosis codes is provided for reference purposes only and may not be all inclusive. Listing of a code in this policy does not imply that the service described by the code is a covered or non-covered health service. Benefit coverage for health services is determined by the member specific benefit plan document and applicable laws that may require coverage for a specific service. The inclusion of a code does not imply any right to reimbursement or guarantee claim payment. Other Policies and Guidelines may apply.

CPT/HCPCS Codes	Description
64628	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; first 2 vertebral bodies, lumbar or sacral
64629	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; each additional vertebral body, lumbar or sacral (List separately in addition to code for primary procedure)

Scientific References

Badhiwala JH, Witiw CD, Nassiri F, et al. Minimum clinically important difference in SF-36 scores for use in degenerative cervical myelopathy. *Spine (Phila Pa 1976)*. 2018;43(21):E1260-E1266. doi:10.1097/BRS.0000000000002684

Bellow E, Johnson D, Bajrami S, Caldwell W. Safety and effectiveness of basivertebral nerve ablation in patients with osteoporosis and osteopenia: a real-world study. *Interv Pain Med*. 2025;4(3):100624. doi:10.1016/j.inpm.2025.100624

Boston Scientific Corp. Boston Scientific announces agreement to acquire Relievant Medsystems, Inc. September 19, 2023. Accessed August 19, 2025. <https://news.bostonscientific.com/2023-09-19-Boston-Scientific-Announces-Agreement-to-Acquire-Relievant-Medsystems,-Inc>

Conger A, Burnham TR, Clark T, Teramoto M, McCormick ZL. The effectiveness of intraosseous basivertebral nerve radiofrequency ablation for the treatment of vertebrogenic low back pain: an updated systematic review with single-arm meta-analysis. *Pain Med*. 2022b;23(Suppl 2):S50-S62. doi:10.1093/pm/pnac070