UNIVERSIDAD PRIVADA DOMINGO SAVIO

LICENCIATURA EN INGENIERÍA EN SISTEMAS

"ACTIVIDAD I"

“RESOLUCION DE LA PRACTICA 4 Y 5 ”

NOMBRE DEL ESTUDIANTE
Douglas Flor Hernández

DOCENTE

Ing. Edmundo Rivas V.

SANTA CRUZ DE LA SIERRA – BOLIVIA

2025

Este es Lab 4: Los fundamentos de la Línea de Comandos. Mediante la realización de esta práctica de laboratorio, los estudiantes aprenderán cómo utilizar las funciones básicas del shell.

En este capítulo harás las siguientes tareas:

- Explorar características Bash
- Usar variables shell
- Entender como usar globbing
- Ser capaz de usar comillas

```
Password:
root@localhost:~# adduser eflor
Adding user `eflor' ...
Adding new group `eflor' (1000) ...
Adding new user `eflor' (1002) with group `eflor' ...
Creating home directory `/home/eflor' ...
Copying files from `/etc/skel' ...
Enter new UNIX password:
Retype new UNIX password:
passwd: password updated successfully
Changing the user information for eflor
Enter the new value, or press ENTER for the default
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n] y
root@localhost:~# su dflor
Unknown id: dflor
root@localhost:~# eflor
bash: eflor: command not found
root@localhost:~# su eflor
eflor@localhost:~$
```

```
Changing the user information for eflor
Enter the new value, or press ENTER for the default
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n] y
root@localhost:~# su dflor
Unknown id: dflor
root@localhost:~# eflor
bash: eflor: command not found
root@localhost:~# su eflor
eflor@localhost:~$ whoami
eflor
eflor@localhost:~$ !!
whoami
eflor
eflor@localhost:~$ !
eflor@localhost:~$ history
    1  whoami
    2  !
    3  history
eflor@localhost:~$
```

```
Copying files from `/etc/skel' ...
Enter new UNIX password:
Retype new UNIX password:
passwd: password updated successfully
Changing the user information for dflor
Enter the new value, or press ENTER for the default
        Full Name []:
        Room Number []:
        Work Phone []:
        Home Phone []:
        Other []:
Is the information correct? [Y/n] y
root@localhost:~# whoami
root
root@localhost:~# su dflor
dflor@localhost:~$ whoami
dflor
dflor@localhost:~$ uname
Linux
dflor@localhost:~$ pwd
/home/dflor
dflor@localhost:~$ echo hola a todos
hola a todos
dflor@localhost:~$
```

```
dell@Dell: ~

DATE(1)                          User Commands                          DATE(1)

NAME
       date - print or set the system date and time

SYNOPSIS
       date [OPTION]... [+FORMAT]
       date [-u|--utc|--universal] [MMDDhhmm[[CC]YY][.ss]]

DESCRIPTION
       Display  date  and  time in the given FORMAT.  With -s, or with [MMDDhhmm[[CC]YY][.ss]],
       set the date and time.

       Mandatory arguments to long options are mandatory for short options too.

       -d, --date=STRING
              display time described by STRING, not 'now'

       --debug
              annotate the parsed date, and warn about questionable usage to stderr

       -f, --file=DATEFILE
              like --date; once for each line of DATEFILE

       -I[FMT], --iso-8601[=FMT]
              output date/time in ISO 8601 format.  FMT='date' for  date  only  (the  default),
              'hours',  'minutes', 'seconds', or 'ns' for date and time to the indicated preci-
              sion.  Example: 2006-08-14T02:34:56-06:00

 Manual page date(1) line 1 (press h for help or q to quit)
```

```
console-setup            libcairo-gobject2        libncursesw6             libxml2                  python3-pyparsing
console-setup-linux      libcairo2                libnetplan1              libxmlb2                 python3-pyrsistent
coreutils                libcap-ng0               libnettle8t64            libxmuu1                 python3-requests
cron                     libcap2                  libnewt0.52              libxrandr2               python3-rich
cron-daemon-common       libcap2-bin              libnghttp2-14            libxrender1              python3-serial
curl                     libcbor0.10              libnpth0t64              libxshmfence1            python3-service-identity
dash                     libcolord2               libnss-systemd           libxtables12             python3-setuptools
dbus                     libcom-err2              libp11-kit0              libxtst6                 python3-six
dbus-bin                 libcrypt1                libpackagekit-glib2-18   libxxf86vm1              python3-software-properties
dbus-daemon              libcryptsetup12          libpam-cap               libxxhash0               python3-systemd
dbus-session-bus-common  libctf-nobfd0            libpam-modules           libyaml-0-2              python3-twisted
dbus-system-bus-common   libctf0                  libpam-modules-bin       libzstd1                 python3-typing-extensions
dbus-user-session        libcups2t64              libpam-runtime           locales                  python3-tz
dbus-x11                 libcurl3t64-gnutls       libpam-systemd           login                    python3-update-manager
dconf-gsettings-backend  libcurl4t64              libpam0g                 logrotate                python3-urllib3
dconf-service            libdatrie1               libpango-1.0-0           logsave                  python3-wadllib
debconf                  libdb5.3t64              libpangocairo-1.0-0      lsb-release              python3-yaml
debconf-i18n             libdbus-1-3              libpangoft2-1.0-0        lshw                     python3-zope.interface
debianutils              libdconf1                libpciaccess0            lsof                     python3.12
dhcpcd-base              libdebconfclient0        libpcre2-8-0             man-db                   python3.12-minimal
diffutils                libdeflate0              libperl5.38t64           manpages                 readline-common
dirmngr                  libdevmapper1.02.1       libpipeline1             mawk                     rsync
distro-info              libdrm-amdgpu1           libpixman-1-0            media-types              rsyslog
distro-info-data         libdrm-common            libpng16-16t64           mesa-libgallium          run-one
dmsetup                  libdrm-intel1            libpolkit-agent-1-0      mesa-vulkan-drivers      sed
dpkg                     libdrm2                  libpolkit-gobject-1-0    motd-news-config         sensible-utils
e2fsprogs                libduktape207            libpopt0                 mount                    session-migration
e2fsprogs-l10n           libdw1t64                libproc2-0               nano                     sgml-base
eatmydata                libeatmydata1            libpsl5t64               ncurses-base             shared-mime-info
ed                       libedit2                 libpython3-stdlib        ncurses-bin              show-motd
```

```
eject                     libegl-mesa0             libpython3.12-minimal   netbase                   snapd
ethtool                   libegl1                  libpython3.12-stdlib    netcat-openbsd            software-properties-common
fdisk                     libelf1t64               libpython3.12t64        netplan                   squashfs-tools
file                      libepoxy0                libreadline8t64         netplan-generator         sudo
findutils                 liberror-perl            librsvg2-2              netplan.io                systemd
fontconfig                libestr0                 librsvg2-common         networkd-dispatcher       systemd-dev
fontconfig-config         libevent-core-2.1-7t64   librtmp1                openssh-client            systemd-hwe-hwdb
fonts-dejavu-core         libexpat1                libsasl2-2              openssl                   systemd-resolved
fonts-dejavu-mono         libext2fs2t64            libsasl2-modules        packagekit                systemd-sysv
fonts-ubuntu              libfastjson4             libsasl2-modules-db     packagekit-tools          systemd-timesyncd
fuse3                     libfdisk1                libseccomp2             passwd                    sysvinit-utils
gawk                      libffi8                  libselinux1             pastebinit                tar
gcc-14-base               libfido2-1               libsemanage-common      patch                     time
gdisk                     libfontconfig1           libsemanage2            pci.ids                   tmux
gettext-base              libfreetype6             libsensors-config       perl                      tzdata
gir1.2-girepository-2.0   libfribidi0              libsensors5             perl-base                 ubuntu-keyring
gir1.2-glib-2.0           libfuse3-3               libsepol2               perl-modules-5.38         ubuntu-minimal
gir1.2-packagekitglib-1.0 libgbm1                  libsframe1              pinentry-curses           ubuntu-mono
git                       libgcc-s1                libsharpyuv0            polkitd                   ubuntu-pro-client
git-man                   libgcrypt20              libsigsegv2             procps                    ubuntu-pro-client-l10n
gnupg                     libgdbm-compat4t64       libslang2               psmisc                    ubuntu-release-upgrader-core
gnupg-l10n                libgdbm6t64              libsmartcols1           publicsuffix              ubuntu-wsl
gnupg-utils               libgdk-pixbuf-2.0-0      libsodium23             python-apt-common         ucf
gpg                       libgdk-pixbuf2.0-bin     libsqlite3-0            python-babel-localedata   udev
gpg-agent                 libgdk-pixbuf2.0-common  libss2                  python3                   unattended-upgrades
gpg-wks-client            libgirepository-1.0-1    libssh-4                python3-apport            update-manager-core
gpgconf                   libgl1                   libssl3                 python3-apt               update-motd
gpgsm                     libgl1-mesa-dri          libssl3t64              python3-attr              usb.ids
gpgv                      libglib2.0-0t64          libstdc++6              python3-automat           util-linux
grep                      libglib2.0-bin           libstemmer0d            python3-babel             uuid-runtime
groff-base                libglib2.0-data          libsystemd-shared       python3-bcrypt            vim
gsettings-desktop-schemas libglvnd0                libsystemd0             python3-blinker           vim-common
gtk-update-icon-cache     libglx-mesa0             libtasn1-6              python3-certifi           vim-runtime
gzip                      libglx0                  libtext-charwidth-perl  python3-cffi-backend      vim-tiny
hicolor-icon-theme        libgmp10                 libtext-iconv-perl      python3-chardet           wget
hostname                  libgnutls30t64           libtext-wrapi18n-perl   python3-click             whiptail
humanity-icon-theme       libgpg-error-l10n        libthai-data            python3-colorama          wsl-pro-service
info                      libgpg-error0            libthai0                python3-commandnotfound   wsl-setup
init                      libgpm2                  libtiff6                python3-configobj         x11-common
```

```
init-system-helpers       libgprofng0              libtinfo6               python3-constantly        xauth
install-info              libgraphite2-3           libtirpc-common         python3-cryptography      xdg-user-dirs
iproute2                  libgssapi-krb5-2         libtirpc3t64            python3-dbus              xkb-data
iputils-ping              libgstreamer1.0-0        libuchardet0            python3-debconf           xml-core
iso-codes                 libgtk-3-0t64            libudev1                python3-distro            xxd
kbd                       libgtk-3-bin             libunistring5           python3-distro-info       xz-utils
keyboard-configuration    libgtk-3-common          libunwind8              python3-distupgrade       zlib1g
keyboxd                   libharfbuzz0b            libutempter0            python3-gdbm
kmod                      libhogweed6t64           libuuid1                python3-gi
krb5-locales              libicu74                 libvulkan1              python3-hamcrest
landscape-client          libidn2-0                libwayland-client0      python3-httplib2
dell@Dell:~$
```

```
dell@Dell:~$ ls /usr/share/doc
adduser                   landscape-common         libjansson4             libwayland-cursor0        python3-hyperlink
adwaita-icon-theme        less                     libjbig0                libwayland-egl1           python3-idna
apparmor                  libacl1                  libjpeg-turbo8          libwayland-server0        python3-incremental
apport                    libapparmor1             libjpeg8                libwebp7                  python3-jinja2
apport-core-dump-handler  libappstream5            libjson-c5              libx11-6                  python3-json-pointer
apport-symptoms           libapt-pkg6.0t64         libk5crypto3            libx11-data               python3-jsonpatch
appstream                 libargon2-1              libkeyutils1            libx11-xcb1               python3-jsonschema
apt                       libassuan0               libkmod2                libxau6                   python3-jwt
apt-utils                 libatk-bridge2.0-0t64    libkrb5-3               libxcb-dri3-0             python3-launchpadlib
at-spi2-common            libatk1.0-0t64           libkrb5support0         libxcb-glx0               python3-lazr.restfulclient
at-spi2-core              libatm1t64               libksba8                libxcb-present0           python3-lazr.uri
base-files                libatspi2.0-0t64         liblcms2-2              libxcb-randr0             python3-markdown-it
base-passwd               libattr1                 libldap-common          libxcb-render0            python3-markupsafe
bash                      libaudit-common          libldap2                libxcb-shm0               python3-mdurl
bash-completion           libaudit1                liblerc4                libxcb-sync1              python3-minimal
bc                        libavahi-client3         libllvm19               libxcb-xfixes0            python3-netifaces
binutils                  libavahi-common-data     liblocale-gettext-perl  libxcb1                   python3-netplan
binutils-common           libavahi-common3         liblz4-1                libxcomposite1            python3-newt
binutils-x86-64-linux-gnu libbinutils              liblzma5                libxcursor1               python3-oauthlib
bsdextrautils             libblkid1                liblzo2-2               libxdamage1               python3-openssl
bsdutils                  libbpf1                  libmagic-mgc            libxdmcp6                 python3-pkg-resources
byobu                     libbrotli1               libmagic1t64            libxext6                  python3-problem-report
ca-certificates           libbsd0                  libmd0                  libxfixes3                python3-pyasn1
cloud-guest-utils         libbz2-1.0               libmnl0                 libxi6                    python3-pyasn1-modules
cloud-init                libc-bin                 libmount1               libxinerama1              python3-pycurl
command-not-found         libc6                    libmpfr6                libxkbcommon0             python3-pygments
console-setup             libcairo-gobject2        libncursesw6            libxml2                   python3-pyparsing
console-setup-linux       libcairo2                libnetplan1             libxmlb2                  python3-pyrsistent
```

```
dell@Dell: ~
cppw (8)             - copy with locking the given file to the password or group file
expiry (1)           - check and enforce password expiration policy
git-credential-cache (1) - Helper to temporarily store passwords in memory
gitcredentials (7)   - Providing usernames and passwords to Git
grpconv (8)          - convert to and from shadow passwords and groups
grpunconv (8)        - convert to and from shadow passwords and groups
login.defs (5)       - shadow password suite configuration
openssl-passwd (1ssl) - compute password hashes
openssl-srp (1ssl)   - maintain SRP password file
pam_pwhistory (8)    - PAM module to remember last passwords
pam_systemd_loadkey (8) - Read password from kernel keyring and set it as PAM authtok
pam_unix (8)         - Module for traditional password authentication
passwd (1)           - change user password
passwd (5)           - the password file
pwck (8)             - verify the integrity of password files
pwconv (8)           - convert to and from shadow passwords and groups
pwhistory_helper (8) - Helper binary that transfers password hashes from passwd or shadow to op...
pwunconv (8)         - convert to and from shadow passwords and groups
shadow (5)           - shadowed password file
systemd-ask-password (1) - Query the user for a system password
systemd-ask-password-console.path (8) - Query the user for system passwords on the console and ...
systemd-ask-password-console.service (8) - Query the user for system passwords on the console a...
systemd-ask-password-wall.path (8) - Query the user for system passwords on the console and via...
systemd-ask-password-wall.service (8) - Query the user for system passwords on the console and ...
systemd-tty-ask-password-agent (1) - List or process pending systemd password requests
unix_chkpwd (8)      - Helper binary that verifies the password of the current user
unix_update (8)      - Helper binary that updates the password of a given user
vigr (8)             - edit the password, group, shadow-password or shadow-group file
vipw (8)             - edit the password, group, shadow-password or shadow-group file
dell@Dell:~$
```

```
dell@Dell:~$ apropos password
chage (1)            - change user password expiry information
chgpasswd (8)        - update group passwords in batch mode
chpasswd (8)         - update passwords in batch mode
cpgr (8)             - copy with locking the given file to the password or group file
cppw (8)             - copy with locking the given file to the password or group file
expiry (1)           - check and enforce password expiration policy
git-credential-cache (1) - Helper to temporarily store passwords in memory
gitcredentials (7)   - Providing usernames and passwords to Git
grpconv (8)          - convert to and from shadow passwords and groups
grpunconv (8)        - convert to and from shadow passwords and groups
login.defs (5)       - shadow password suite configuration
openssl-passwd (1ssl) - compute password hashes
openssl-srp (1ssl)   - maintain SRP password file
pam_pwhistory (8)    - PAM module to remember last passwords
pam_systemd_loadkey (8) - Read password from kernel keyring and set it as PAM authtok
pam_unix (8)         - Module for traditional password authentication
passwd (1)           - change user password
passwd (5)           - the password file
pwck (8)             - verify the integrity of password files
pwconv (8)           - convert to and from shadow passwords and groups
pwhistory_helper (8) - Helper binary that transfers password hashes from passwd or shadow to opasswd
pwunconv (8)         - convert to and from shadow passwords and groups
shadow (5)           - shadowed password file
systemd-ask-password (1) - Query the user for a system password
systemd-ask-password-console.path (8) - Query the user for system passwords on the console and via wall
systemd-ask-password-console.service (8) - Query the user for system passwords on the console and via wall
systemd-ask-password-wall.path (8) - Query the user for system passwords on the console and via wall
systemd-ask-password-wall.service (8) - Query the user for system passwords on the console and via wall
systemd-tty-ask-password-agent (1) - List or process pending systemd password requests
unix_chkpwd (8)      - Helper binary that verifies the password of the current user
unix_update (8)      - Helper binary that updates the password of a given user
vigr (8)             - edit the password, group, shadow-password or shadow-group file
vipw (8)             - edit the password, group, shadow-password or shadow-group file
dell@Dell:~$
```

```
dell@Dell:~$ man -f passwd
passwd (1)           - change user password
passwd (1ssl)        - OpenSSL application commands
passwd (5)           - the password file
dell@Dell:~$
```

```
PASSWD(5)                                              File Formats and Configuration

NAME
       passwd - the password file

DESCRIPTION
       /etc/passwd contains one line for each user account, with seven fields delimited by colons (“:”). These fields a

       •   login name

       •   optional encrypted password

       •   numerical user ID

       •   numerical group ID

       •   user name or comment field

       •   user home directory

       •   optional user command interpreter

       If the password field is a lower-case “x”, then the encrypted password is actually stored in the shadow(5) file
       corresponding line in the /etc/shadow file, or else the user account is invalid.

       The encrypted password field may be empty, in which case no password is required to authenticate as the specifie
       applications which read the /etc/passwd file may decide not to permit any access at all if the password field is

       A password field which starts with an exclamation mark means that the password is locked. The remaining characte
       password field before the password was locked.

       Refer to crypt(3) for details on how this string is interpreted.

       If the password field contains some string that is not a valid result of crypt(3), for instance ! or *, the user
       password to log in (but the user may log in the system by other means).

       The comment field, also known as the gecos field, is used by various system utilities, such as finger(1). The us
       replaced by the capitalised login name when the field is used or displayed by such system utilities.

       The home directory field provides the name of the initial working directory. The login program uses this informa
 Manual page passwd(5) line 1 (press h for help or q to quit)
```

```
dell@Dell:~$ whatis passwd
passwd (1)           - change user password
passwd (1ssl)        - OpenSSL application commands
passwd (5)           - the password file
dell@Dell:~$
```

```
dell@Dell: ~

Next: arch invocation,  Up: System context

21.1 ‘date’: Print or set system date and time
==============================================

Synopses:

     date [OPTION]... [+FORMAT]
     date [-u|--utc|--universal] [ MMDDhhmm[[CC]YY][.ss] ]

   The ‘date’ command displays the date and time.  With the ‘--set’
(‘-s’) option, or with ‘MMDDhhmm[[CC]YY][.ss]’, it sets the date and
time.

   Invoking ‘date’ with no FORMAT argument is equivalent to invoking it
with a default format that depends on the ‘LC_TIME’ locale category.  In
the default C locale, this format is ‘'+%a %b %e %H:%M:%S %Z %Y'’, so
the output looks like ‘Thu Jul  9 17:00:00 EDT 2020’.

   Normally, ‘date’ uses the time zone rules indicated by the ‘TZ’
environment variable, or the system default rules if ‘TZ’ is not set.
*Note Specifying the Time Zone with ‘TZ’: (libc)TZ Variable.

   An exit status of zero indicates success, and a nonzero value
indicates failure.

* Menu:

* Date format specifiers::         Used in ‘date '+...'’
* Setting the time::               Changing the system clock.
* Options for date::               Instead of the current time.
* Date input formats::             Specifying date strings.
* Examples of date::               Examples.

-----Info: (coreutils)date invocation, 34 lines --All-----------------------------------------------------------
Welcome to Info version 7.1.  Type H for help, h for tutorial.
```

```
dell@Dell:~$ info date
dell@Dell:~$ date --help
Usage: date [OPTION]... [+FORMAT]
  or:  date [-u|--utc|--universal] [MMDDhhmm[[CC]YY][.ss]]
Display date and time in the given FORMAT.
With -s, or with [MMDDhhmm[[CC]YY][.ss]], set the date and time.

Mandatory arguments to long options are mandatory for short options too.
  -d, --date=STRING          display time described by STRING, not 'now'
      --debug                annotate the parsed date,
                              and warn about questionable usage to stderr
  -f, --file=DATEFILE        like --date; once for each line of DATEFILE
  -I[FMT], --iso-8601[=FMT]  output date/time in ISO 8601 format.
                               FMT='date' for date only (the default),
                               'hours', 'minutes', 'seconds', or 'ns'
                               for date and time to the indicated precision.
                               Example: 2006-08-14T02:34:56-06:00
  --resolution               output the available resolution of timestamps
                               Example: 0.000000001
  -R, --rfc-email            output date and time in RFC 5322 format.
                               Example: Mon, 14 Aug 2006 02:34:56 -0600
      --rfc-3339=FMT         output date/time in RFC 3339 format.
                               FMT='date', 'seconds', or 'ns'
                               for date and time to the indicated precision.
                               Example: 2006-08-14 02:34:56-06:00
  -r, --reference=FILE       display the last modification time of FILE
  -s, --set=STRING           set time described by STRING
  -u, --utc, --universal     print or set Coordinated Universal Time (UTC)
      --help        display this help and exit
      --version     output version information and exit

All options that specify the date to display are mutually exclusive.
I.e.: --date, --file, --reference, --resolution.

FORMAT controls the output.  Interpreted sequences are:

  %%   a literal %
  %a   locale's abbreviated weekday name (e.g., Sun)
  %A   locale's full weekday name (e.g., Sunday)
  %b   locale's abbreviated month name (e.g., Jan)
  %B   locale's full month name (e.g., January)
```

```
%B   locale's full month name (e.g., January)
%c   locale's date and time (e.g., Thu Mar  3 23:05:25 2005)
%C   century; like %Y, except omit last two digits (e.g., 20)
%d   day of month (e.g., 01)
%D   date; same as %m/%d/%y
%e   day of month, space padded; same as %_d
%F   full date; like %+4Y-%m-%d
%g   last two digits of year of ISO week number (see %G)
%G   year of ISO week number (see %V); normally useful only with %V
%h   same as %b
%H   hour (00..23)
%I   hour (01..12)
%j   day of year (001..366)
%k   hour, space padded ( 0..23); same as %_H
%l   hour, space padded ( 1..12); same as %_I
%m   month (01..12)
%M   minute (00..59)
%n   a newline
%N   nanoseconds (000000000..999999999)
%p   locale's equivalent of either AM or PM; blank if not known
%P   like %p, but lower case
%q   quarter of year (1..4)
%r   locale's 12-hour clock time (e.g., 11:11:04 PM)
%R   24-hour hour and minute; same as %H:%M
%s   seconds since the Epoch (1970-01-01 00:00 UTC)
%S   second (00..60)
%t   a tab
%T   time; same as %H:%M:%S
%u   day of week (1..7); 1 is Monday
%U   week number of year, with Sunday as first day of week (00..53)
%V   ISO week number, with Monday as first day of week (01..53)
%w   day of week (0..6); 0 is Sunday
%W   week number of year, with Monday as first day of week (00..53)
%x   locale's date representation (e.g., 12/31/99)
%X   locale's time representation (e.g., 23:13:48)
%y   last two digits of year (00..99)
%Y   year
%z   +hhmm numeric time zone (e.g., -0400)
%:z  +hh:mm numeric time zone (e.g., -04:00)
%::z  +hh:mm:ss numeric time zone (e.g., -04:00:00)
```

```
  %W   week number of year, with Monday as first day of week (00..53)
  %x   locale's date representation (e.g., 12/31/99)
  %X   locale's time representation (e.g., 23:13:48)
  %y   last two digits of year (00..99)
  %Y   year
  %z   +hhmm numeric time zone (e.g., -0400)
  %:z  +hh:mm numeric time zone (e.g., -04:00)
  %::z  +hh:mm:ss numeric time zone (e.g., -04:00:00)
  %:::z  numeric time zone with : to necessary precision (e.g., -04, +05:30)
  %Z   alphabetic time zone abbreviation (e.g., EDT)

y default, date pads numeric fields with zeroes.
he following optional flags may follow '%':

  -  (hyphen) do not pad the field
  _  (underscore) pad with spaces
  0  (zero) pad with zeros
  +  pad with zeros, and put '+' before future years with >4 digits
  ^  use upper case if possible
  #  use opposite case if possible

fter any flags comes an optional field width, as a decimal number;
hen an optional modifier, which is either
 to use the locale's alternate representations if available, or
) to use the locale's alternate numeric symbols if available.

xamples:
onvert seconds since the Epoch (1970-01-01 UTC) to a date
  $ date --date='@2147483647'

how the time on the west coast of the US (use tzselect(1) to find TZ)
  $ TZ='America/Los_Angeles' date

how the local time for 9AM next Friday on the west coast of the US
  $ date --date='TZ="America/Los_Angeles" 09:00 next Fri'

NU coreutils online help: <https://www.gnu.org/software/coreutils/>
eport any translation bugs to <https://translationproject.org/team/>
ull documentation <https://www.gnu.org/software/coreutils/date>
r available locally via: info '(coreutils) date invocation'
lell@Dell:~$
```

```
dell@Dell:~$ history
    1  uname
    2  addDflor
    3  su root
    4  man sudo_root
    5  su root
    6  su root
    7  adduser
    8  echo hola a todos
    9  echo [!DP]
   10  echo [!DP]*
   11  echo Today is `date`
   12  echo Today is $(date)
   13  echo D*
   14  echo Hello; echo Linux; echo Studentecho Hello; echo Linux; echo Student
   15  false; echo Not; echo Conditional
   16  echo Success && false && echo Bye
   17  false || echo Fail Or
   18  Fail Or
   19  false || echo Fail Or
   20  Fail Or
   21  history
   22  history 5
   23  Resolución de la practica 4 y 5.
   24  man date
   25  man -k password
   26  user
   27  su root
   28  root
   29  sudo root
   30  apropos password
   31  man -f passwd
   32  man 5 passwd
   33  whatis passwd
   34  info date
   35  date --help
   36  ls /usr/share/doc
   37  locate crontab
   38  /etc/crontab
   39  crontab
   40  whereis passwd
```